Index to Volume 51

Author Index

A

Abdul-Hussien H, Hanemaaijer R, Kleemann R, Verhaaren BFJ, van Bockel JH, Lindeman JHN. The pathophysiology of abdominal aortic aneurysm growth: Corresponding and discordant inflammatory and proteolytic processes in abdominal aortic and popliteal artery aneurysms. 2010;51:1479-87 (Basic research studies)

Abello, N (*see* Kretz B et al). 2010;51:43-50

Abou-Zamzam A. Invited Commentary. 2010;51:386-91

Abraham DJ (*see* Ho TK et al). 2010;51:689-99

Abraham P (*see* Le Faucheur A et al). 2010;51:886-92

Abraham P (*see* Mahe G et al). 2010;51:863-8

Abularrage CJ (*see* Crawford RS et al). 2010;51:351-9

AbuRahma AF, Stone PA, Hass SM, Dean LS, Habib J, Keiffer T, Emmett M. Prospective randomized trial of routine versus selective shunting in carotid endarterectomy based on stump pressure. 2010;51:1133-8

Acin F (*see* de Haro J et al). 2010;51:857-62

Acsády G (*see* Dósa E et al). 2010;51:345-50

Adachi I, Kuratani T, Shirakawa Y, Ueno T, Matsumiya G, Sawa Y. Application of a homemade stent graft to the pulmonary arteries in a patient with total cavopulmonary connection. 2010;51:1268-71

Adam DJ (*see* Darvall KAL et al). 2010;51:913-20

Addeo P (*see* Giulianotti PC et al). 2010;51:842-9

Aggarwal R (*see* Van Herzeele I et al). 2010;51:1035-42

Agko M, Nazzal M, Jamil T, Castillo-Sang M, Clark P, Kasper G. Prevention of cardiopulmonary embolization of polymethylmethacrylate cement fragment after kyphoplasty with insertion of inferior vena cava filter. 2010;51:210-3 (Case rep.)

Agle SC (*see* McNally MM et al). 2010;51:1390-6

Ahanchi SS (*see* Tsihlis ND et al). 2010;51:1248-59

Aidinian G, Fox CJ, Rasmussen TE, Gillespie DL,. Varied presentations of missile emboli in military combat. 2010;51:214-7

Akin I (*see* Kische S et al). 2010;51:1550-9

Albuquerque FC, Tonnessen BH, Noll RE, Cires G, Kim JK, Sternbergh WC. Paradigm shifts in the treatment of abdominal aortic aneurysm: Trends in 721 patients between 1996 and 2008. 2010;51:1348-53

Allaire E (*see* Cochennec F et al). 2010;51:1360-6

Alric P (*see* Midy D et al). 2010;51:850-6

Amar L (*see* Steichen O et al). 2010;51:1574-80

Amsler F (*see* Brizzio E et al). 2010;51:410-6

Anderegg U (*see* Kendler M et al). 2010;51:639-47

Andersen C (*see* Singh N et al). 2010;51:252-8

Andersen ND, Dubose J, Shah A, Lee T, Wechsler SB, Hughes GC. Thoracic endografting in a patient with hereditary hemorrhagic telangiectasia presenting with a descending thoracic aneurysm. 2010;51:468-70

Andreini D (*see* Pontone G et al). 2010;51:1260-4 (Case rep.)

Andrews L (*see* Grewal NK et al). 2010;51:1209-14

Andros G (*see* Sumpio BE et al). 2010;51:1504-6

Angelopoulos G (*see* Gandini R et al). 2010;51:760-2

Antin L (*see* Tameo MN et al). 2010;51:221-4

Apor A (*see* Dósa E et al). 2010;51:345-50

Araki N (*see* Emori M et al). 2010;51:1010-3

Armstrong DG (*see* Sumpio BE et al). 2010;51:1504-6

Arnaoutakis G (*see* Brooke BS et al). 2010;51:131-9

Arruabarrena A (*see* Ysa A et al). 2010;51:735

Arthurs ZM, Bishop PD, Feiten LE, Eagleton MJ, Clair DG, Kashyap VS. Evaluation of peripheral atherosclerosis: A comparative analysis of angiography and intravascular ultrasound imaging. 2010;51:933-9

Asakura T (*see* Enomoto S et al). 2010;51:155-64 (Basic research studies)

AURC French University Association for Vascular Surgery (*see* Midy D et al). 2010;51:850-6

Awad NA (*see* Young KC et al). 2010;51:27-32

Awadallah M (*see* Gasparis AP et al). 2010;51:453-7 (Case rep.)

Azizzadeh A (*see* Miller CC et al). 2010;51:38-42

B

Baba H, Tanoue Y, Maeda T, Kobayashi M, Oda S, Tominaga R. Protective effects of cold spinoplegia with fasudil against ischemic spinal cord injury in rabbits. 2010;51:445-52

Bagshahi H (*see* Park B et al). 2010;51:165-73

Baker DM (*see* Ho TK et al). 2010;51:689-99

Bálassy C (*see* Czerny M et al). 2010;51:1139-44

Ballard JL. Invited commentary. 2010;51:836-41

Balm R. Invited commentary. 2010;51:294-8

Barclay J (*see* Wright DD et al). 2010;51:104-7

Baril DT, Chaer RA, Rhee RY, Makaroun MS, Marone LK. Endovascular interventions for TASC II D femoropopliteal lesions. 2010;51:1406-12

Barnes GD, Gafoor S, Wakefield T, Upchurch GR, Henke P, Froehlich JB. National trends in venous disease. 2010;51:1467-73

Barot N (*see* Tsai TC et al). 2010;51:1514-6

Bartoli M (*see* Malikov S et al). 2010;51:323-9

Bartorelli AL (*see* Pontone G et al). 2010;51:1260-4 (Case rep.)

Bate GR (*see* Darvall KAL et al). 2010;51:913-20

Batsides GP (*see* Mousa AY et al). 2010;51:1014

Bauer SM, Cayne NS, Veith FJ. New developments in the preoperative evaluation and perioperative management of coronary artery disease in patients undergoing vascular surgery. 2010;51:242-51

Bays RA, Kaelin LD. Electronic medical records for the office. 2010;51:1302-8

Beauregard KG (*see* Raffetto JD et al). 2010;51:972-81

Beck AW, Nolan BW, De Martino R, Yuo TH, Tanski WJ, Walsh DB, Powell RP, Cronenwett JL. Predicting blood pressure response after renal artery stenting. 2010;51:380-5

Becquemin J-P (*see* Cochennec F et al). 2010;51:1360-6

Beele H (*see* Randon C et al). 2010;51:869-77

Bekkema F (*see* Tielliu IFJ et al). 2010;51:1413-8 (Case rep.)

Bent CL, Jaskolka JD, Lindsay TF, Tan K. The use of dynamic volumetric CT angiography (DV-CTA) for the characterization of endoleaks following fenestrated endovascular aortic aneurysm repair (f-EVAR). 2010;51:203-6 (Case rep.)

Berard X (*see* Midy D et al). 2010;51:850-6

Berne JD, Cook A, Rowe SA, Norwood SH. A multivariate logistic regression analysis of risk factors for blunt cerebrovascular injury. 2010;51:57-64

Berry JL (*see* Yazdani SK et al). 2010;51:174-83

Beuk RJ (*see* van Petersen AS et al). 2010;51:1309-16

Bianco FM (*see* Giulianotti PC et al). 2010;51:842-9

Bicknell CD (*see* Riga CV et al). 2010;51:810-20

Biglioli P (*see* Pontone G et al). 2010;51:1260-4 (Case rep.)

Billingsley KG (*see* Lee DY et al). 2010;51:662-6

Bina N (*see* Ruggieri VG et al). 2010;51:729-31

Bishop PD (*see* Arthurs ZM et al). 2010;51:933-9

Bismuth J (*see* Davies MG et al). 2010;51:1222-9

Bismuth J (*see* Younes HK et al). 2010;51:259-66
Black JH (*see* Brooke BS et al). 2010;51:131-9
Black JH. Evidence base and strategies for successful smoking cessation. 2010;51:1529-37 (Review article)
Blättler W (*see* Brizzio E et al). 2010;51:410-6
Bleda S (*see* de Haro J et al). 2010;51:857-62
Blevins SM (*see* Gardner AW et al). 2010;51:610-5
Blum-Eisa L (*see* Novis SJ et al). 2010;51:648-54
Böckler D (*see* Geisbüsch P et al). 2010;51:299-304
Bogdanovic DC (*see* Milic DJ et al). 2010;51:655-61
Bogey WM (*see* McNally MM et al). 2010;51:1390-6
Bohannon T (*see* Farber A et al). 2010;51:771-5
Bond A (*see* Han SM et al). 2010;51:1381-9
Bosboom EMH (*see* Speelman L et al). 2010;51:19-26
Bosman W-MPF, van der Steenhoven TJ, Hinnen J-W, Kaptein BL, de Vries AC, Brom HLF, Jacobs MJ, Hamming JF. Aortic Customize: A new alternative endovascular approach to aortic aneurysm repair using injectable biocompatible elastomer. An in vitro study. 2010;51:1230-7 (Basic research studies)
Bower TC (*see* Rits Y et al). 2010;51:392-400
Bower TC. Invited commentary. 2010;51:1195-202
Bradbury AW (*see* Darvall KAL et al). 2010;51:913-20
Branchereau A (*see* Malikov S et al). 2010;51:323-9
Brandão D, Canedo A, Maia M, Ferreira J, Vaz G. Duodenocaval fistula as a result of a fish bone perforation. 2010;51:1276-8
Breeuwer M (*see* Speelman L et al). 2010;51:19-26
Brenot R (*see* Kretz B et al). 2010;51:43-50
Breslau PJ (*see* Flu HC et al). 2010;51:622-7
Briggs W (*see* Li W et al). 2010;51:593-9
Brizzi V (*see* Midy D et al). 2010;51:850-6
Brizzio E, Amsler F, Lun B, Blättler W. Comparison of low-strength compression stockings with bandages for the treatment of recalcitrant venous ulcers. 2010;51:410-6
Brom HLF (*see* Bosman W-MPF et al). 2010;51:1230-7 (Basic research studies)
Brooke BS, Arnaoutakis G, McDonnell NB, Black JH. Contemporary management of vascular complications associated with Ehlers-Danlos syndrome. 2010;51:131-9
Brooke BS. Perioperative β-blockers for vascular surgery patients. 2010;51:515-9
Brounts L (*see* Singh N et al). 2010;51:252-8
Brown OW. Good Samaritan statutes: A malpractice defense for "doing the right thing". 2010;51:1572-3
Brown OW. Reviewing medical malpractice cases for a plaintiff's attorney: Heresy or responsibility. 2010;51:1054-5
Bruffey JD (*see* Garg J et al). 2010;51:946-50
Bruneau A (*see* Mahe G et al). 2010;51:863-8
Bruno VD (*see* Piffaretti G et al). 2010;51:993-9
Burfitt N (*see* Narayanan S et al). 2010;51:1297-9
Burkhardt GE (*see* Propper BW et al). 2010;51:1111-5
Bush HL (*see* Goldstein LJ et al). 2010;51:725-8
Bush RL (*see* Liang NL et al). 2010;51:494-5 (Surgical ethics challenges)
Bush RL. Invited commentary. 2010;51:3-8
Bustabad MR (*see* Ysa A et al). 2010;51:735
Buth J (*see* Speelman L et al). 2010;51:19-26

C

Caggiati A, Franceschini M. Stroke following endovenous laser treatment of varicose veins. 2010;51:218-20
Calligaro KD (*see* Tameo MN et al). 2010;51:221-4
Calligaro KD. Do no harm. 2010;51:487-93 (Presidential address)
Cambria RA (*see* Stone DH et al). 2010;51:559-64
Cambria RP (*see* Crawford RS et al). 2010;51:351-9
Cambria RP (*see* Patel R et al). 2010;51:310-6
Cambria RP (*see* Peck MA et al). 2010;51:140-7
Cambria RP,. R. Clement Darling Jr, MD, and the evolution of vascular surgery. 2010;51:747-55 (Presidential address)
Canedo A (*see* Brandão D et al). 2010;51:1276-8
Canty TG (*see* Woo K et al). 2010;51:921-5
Cao P (*see* De Rango P et al). 2010;51:337-44
Carrel TP (*see* Müller-Schweinitzer E et al). 2010;51:438-44
Carrell TW (*see* Clough RE et al). 2010;51:1272-5
Carson JL (*see* Vogel TR et al). 2010;51:122-30
Carvalho CRF (*see* Ritti-Dias RM et al). 2010;51:89-95
Casey P (*see* Rheaume P et al). 2010;51:763-70
Caso V (*see* De Rango P et al). 2010;51:337-44
Castelli P (*see* Piffaretti G et al). 2010;51:993-9
Castelli P (*see* Pulli R et al). 2010;51:1167-77
Castier Y (*see* Desgranges P et al). 2010;51:267-70
Castillo-Sang M (*see* Agko M et al). 2010;51:210-3 (Case rep.)
Castner CF (*see* Kulik A et al). 2010;51:1367-72
Causey W (*see* Singh N et al). 2010;51:252-8
Cayne NS (*see* Bauer SM et al). 2010;51:242-51
Chaer RA (*see* Baril DT et al). 2010;51:1406-12
Chang G, Wang H, Chen W, Yao C, Li Z, Wang S. Endovascular repair of a type B aortic dissection with a ventricular septal defect occluder. 2010;51:1507-9 (Case rep.)
Chang Q (*see* Wang R et al). 2010;51:1203-8
Chastanet S (*see* Pittaluga P et al). 2010;51:1442-50
Chatterjee T (*see* Kische S et al). 2010;51:1550-9
Chaudry M, Flinn WR, Kim K, Neschis DG. Traumatic arteriovenous fistula 52 years after injury. 2010;51:1265-7
Chelala D (*see* Rassi I et al). 2010;51:1279
Chen J (*see* Rheaume P et al). 2010;51:763-70
Chen W (*see* Chang G et al). 2010;51:1507-9 (Case rep.)
Chen Z (*see* Ma J et al). 2010;51:700-6
Cherr GS (*see* Dosluoglu HH et al). 2010;51:1425-35
Cheshire NJW (*see* Riga CV et al). 2010;51:810-20
Cheshire NJW (*see* Van Herzeele I et al). 2010;51:1035-42
Chiche L (*see* Coscas R et al). 2010;51:1124-32
Chiesa R, Melissano G, Marone EM, Kahlberg A, Marrocco-Trischitta MM, Tshomba Y. Endovascular treatment of aortoesophageal and aortobronchial fistulae. 2010;51:1195-202
Chiou AJ (*see* Figueroa CA et al). 2010;51:1488-97
Chisolm GM (*see* Eagleton MJ et al). 2010;51:951-61 (Basic research studies)
Choi ET (*see* Ziporin SJ et al). 2010;51:715-9
Choi SY, Do YS, Lee DY, Lee K-H, Won JY. Treatment of a pelvic arteriovenous malformation by stent graft placement combined with sclerotherapy. 2010;51:1006-9
Chow BK (*see* DePalma RG et al). 2010;51:1498-503
Chuter TAM (*see* Park K-H et al). 2010;51:572-6
Cieri E (*see* De Rango P et al). 2010;51:337-44
Cinà C (*see* Dang W et al). 2010;51:33-8
Cina CS. Endovascular repair of popliteal aneurysms. 2010;51:1056-60
Cires G (*see* Albuquerque FC et al). 2010;51:1348-53
Clair DG (*see* Arthurs ZM et al). 2010;51:933-9
Clair DG (*see* Ouriel K et al). 2010;51:1081-7
Clair DG. Invited commentary. 2010;51:1096-102
Clark P (*see* Agko M et al). 2010;51:210-3 (Case rep.)
Clevert DA (*see* Kopp R et al). 2010;51:1103-10
Clough RE, Topple JA, Zayed HA, Lyons OT, Carrell TW, Taylor

PR. Endovascular repair of a tuberculous mycotic thoracic aortic aneurysm with a custom-made device. 2010;51:1272-5
Clouse WD (*see* Propper BW et al). 2010;51:1111-5
Clouse WD (*see* Singh N et al). 2010;51:252-8
Cochennec F, Marzelle J, Allaire E, Desgranges P, Becquemin J-P. Open vs endovascular repair of abdominal aortic aneurysm involving the iliac bifurcation. 2010;51:1360-6
Colles SM (*see* Rosenbaum MA et al). 2010;51:184-93
Comerota AJ (*see* Han SM et al). 2010;51:600-9 (Review article)
Comerota AJ, (*see* Grewal NK et al). 2010;51:1209-14
Comerota AJ. Invited commentary. 2010;51:458-60
Connaughton J (*see* Jones WT et al). 2010;51:465-7
Conrad MF (*see* Crawford RS et al). 2010;51:351-9
Conrad MF (*see* Patel R et al). 2010;51:310-6
Conrad MF (*see* Peck MA et al). 2010;51:140-7
Conte MS (*see* Owens CD et al). 2010;51:1152-9
Coogan SM (*see* Miller CC et al). 2010;51:38-42
Cook A (*see* Berne JD et al). 2010;51:57-64
Cook PR (*see* Woo K et al). 2010;51:921-5
Cooper L (*see* Rits Y et al). 2010;51:392-400
Copotoiu C (*see* Galajda Z et al). 2010;51:1000-2
Coppi G, Moratto R, Veronesi J, Nicolosi E, Silingardi R. Carotid artery stent fracture identification and clinical relevance. 2010;51:1397-405
Coratti A (*see* Giulianotti PC et al). 2010;51:842-9
Coscas R, Greenberg RK, Pfaff K. Embolization of a type 2 endoleak through catheterization of a hypogastric branched stent-graft. 2010;51:712-4 (Case rep.)
Coscas R, Rhissassi B, Gruet-Coquet N, Couture T, de Tymowski C, Chiche L, Kieffer E, Koskas F. Open surgery remains a valid option for the treatment of recurrent carotid stenosis. 2010;51:1124-32
Couture T (*see* Coscas R et al). 2010;51:1124-32
Coveliers HME (*see* Yeung KK et al). 2010;51:551-8
Crawford RS, Cambria RP, Abularrage CJ, Conrad MF, Lancaster RT, Watkins MT, LaMuraglia GM. Preoperative functional status predicts perioperative outcomes after infrainguinal bypass surgery. 2010;51:351-9
Creager MA (*see* Owens CD et al). 2010;51:1152-9
Criado FJ (*see* Rancic Z et al). 2010;51:1293-6
Criado FJ (*see* Turnbull IC et al). 2010;51:537-44
Cronenwett JL (*see* Beck AW et al). 2010;51:380-5
Cronenwett JL (*see* Goodney PP et al). 2010;51:71-9
Cronenwett JL (*see* Simons JP et al). 2010;51:1419-24
Cronenwett JL (*see* Stone DH et al). 2010;51:559-64
Cronenwett JL, Huber TS. James M. Seeger, MD, 1947-2009. 2010;51:1-2
Cucato GG (*see* Ritti-Dias RM et al). 2010;51:89-95
Curry T (*see* Singh N et al). 2010;51:252-8
Czerny M, Schuch P, Sodeck G, Bálassy C, Hoelzenbein T, Juraszek A, Dziodzio T, Grimm M. Sustained cognitive benefit 5 years after carotid endarterectomy. 2010;51:1139-44

D

D'Ayala M (*see* Li W et al). 2010;51:593-9
Dainese L (*see* Pontone G et al). 2010;51:1260-4 (Case rep.)
Dalman R (*see* Tsai TC et al). 2010;51:1514-6
Dalman RL (*see* Lee JT et al). 2010;51:496-503
Dang W, Kilian M, Peterson MD, Cinà C. Relationship between access side used to deliver the main body of bifurcated prostheses for endovascular aneurysm repair and speed of cannulation of the contralateral limb. 2010;51:33-8
Darcey R (*see* Neglén P et al). 2010;51:1457-66
Darcey R (*see* Raju S et al). 2010;51:401-9
Darvall KAL, Sam RC, Bate GR, Silverman SH, Adam DJ, Bradbury AW. Changes in health-related quality of life after ultrasound-guided foam sclerotherapy for great and small saphenous varicose veins. 2010;51:913-20
Darzi A (*see* Van Herzeele I et al). 2010;51:1035-42
Dasika NL (*see* Patel HJ et al). 2010;51:829-35
Davenport DL (*see* O'Keeffe SD et al). 2010;51:616-21
Davenport DL, O'Keeffe SD, Minion DJ, Sorial EE, Endean ED, Xenos ES. Thirty-day NSQIP database outcomes of open versus endoluminal repair of ruptured abdominal aortic aneurysms. 2010;51:305-9
Davies MG (*see* Younes HK et al). 2010;51:259-66
Davies MG, Saad WE, Bismuth J, Naoum JJ, Peden EK, Lumsden AB. Impact of metabolic syndrome on the outcomes of percutaneous renal angioplasty and stenting. 2010;51:926-32
Davies MG, Saad WE, Bismuth J, Naoum JJ, Peden EK, Lumsden AB. Renal parenchymal preservation after percutaneous renal angioplasty and stenting. 2010;51:1222-9
Dayal R (*see* Egorova NN et al). 2010;51:878-85
De Blasis G (*see* Pulli R et al). 2010;51:1167-77
de Haro J, Acin F, Florez A, Bleda S, Luis Fernandez J. A prospective randomized controlled study with intermittent mechanical compression of the calf in patients with claudication. 2010;51:857-62
De Martino R (*see* Beck AW et al). 2010;51:380-5
De Rango P, Parlani G, Caso V, Verzini F, Giordano G, Cieri E, Cao P. A comparative analysis of the outcomes of carotid stenting and carotid endarterectomy in women. 2010;51:337-44
De Ryck F (*see* Randon C et al). 2010;51:869-77
de Tymowski C (*see* Coscas R et al). 2010;51:1124-32
de Virgilio C (*see* Lee JT et al). 2010;51:496-503
de Vries AC (*see* Bosman W-MPF et al). 2010;51:1230-7 (Basic research studies)
de Vries J-PPM (*see* Fioole B et al). 2010;51:386-91
de Vries MR (*see* Eefting D et al). 2010;51:429-37
Deac R (*see* Galajda Z et al). 2010;51:1000-2
Dean LS (*see* AbuRahma AF et al). 2010;51:1133-8
Deeb GM (*see* Patel HJ et al). 2010;51:829-35
DePalma RG, Hayes VW, Chow BK, Shamayeva G, May PE, Zacharski LR. Ferritin levels, inflammatory biomarkers, and mortality in peripheral arterial disease: A substudy of the Iron (Fe) and Atherosclerosis Study (FeAST) Trial. 2010;51:1498-503
Desgranges P (*see* Cochennec F et al). 2010;51:1360-6
Desgranges P, Kobeiter H, Castier Y, Sénéchal M, Majewski M, Krimi, A. The Endovasculaire vs Chirurgie dans les Anévrysmes Rompus PROTOCOL trial update. 2010;51:267-70
Dick J (*see* Slovut DP et al). 2010;51:65-70
Dilley RB (*see* Garg J et al). 2010;51:946-50
Do YS (*see* Choi SY et al). 2010;51:1006-9
Doelman CJA (*see* van Petersen AS et al). 2010;51:1309-16
Dombrovskiy VY (*see* Vogel TR et al). 2010;51:122-30
Donas KP, Rancic Z, Lachat M, Pfammatter T, Frauenfelder T, Veith FJ, Mayer D. Novel sutureless telescoping anastomosis revascularization technique of supra-aortic vessels to simplify combined open endovascular procedures in the treatment of aortic arch pathologies. 2010;51:836-41
Dorigo W (*see* Pulli R et al). 2010;51:1167-77
Dorigo W (*see* Troisi N et al). 2010;51:225-7
Dorrucci V (*see* Pulli R et al). 2010;51:1167-77
Dósa E, Hirschberg K, Apor A, Járányi Z, Entz L, Acsády G, Hüttl

K. Echolucent or predominantly echolucent femoral plaques predict early restenosis after eversion carotid endarterectomy. 2010;51:345-50
Dosluoglu HH, Lall P, Cherr GS, Harris LM, Dryjski ML. Role of simple and complex hybrid revascularization procedures for symptomatic lower extremity occlusive disease. 2010;51: 1425-35
Dosluoglu HH, Lall P, Nader ND, Harris LM, Dryjski ML. Insulin use is associated with poor limb salvage and survival in diabetic patients with chronic limb ischemia. 2010;51:1178-89
Dosluoglu HH, Loghmanee C, Lall P, Cherr GS, Harris LM, Dryjski ML. Management of early (<30 day) vascular groin infections using vacuum-assisted closure alone without muscle flap coverage in a consecutive patient series. 2010;51:1160-6
Doucet L (*see* Khan I et al). 2010;51:1003-5
Dougherty MJ (*see* Tameo MN et al). 2010;51:221-4
Doyle AJ (*see* Illig KA et al). 2010;51:1538-47
Drygiannakis I (*see* Kostas TI et al). 2010;51:900-7
Dryjski ML (*see* Dosluoglu HH et al). 2010;51:1425-35
Dubose J (*see* Andersen ND et al). 2010;51:468-70
DuBose J (*see* Jones WT et al). 2010;51:465-7
Ducasse E (*see* Midy D et al). 2010;51:850-6
Dziodzio T (*see* Czerny M et al). 2010;51:1139-44

E

Eagleton MJ (*see* Arthurs ZM et al). 2010;51:933-9
Eagleton MJ, Xu J, Liao M, Parine B, Chisolm GM, Graham LM. Loss of STAT1 is associated with increased aortic rupture in an experimental model of aortic dissection and aneurysm formation. 2010;51:951-61 (Basic research studies)
Eckstein FS (*see* Müller-Schweinitzer E et al). 2010;51:438-44
Eckstein H-H (*see* Reeps C et al). 2010;51:679-88 (Basic research studies)
Eefting D, de Vries MR, Grimbergen JM, Karper JC, van Bockel JH, Quax PHA. In vivo suppression of vein graft disease by nonviral, electroporation-mediated, gene transfer of tissue inhibitor of metalloproteinase-1 linked to the amino terminal fragment of urokinase (TIMP-1.ATF), a cell-surface directed matrix metalloproteinase inhibitor. 2010;51:429-37
Egorova N, Vouyouka AG, Quin J, Guillerme S, Moskowitz A, Marin M, Faries PL. Analysis of gender-related differences in lower extremity peripheral arterial disease. 2010;51:372-9
Egorova NN, Guillerme S, Gelijns A, Morrissey N, Dayal R, McKinsey JF, Nowygrod R. An analysis of the outcomes of a decade of experience with lower extremity revascularization including limb salvage, lengths of stay, and safety. 2010;51: 878-85
Eldrup-Jorgensen J (*see* Goodney PP et al). 2010;51:71-9
Ellozy SH (*see* Prenner SB et al). 2010;51:1354-9
Ellozy SH (*see* Turnbull IC et al). 2010;51:537-44
Emmett M (*see* AbuRahma AF et al). 2010;51:1133-8
Emori M, Naka N, Takami H, Tanaka T-A, Tomita Y, Araki N. Ruptured brachial artery aneurysm in a patient with type 1 neurofibromatosis. 2010;51:1010-3
Endean ED (*see* Davenport DL et al). 2010;51:305-9
Endean ED (*see* O'Keeffe SD et al). 2010;51:616-21
Enomoto S, Sumi M, Kajimoto K, Nakazawa Y, Takahashi R, Takabayashi C, Asakura T, Sata M. Long-term patency of small-diameter vascular graft made from fibroin, a silk-based biodegradable material. 2010;51:155-64 (Basic research studies)
Entz L (*see* Dósa E et al). 2010;51:345-50
Eskandari MK, Usman AA, Garcia-Toca M, Matsumura JS, Kibbe MR, Morasch MD, Rodriguez HE, Pearce WH. Eight-year institutional review of carotid artery stenting. 2010;51: 1145-51
Eslami MH (*see* Falls G et al). 2010;51:458-60
Estrera AL (*see* Miller CC et al). 2010;51:38-42

F

Fairman RM (*see* Kasirajan K et al). 2010;51:1096-102
Falls G, Eslami MH. Recurrence of a popliteal venous aneurysm. 2010;51:458-60
Farber A, Long BM, Lauterbach SR, Bohannon T, Siegal CL. Assessment of public knowledge about the scope of practice of vascular surgons. 2010;51:771-5
Farber MA (*see* Riesenman PJ et al). 2010;51:207-9
Faries PL (*see* Egorova N et al). 2010;51:372-9
Faries PL (*see* Prenner SB et al). 2010;51:1354-9
Faries PL (*see* Turnbull IC et al). 2010;51:537-44
Favre J-P (*see* Ruggieri VG et al). 2010;51:729-31
Feiten LE (*see* Arthurs ZM et al). 2010;51:933-9
Ferdani M (*see* Midy D et al). 2010;51:850-6
Ferilli F (*see* Pulli R et al). 2010;51:1167-77
Ferreira J (*see* Brandão D et al). 2010;51:1276-8
Ferreira M, Monteiro M, Lanziotti L. Technical aspects and mid-term patency of iliac branched devices. 2010;51:545-50
Ferretti JA (*see* Klein SJ et al). 2010;51:908-12
Figueroa CA, Taylor CA, Yeh V, Chiou AJ, Gorrepati ML, Zarins CK. Preliminary 3D computational analysis of the relationship between aortic displacement force and direction of endograft movement. 2010;51:1488-97
Finlayson SRG (*see* Goodney PP et al). 2010;51:1340-70
Fioole B, van de Rest HJM, Meijer JRM, van Leersum M, van Koeverden S, Moll FL, van den Berg JC, de Vries J-PPM. Percutaneous transluminal angioplasty and stenting as first-choice treatment in patients with chronic mesenteric ischemia. 2010;51:386-91
Fisher ES (*see* Goodney PP et al). 2010;51:1340-70
Flinn WR (*see* Chaudry M et al). 2010;51:1265-7
Florez A (*see* de Haro J et al). 2010;51:857-62
Flu HC, Lardenoye J-WHP, Veen EJ, Henegouwen DPVB, Hamming JF. Functional status as a prognostic factor for primary revascularization for critical limb ischemia. 2010;51:360-71
Flu HC, Ploeg AJ, Mheen PJM, Veen EJ, Lange CPE, Breslau PJ, Roukema JA, Hamming JF, Lardenoye J-WHP. Patient and procedure-related risk factors for adverse events after infrainguinal bypass. 2010;51:622-7
Forbes TL. Commentary. 2010;51:763-70
Forbes TL. Commentary. 2010;51:1564-8
Forbes TL. Informed consent: What level of risk to disclose with carotid artery endarterectomy. 2010;51:1548-9 (Surgical ethics challenges)
Forbes TL. Preliminary results of Carotid Revascularization Endarterectomy vs Stenting Trial (CREST). 2010;51:1300-1
Forjaz CLM (*see* Ritti-Dias RM et al). 2010;51:89-95
Fox CJ, (*see* Aidinian G et al). 2010;51:214-7
Franceschini M (*see* Caggiati A et al). 2010;51:218-20
Franklin DP (*see* Obmann MA et al). 2010;51:1528
Frauenfelder T (*see* Donas KP et al). 2010;51:836-41
Frauenfelder T (*see* Rancic Z et al). 2010;51:1293-6
Frochlich JB (*see* Barnes GD et al). 2010;51:1467-73
Fujiwara H, Saiki Y, Sato M, Sakamoto N, Ohashi T, Sato M, Tabata Y, Tabayashi K. Modification of the descending thoracic aortic anastomotic site using biodegradable felt: Study in a canine model with or without basic fibroblast growth factor. 2010;51:194-202

Fukui S, Paraskevas N, Soury P, Gigou F. Totally videoendoscopic descending thoracic aorta-to-femoral artery bypass. 2010;51:1560-3
Fung WY (*see* Yeung KK et al). 2010;51:551-8
Furtwängler C (*see* Schwarz T et al). 2010;51:1474-8 (Case rep.)
Fusari M (*see* Pontone G et al). 2010;51:1260-4 (Case rep.)

G

Gafoor S (*see* Barnes GD et al). 2010;51:1467-73
Gahtan V (*see* Maier KG et al). 2010;51:1238-47
Gainza E (*see* Ysa A et al). 2010;51:735
Galajda Z, Copotoiu C, Suciu H, Tint D, Glasz T, Deac R. The diagnosis, morphological particularities, and surgical technique in a case of intravascular leiomyoma extended to the right heart chambers. 2010;51:1000-2
Gandini R, Angelopoulos G, Ros VD, Simonetti G. Percutaneous transluminal angioplasty for treatment of critical hand ischemia with a novel endovascular approach: "The radial to ulnar artery loop technique". 2010;51:760-2
Garcia-Toca M (*see* Eskandari MK et al). 2010;51:1145-51
Gardner AW, Montgomery PS, Blevins SM, Parker DE. Gender and ethnic differences in arterial compliance in patients with intermittent claudication. 2010;51:610-5
Gardner AW, Montgomery PS. Resting energy expenditure in patients with intermittent claudication and critical limb ischemia. 2010;51:1436-41
Gardner AW, Ritti-Dias RM, Stoner JA, Montgomery PS, Scott KJ, Blevins SM. Walking economy before and after the onset of claudication pain in patients with peripheral arterial disease. 2010;51:628-33
Garg J (*see* Woo K et al). 2010;51:921-5
Garg J, Woo K, Hirsch J, Bruffey JD, Dilley RB. Vascular complications of exposure for anterior lumbar interbody fusion. 2010;51:946-50
Gargiulo NJ (*see* O'Connor DJ et al). 2010;51:1517-20
Gasparis AP (*see* Klein SJ et al). 2010;51:908-12
Gasparis AP (*see* Labropoulos N et al). 2010;51:96-103
Gasparis AP, Awadallah M, Meisner RJ, Lo C, Labropoulos N. Recurrent popliteal vein aneurysm. 2010;51:453-7 (Case rep.)
Geary RL (*see* Yazdani SK et al). 2010;51:174-83
Gee M (*see* Reeps C et al). 2010;51:679-88 (Basic research studies)
Geelkerken RH (*see* van Petersen AS et al). 2010;51:1309-16
Geelkerken RH, Kolkman JJ, Huisman AB. Invited commentary. 2010;51:140-7
Geisbüsch P, Kotelis D, Weber TF, Hyhlik-Dürr A, Böckler D. Endovascular repair of ruptured thoracic aortic aneurysms is associated with high perioperative mortality and morbidity. 2010;51:299-304
Gelijns A (*see* Egorova NN et al). 2010;51:878-85
Gentile KL (*see* Maier KG et al). 2010;51:1238-47
Georgakarakos E (*see* Kostas TI et al). 2010;51:900-7
Geraghty PJ (*see* Thomas BG et al). 2010;51:1373-80
Geraghty PJ (*see* Ziporin SJ et al). 2010;51:715-9
Gerasimidis T (*see* Kadoglou NPE et al). 2010;51:114-21
Gewertz BL (*see* Ng TT et al). 2010;51:801-9
Giacovelli JK (*see* Jonker FHW et al). 2010;51:565-71
Giannakopoulos A (*see* Sfyroeras GS et al). 2010;51:1280-5 (Review article)
Giannoukas AD (*see* Sfyroeras GS et al). 2010;51:1280-5 (Review article)
Gibson KD (*see* Wright DD et al). 2010;51:104-7
Gifford SM (*see* Propper BW et al). 2010;51:1111-5
Gigou F (*see* Fukui S et al). 2010;51:1560-3
Gillespie D (*see* Young KC et al). 2010;51:27-32
Gillespie DL, (*see* Aidinian G et al). 2010;51:214-7
Giordano G (*see* De Rango P et al). 2010;51:337-44
Giulianotti PC, Bianco FM, Addeo P, Lombardi A, Coratti A, Sbrana F. Robot-assisted laparoscopic repair of renal artery aneurysms. 2010;51:842-9
Glasz T (*see* Galajda Z et al). 2010;51:1000-2
Gloviczki P (*see* Rits Y et al). 2010;51:392-400
Golden MA. Invited commentary. 2010;51:174-83
Goldstein LJ, Rezayat C, Shrikhande GV, Bush HL. Delayed permanent paraplegia after endovascular repair of abdominal aortic aneurysm. 2010;51:725-8
Goodney PP (*see* Simons JP et al). 2010;51:1419-24
Goodney PP (*see* Stone DH et al). 2010;51:559-64
Goodney PP, Nolan BW, Schanzer A, Eldrup-Jorgensen J, Stanley AC, Stone DH, Likosky DS, Cronenwett JL, Vascular Study Group Of Northern New England. Factors associated with death 1 year after lower extremity bypass in Northern New England. 2010;51:71-9
Goodney PP, Tavris D, Lucas FL, Gross T, Fisher ES, Finlayson SRG. Causes of late mortality after endovascular and open surgical repair of infrarenal abdominal aortic aneurysms. 2010;51:1340-70
Gorrepati ML (*see* Figueroa CA et al). 2010;51:1488-97
Graham AM (*see* Vogel TR et al). 2010;51:122-30
Graham LM (*see* Eagleton MJ et al). 2010;51:951-61 (Basic research studies)
Graham LM (*see* Rosenbaum MA et al). 2010;51:184-93
Grapow MTR (*see* Müller-Schweinitzer E et al). 2010;51:438-44
Gray JL (*see* Obmann MA et al). 2010;51:1528
Greenberg RK (*see* Coscas R et al). 2010;51:712-4 (Case rep.)
Greenberg RK (*see* Mastracci TM et al). 2010;51:1088-95
Grewal NK, Martinez JT, Andrews L, Comerota AJ,. Quantity of clot lysed after catheter-directed thrombolysis for iliofemoral deep venous thrombosis correlates with postthrombotic morbidity. 2010;51:1209-14
Grimbergen JM (*see* Eefting D et al). 2010;51:429-37
Grimm JC (*see* Miller CC et al). 2010;51:38-42
Grimm M (*see* Czerny M et al). 2010;51:1139-44
Gross J (*see* O'Connor DJ et al). 2010;51:1517-20
Gross T (*see* Goodney PP et al). 2010;51:1340-70
Gruet-Coquet N (*see* Coscas R et al). 2010;51:1124-32
Guillerme S (*see* Egorova N et al). 2010;51:372-9
Guillerme S (*see* Egorova NN et al). 2010;51:878-85
Guo J (*see* Hou R et al). 2010;51:940-5
Gupta N (*see* Kasirajan K et al). 2010;51:1096-102
Gurdan M (*see* Reeps C et al). 2010;51:679-88 (Basic research studies)

H

Ha J (*see* Min S-K et al). 2010;51:893-9
Ha J (*see* Son H-J et al). 2010;51:667-72
Habib J (*see* AbuRahma AF et al). 2010;51:1133-8
Hagspiel KD (*see* Maged IM et al). 2010;51:471-4
Hamady MS (*see* Riga CV et al). 2010;51:810-20
Hamdan A (*see* Kalish J et al). 2010;51:476-86 (Review article)
Hamdan A (*see* Owens CD et al). 2010;51:1152-9
Hamming JF (*see* Bosman W-MPF et al). 2010;51:1230-7 (Basic research studies)
Hamming JF (*see* Flu HC et al). 2010;51:622-7
Han SM, Patel K, Rowe VL, Perese S, Bond A, Weaver FA. Ultrasound-determined diameter measurements are more ac-

curate than axial computed tomography after endovascular aortic aneurysm repair. 2010;51:1381-9
Han SM, Weaver FA, Comerota AJ, Perler BA, Joing M. Efficacy and safety of alfimeprase in patients with acute peripheral arterial occlusion (PAO). 2010;51:600-9 (Review article)
Han X (*see* Maier KG et al). 2010;51:1238-47
Hanemaaijer R (*see* Abdul-Hussien H et al). 2010;51:1479-87 (Basic research studies)
Hannon KM (*see* Slovut DP et al). 2010;51:65-70
Harris LM (*see* Dosluoglu HH et al). 2010;51:1425-35
Harthun NL, Stukenborg GJ. Atrial fibrillation is associated with increased risk of perioperative stroke and death from carotid endarterectomy. 2010;51:330-6
Haser PB (*see* Vogel TR et al). 2010;51:122-30
Hass SM (*see* AbuRahma AF et al). 2010;51:1133-8
Hatsukami T (*see* Starnes BW et al). 2010;51:9-18
Havelka GE (*see* Novis SJ et al). 2010;51:648-54
Hayakawa M (*see* Takigawa T et al). 2010;51:51-6
Hayes VW (*see* DePalma RG et al). 2010;51:1498-503
Hebert P (*see* Jetty P et al). 2010;51:577-83
Hechelhammer L (*see* Rancic Z et al). 2010;51:1293-6
Heldmann M (*see* Khan I et al). 2010;51:1003-5
Henaine R, Lachhab F, Vergnat M, Wautot F, Ninet J, Nloga J. Congenital native interruption of aortic arch in an adult: Extra-anatomic approach by right-side thoracotomy. 2010;51:1525-7
Henderson PW, Lewis GK, Shaikh N, Sohn A, Weinstein AL, Olbricht WL, Spector JA. A portable high-intensity focused ultrasound device for noninvasive venous ablation. 2010;51:707-11
Henegouwen DPVB (*see* Flu HC et al). 2010;51:360-71
Henke P (*see* Barnes GD et al). 2010;51:1467-73
Hernandez AV (*see* Mastracci TM et al). 2010;51:1088-95
Herring ME (*see* Liang NL et al). 2010;51:494-5 (Surgical ethics challenges)
Hevelone ND (*see* Owens CD et al). 2010;51:1152-9
Hill AB (*see* Moore RD et al). 2010;51:271-7
Hinchliffe RJ (*see* Holt PJ et al). 2010;51:1329-39
Hinnen J-W (*see* Bosman W-MPF et al). 2010;51:1230-7 (Basic research studies)
Hiramoto JS (*see* Park K-H et al). 2010;51:572-6
Hirsch J (*see* Garg J et al). 2010;51:946-50
Hirschberg K (*see* Dósa E et al). 2010;51:345-50
Hirshberg A (*see* Li W et al). 2010;51:593-9
Ho TK, Tsui J, Xu S, Leoni P, Abraham DJ, Baker DM. Angiogenic effects of stromal cell-derived factor-1 (SDF-1/CXCL12) variants in vitro and the in vivo expressions of CXCL12 variants and CXCR4 in human critical leg ischemia. 2010;51:689-99
Hoelzenbein T (*see* Czerny M et al). 2010;51:1139-44
Hoffman A (*see* Park B et al). 2010;51:165-73
Hogg ME (*see* Varu VN et al). 2010;51:230-41 (Review article)
Hoksbergen AWJ (*see* Yeung KK et al). 2010;51:551-8
Holmberg L (*see* Mani K et al). 2010;51:148-54
Holt PJ, Johnson C, Hinchliffe RJ, Morgan R, Jahingiri M, Loftus IM, Thompson MM. Outcomes of the endovascular management of aortic arch aneurysm: Implications for management of the left subclavian artery. 2010;51:1329-39
Hou R, Guo J, Hu K, Yang Y, Wang L, Kong L, Liu G, Lei D. A clinical study of ultrasound-guided intralesional injection of bleomycin A5 on venous malformation in cervical-facial region in China. 2010;51:940-5
Housseini AM (*see* Maged IM et al). 2010;51:471-4
Hu D (*see* Luo Y et al). 2010;51:673-8
Hu K (*see* Hou R et al). 2010;51:940-5
Hu X-P (*see* Wang R et al). 2010;51:1203-8
Huber TS (*see* Cronenwett JL et al). 2010;51:1-2
Hughes GC (*see* Andersen ND et al). 2010;51:468-70
Huisman AB (*see* Geelkerken RH et al). 2010;51:140-7
Huisman AB (*see* van Petersen AS et al). 2010;51:1309-16
Hultgren R (*see* Wahlgren CM et al). 2010;51:3-8
Hutter C (*see* Starnes BW et al). 2010;51:9-18
Hüttl K (*see* Dósa E et al). 2010;51:345-50
Hye RJ (*see* Woo K et al). 2010;51:921-5
Hyhlik-Dürr A (*see* Geisbüsch P et al). 2010;51:299-304
Hylton JR, Pevec WC. Successful treatment of an iatrogenic right hepatic artery pseudoaneurysm and stenosis with a stent graft. 2010;51:1510-3
Hyvelin J-M, Maurel B, Uzbekov R, Motterlini R, Lermusiaux P. Hemin prevents in-stent stenosis in rat and rabbit models by inducing heme-oxygenase-1. 2010;51:417-28 (Basic research studies)

I

Ifune CK (*see* Ziporin SJ et al). 2010;51:715-9
Iida Y, Obitsu Y, Yokoi Y, Komai H, Kawaguchi S, Shigematsu H. Successful treatment of multiple mycotic aortic aneurysms, using a hybrid procedure. 2010;51:1521-4
Illig KA (*see* Young KC et al). 2010;51:27-32
Illig KA, Doyle AJ. A comprehensive review of Paget-Schroetter syndrome. 2010;51:1538-47
Inan K, Ucak A, Onan B, Temizkan V, Ugur M, Yilmaz AT. Bilateral renal artery occlusion due to intraoperative retrograde migration of an abdominal aortic aneurysm endograft. 2010;51:720-4 (Case rep.)
Ince H (*see* Kische S et al). 2010;51:1550-9
Indes JE (*see* Jonker FHW et al). 2010;51:565-71
Ioannou CV (*see* Kostas TI et al). 2010;51:900-7
Ishaque B (*see* Lee JT et al). 2010;51:496-503

J

Jacobs B (*see* Randon C et al). 2010;51:869-77
Jacobs MH (*see* Speelman L et al). 2010;51:19-26
Jacobs MJ (*see* Bosman W-MPF et al). 2010;51:1230-7 (Basic research studies)
Jaff MR (*see* Slovut DP et al). 2010;51:65-70
Jahingiri M (*see* Holt PJ et al). 2010;51:1329-39
Jain KM, Munn J, Rummel M, Vaddineni S, Longton C. Future of vascular surgery is in the office. 2010;51:509-14
Jamil T (*see* Agko M et al). 2010;51:210-3 (Case rep.)
Jankovic RJ (*see* Milic DJ et al). 2010;51:655-61
Járányi Z (*see* Dósa E et al). 2010;51:345-50
Jaskolka JD (*see* Bent CL et al). 2010;51:203-6 (Case rep.)
Jatene FB (*see* Wolosker N et al). 2010;51:1190-4
Jebara VA (*see* Rassi I et al). 2010;51:1279
Jennings WC (*see* Paul EM et al). 2010;51:1451-6
Jetty P, Hebert P, van Walraven C. Long-term outcomes and resource utilization of endovascular versus open repair of abdominal aortic aneurysms in Ontario. 2010;51:577-83
Joh J-H (*see* Park U-J et al). 2010;51:634-8
Johanning JM (*see* Koutakis P et al). 2010;51:80-8
Johanning JM (*see* Lynch TG et al). 2010;51:89-95
Johansson M (*see* Young KC et al). 2010;51:27-32
Johnson C (*see* Holt PJ et al). 2010;51:1329-39
Joing M (*see* Han SM et al). 2010;51:600-9 (Review article)

Jones JW, McCullough LB. To sleep or not to sleep, that is the question. 2010;51:1033-4 (Surgical ethics challenges)
Jones MA (*see* Lee DY et al). 2010;51:662-6
Jones MA, Lee DY, Segall JA, Landry GJ, Liem TK, Mitchell EL, Moneta GL. Characterizing resolution of catheter-associated upper extremity deep venous thrombosis. 2010;51:108-13
Jones WT (*see* Propper BW et al). 2010;51:1111-5
Jones WT, Pratt J, Connaughton J, Nichols S, Layton B, DuBose J. Management of a nontraumatic extracranial internal carotid aneurysm with external carotid transposition. 2010;51:465-7
Jonker FHW, Giacovelli JK, Muhs BE, Sosa JA, Indes JE. Trends and outcomes of endovascular and open treatment for traumatic thoracic aortic injury. 2010;51:565-71
Jonker FHW, Trimarchi S, Verhagen HJM, Moll FL, Sumpio BE, Muhs BE. Meta-analysis of open versus endovascular repair for ruptured descending thoracic aortic aneurysm. 2010;51:1026-32
Jordan WD (*see* Killingsworth CD et al). 2010;51:1215-21
Jovanovic MM (*see* Milic DJ et al). 2010;51:655-61
Jung IM (*see* Min S-K et al). 2010;51:893-9
Juraszek A (*see* Czerny M et al). 2010;51:1139-44
JUVENTAS Study Group, (*see* Sprengers RW et al). 2010;51:1564-8

K

Kadoglou NPE, Sailer N, Moumtzouoglou A, Kapelouzou A, Gerasimidis T, Liapis CD. Aggressive lipid-lowering is more effective than moderate lipid-lowering treatment in carotid plaque stabilization. 2010;51:114-21
Kaelin LD (*see* Bays RA et al). 2010;51:1302-8
Kahlberg A (*see* Chiesa R et al). 2010;51:1195-202
Kajimoto K (*see* Enomoto S et al). 2010;51:155-64 (Basic research studies)
Kalish J, Hamdan A. Management of diabetic foot problems. 2010;51:476-86 (Review article)
Kalra M (*see* Rits Y et al). 2010;51:392-400
Kapadia MR (*see* Tsihlis ND et al). 2010;51:1248-59
Kapelouzou A (*see* Kadoglou NPE et al). 2010;51:114-21
Kaptein BL (*see* Bosman W-MPF et al). 2010;51:1230-7 (Basic research studies)
Karathanos C (*see* Sfyroeras GS et al). 2010;51:1280-5 (Review article)
Karper JC (*see* Eefting D et al). 2010;51:429-37
Karunanithy N (*see* Narayanan S et al). 2010;51:1297-9
Kashyap VS (*see* Arthurs ZM et al). 2010;51:933-9
Kashyap VS. Invited commentary. 2010;51:600-9 (Review article)
Kasirajan K, Kwolek CJ, Gupta N, Fairman RM. Incidence of and outcomes after misaligned deployment of the Talent Thoracic Stent Graft System. 2010;51:1096-102
Kasper G (*see* Agko M et al). 2010;51:210-3 (Case rep.)
Katsamouris AN (*see* Kostas TI et al). 2010;51:900-7
Kauffman P (*see* Wolosker N et al). 2010;51:1190-4
Kawaguchi S (*see* Iida Y et al). 2010;51:1521-4
Keefer LK (*see* Tsihlis ND et al). 2010;51:1248-59
Keiffer T (*see* AbuRahma AF et al). 2010;51:1133-8
Kendler M, Makrantonaki E, Kratzsch J, Anderegg U, Wetzig T, Zouboulis C, Simon JC. Elevated sex steroid hormones in great saphenous veins in men. 2010;51:639-47
Kent KC (*see* Ouriel K et al). 2010;51:1081-7
Kerby JD (*see* Killingsworth CD et al). 2010;51:1215-21
Kern JA (*see* Maged IM et al). 2010;51:471-4
Kern T (*see* Müller-Schweinitzer E et al). 2010;51:438-44
Keshelava G (*see* Malikov S et al). 2010;51:323-9
Khabbaz Z (*see* Rassi I et al). 2010;51:1279
Khalil RA (*see* Raffetto JD et al). 2010;51:972-81
Khan I, West CA, Sangster GP, Heldmann M, Doucet L, Olmedo M. Multiple hereditary exostoses as a rare nonatherosclerotic etiology of chronic lower extremity ischemia. 2010;51:1003-5
Kibbe MR (*see* Eskandari MK et al). 2010;51:1145-51
Kibbe MR (*see* Novis SJ et al). 2010;51:648-54
Kibbe MR (*see* Tsihlis ND et al). 2010;51:1248-59
Kibbe MR (*see* Varu VN et al). 2010;51:230-41 (Review article)
Kieffer E (*see* Coscas R et al). 2010;51:1124-32
Kilian M (*see* Dang W et al). 2010;51:33-8
Killingsworth CD, Taylor SM, Patterson MA, Weinberg JA, McGwin G, Melton SM, Reiff DA, Kerby JD, Rue LW, Jordan WD, Passman MA. Prospective implementation of an algorithm for bedside intravascular ultrasound-guided filter placement in critically ill patients. 2010;51:1215-21
Kim D-I (*see* Park U-J et al). 2010;51:634-8
Kim JK (*see* Albuquerque FC et al). 2010;51:1348-53
Kim JM (*see* Owens CD et al). 2010;51:1152-9
Kim K (*see* Chaudry M et al). 2010;51:1265-7
Kim S-Y (*see* Min S-K et al). 2010;51:893-9
Kim SJ (*see* Min S-K et al). 2010;51:893-9
Kim SJ (*see* Son H-J et al). 2010;51:667-72
Kim Y-W (*see* Park U-J et al). 2010;51:634-8
King B (*see* O'Connor DJ et al). 2010;51:1517-20
Kische S, Schneider H, Akin I, Ortak J, Rehders TC, Chatterjee T, Nienaber CA, Ince H. Technique of interventional repair in adult aortic coarctation. 2010;51:1550-9
Kleemann R (*see* Abdul-Hussien H et al). 2010;51:1479-87 (Basic research studies)
Klein SJ, Gasparis AP, Virvilis D, Ferretti JA, Labropoulos N. Prospective determination of candidates for thrombolysis in patients with acute proximal deep vein thrombosis. 2010;51:908-12
Klerk ESMdeL (*see* Yeung KK et al). 2010;51:551-8
Kobayashi M (*see* Baba H et al). 2010;51:445-52
Kobeiter H (*see* Desgranges P et al). 2010;51:267-70
Kohler T (*see* Starnes BW et al). 2010;51:9-18
Kokkosis AA (*see* Labropoulos N et al). 2010;51:96-103
Kolkman JJ (*see* Geelkerken RH et al). 2010;51:140-7
Kolkman JJ (*see* van Petersen AS et al). 2010;51:1309-16
Kolvenbach RR (*see* Yoshida R et al). 2010;51:504-8
Komai H (*see* Iida Y et al). 2010;51:1521-4
Kong L (*see* Hou R et al). 2010;51:940-5
Kopp R, Zürn W, Weidenhagen R, Meimarakis, G, Clevert DA. First experience using intraoperative contrast-enhanced ultrasound during endovascular aneurysm repair for infrarenal aortic aneurysms. 2010;51:1103-10
Koskas F (*see* Coscas R et al). 2010;51:1124-32
Kostas TI, Ioannou CV, Drygiannakis I, Georgakarakos E, Kounos C, Tsetis D, Katsamouris AN. Chronic venous disease progression and modification of predisposing factors. 2010;51:900-7
Kotelis D (*see* Geisbüsch P et al). 2010;51:299-304
Kou L (*see* Ma J et al). 2010;51:700-6
Kouchoukos NT (*see* Kulik A et al). 2010;51:1367-72
Kounos C (*see* Kostas TI et al). 2010;51:900-7
Koutakis P, Pipinos II, Myers SA, Stergiou N, Lynch TG, Johanning JM. Joint torques and powers are reduced during ambulation for both limbs in patients with unilateral claudication. 2010;51:80-8
Koutsiaris A (*see* Sfyroeras GS et al). 2010;51:1280-5 (Review article)
Kratzsch J (*see* Kendler M et al). 2010;51:639-47

Kretz B, Abello, N, Brenot R, Steinmetz E. The impact of renal insufficiency on the outcome of carotid surgery is influenced by the definition used. 2010;51:43-50
Krimi, A (*see* Desgranges P et al). 2010;51:267-70
Kron IL (*see* Maged IM et al). 2010;51:471-4
Kulik A, Castner CF, Kouchoukos NT. Patency and durability of presewn multiple branched graft for thoracoabdominal aortic aneurysm repair. 2010;51:1367-72
Kumar A (*see* Raffetto JD et al). 2010;51:962-71
Kuratani T (*see* Adachi I et al). 2010;51:1268-71
Kwolek CJ (*see* Kasirajan K et al). 2010;51:1096-102
Kwolek CJ (*see* Patel R et al). 2010;51:310-6
Kwolek CJ (*see* Peck MA et al). 2010;51:140-7

L

Labropoulos N (*see* Gasparis AP et al). 2010;51:453-7 (Case rep.)
Labropoulos N (*see* Klein SJ et al). 2010;51:908-12
Labropoulos N, Kokkosis AA, Spentzouris G, Gasparis AP, Tassiopoulos AK. The distribution and significance of varicosities in the saphenous trunks. 2010;51:96-103
Labropoulos N. Invited commentary. 2010;51:639-47
Lachat M (*see* Donas KP et al). 2010;51:836-41
Lachat M (*see* Rancic Z et al). 2010;51:1293-6
Lachhab F (*see* Henaine R et al). 2010;51:1525-7
Lall P (*see* Dosluoglu HH et al). 2010;51:1425-35
Lamba R (*see* Pevec WC et al). 2010;51:475
LaMuraglia GM (*see* Crawford RS et al). 2010;51:351-9
LaMuraglia GM (*see* Peck MA et al). 2010;51:140-7
Lancaster RT (*see* Crawford RS et al). 2010;51:351-9
Landry GJ (*see* Jones MA et al). 2010;51:108-13
Landry GJ (*see* Lee DY et al). 2010;51:662-6
Lange CPE (*see* Flu HC et al). 2010;51:622-7
Lanziotti L (*see* Ferreira M et al). 2010;51:545-50
Lardenoye J-WHP (*see* Flu HC et al). 2010;51:622-7
Larsson E (*see* Wahlgren CM et al). 2010;51:3-8
Lauterbach SR (*see* Farber A et al). 2010;51:771-5
Lavery LA (*see* Sumpio BE et al). 2010;51:1504-6
Lawrence PF. Invited Commentary. 2010;51:1035-42
Layton B (*see* Jones WT et al). 2010;51:465-7
Le Faucheur A, Noury-Desvaux B, Mahé G, Sauvaget T, Saumet JL, Leftheriotis G, Abraham P. Variability and short-term determinants of walking capacity in patients with intermittent claudication. 2010;51:886-92
Leão PP (*see* Ritti-Dias RM et al). 2010;51:89-95
Lee DY (*see* Choi SY et al). 2010;51:1006-9
Lee DY (*see* Jones MA et al). 2010;51:108-13
Lee DY, Mitchell EL, Jones MA, Landry GJ, Liem TK, Sheppard BC, Billingsley KG, Moneta GL. Techniques and results of portal vein/superior mesenteric vein reconstruction using femoral and saphenous vein during pancreaticoduodenectomy. 2010;51:662-6
Lee ES (*see* Pevec WC et al). 2010;51:475
Lee JT, Teshome M, de Virgilio C, Ishaque B, Qiu M, Dalman RL. A survey of demographics, motivations, and backgrounds among applicants to the integrated 0 + 5 vascular surgery residency. 2010;51:496-503
Lee K-B (*see* Park U-J et al). 2010;51:634-8
Lee K-H (*see* Choi SY et al). 2010;51:1006-9
Lee T (*see* Andersen ND et al). 2010;51:468-70
Lee T (*see* Min S-K et al). 2010;51:893-9
Lee W (*see* Min S-K et al). 2010;51:893-9
Leftheriotis G (*see* Le Faucheur A et al). 2010;51:886-92
Leftheriotis G (*see* Mahe G et al). 2010;51:863-8
Lei D (*see* Hou R et al). 2010;51:940-5
Leoni P (*see* Ho TK et al). 2010;51:689-99
Lermusiaux P (*see* Hyvelin J-M et al). 2010;51:417-28 (Basic research studies)
Levin B (*see* Novis SJ et al). 2010;51:648-54
Lewis GK (*see* Henderson PW et al). 2010;51:707-11
Li J (*see* Luo Y et al). 2010;51:673-8
Li W, D'Ayala M, Hirshberg A, Briggs W, Wise L, Tortolani A. Comparison of conservative and operative treatment for blunt carotid injuries: Analysis of the National Trauma Data Bank. 2010;51:593-9
Li X (*see* Luo Y et al). 2010;51:673-8
Li Z (*see* Chang G et al). 2010;51:1507-9 (Case rep.)
Liang NL, Herring ME, Bush RL. Dealing honestly with an honest mistake. 2010;51:494-5 (Surgical ethics challenges)
Liao M (*see* Eagleton MJ et al). 2010;51:951-61 (Basic research studies)
Liapis CD (*see* Kadoglou NPE et al). 2010;51:114-21
Liem TK (*see* Jones MA et al). 2010;51:108-13
Liem TK (*see* Lee DY et al). 2010;51:662-6
Likosky DS (*see* Goodney PP et al). 2010;51:71-9
Likosky DS (*see* Stone DH et al). 2010;51:559-64
Lindeman JHN (*see* Abdul-Hussien H et al). 2010;51:1479-87 (Basic research studies)
Lindsay TF (*see* Bent CL et al). 2010;51:203-6 (Case rep.)
Lipsitz EC (*see* O'Connor DJ et al). 2010;51:1517-20
Liu G (*see* Hou R et al). 2010;51:940-5
Liu Y-M (*see* Wang R et al). 2010;51:1203-8
Lo C (*see* Gasparis AP et al). 2010;51:453-7 (Case rep.)
Locret T (*see* Pittaluga P et al). 2010;51:1442-50
Loftus IM (*see* Holt PJ et al). 2010;51:1329-39
Loghmanee C (*see* Dosluoglu HH et al). 2010;51:1160-6
Lombardi A (*see* Giulianotti PC et al). 2010;51:842-9
Long BM (*see* Farber A et al). 2010;51:771-5
Longton C (*see* Jain KM et al). 2010;51:509-14
Lowry SF (*see* Vogel TR et al). 2010;51:122-30
Lucas FL (*see* Goodney PP et al). 2010;51:1340-70
Luis Fernandez J (*see* de Haro J et al). 2010;51:857-62
Lumsden AB (*see* Davies MG et al). 2010;51:1222-9
Lumsden AB (*see* Younes HK et al). 2010;51:259-66
Lun B (*see* Brizzio E et al). 2010;51:410-6
Lundkvist J (*see* Mani K et al). 2010;51:148-54
Luo X (*see* Ma J et al). 2010;51:700-6
Luo Y, Li X, Li J, Wang X, Qiao Y, Hu D, Merriam PA, Ma Y. Combined effects of smoking and peripheral arterial disease on all-cause and cardiovascular disease mortality in a Chinese male cohort. 2010;51:673-8
Lynch TG (*see* Koutakis P et al). 2010;51:80-8
Lynch TG, Johanning JM. Invited commentary. 2010;51:89-95
Lynch TG. Invited commentary. 2010;51:108-13
Lyons OT (*see* Clough RE et al). 2010;51:1272-5

M

Ma J, Luo X, Wu Q, Chen Z, Kou L, Wang H. Circulation levels of acute phase proteins in patients with Takayasu arteritis. 2010;51:700-6
Ma W-G (*see* Wang R et al). 2010;51:1203-8
Ma Y (*see* Luo Y et al). 2010;51:673-8
MacConmara MP (*see* Ziporin SJ et al). 2010;51:715-9
Maeda T (*see* Baba H et al). 2010;51:445-52
Maged IM, Turba UC, Housseini AM, Kern JA, Kron IL, Hagspiel KD. High spatial resolution magnetic resonance imaging

of cystic adventitial disease of the popliteal artery. 2010;51: 471-4
Magnan PE (*see* Malikov S et al). 2010;51:323-9
Magner D (*see* Ng TT et al). 2010;51:801-9
Magnusson PKE (*see* Wahlgren CM et al). 2010;51:3-8
Mahé G (*see* Le Faucheur A et al). 2010;51:886-92
Mahe G, Abraham P, Zeenny M, Bruneau A, Vielle B, Leftheriotis G. Objective determination of the predefined duration of a constant-load diagnostic tests in arterial claudication. 2010;51: 863-8
Maia M (*see* Brandão D et al). 2010;51:1276-8
Maier KG, Han X, Sadowitz B, Gentile KL, Middleton FA, Gahtan V. Thrombospondin-1: A proatherosclerotic protein augmented by hyperglycemia. 2010;51:1238-47
Maier, A (*see* Reeps C et al). 2010;51:679-88 (Basic research studies)
Majewski M (*see* Desgranges P et al). 2010;51:267-70
Makaroun MS (*see* Baril DT et al). 2010;51:1406-12
Makrantonaki E (*see* Kendler M et al). 2010;51:639-47
Malezieux R (*see* Ruggieri VG et al). 2010;51:729-31
Malik G (*see* Twine CP et al). 2010;51:732-4
Malik R (*see* Prenner SB et al). 2010;51:1354-9
Malik R (*see* Turnbull IC et al). 2010;51:537-44
Malikov S, Thomassin JM, Magnan PE, Keshelava G, Bartoli M, Branchereau A. Open surgical reconstruction of the internal carotid artery aneurysm at the base of the skull. 2010;51:323-9
Mam V (*see* Raffetto JD et al). 2010;51:962-71
Mani K, Lundkvist J, Holmberg L, Wanhainen A. Challenges in analysis and interpretation of cost data in vascular surgery. 2010;51:148-54
Marin M (*see* Egorova N et al). 2010;51:372-9
Marin ML (*see* Prenner SB et al). 2010;51:1354-9
Marin ML (*see* Turnbull IC et al). 2010;51:537-44
Mariscalco G (*see* Piffaretti G et al). 2010;51:993-9
Marone EM (*see* Chiesa R et al). 2010;51:1195-202
Marone LK (*see* Baril DT et al). 2010;51:1406-12
Marrocco-Trischitta MM (*see* Chiesa R et al). 2010;51:1195-202
Martinez JT (*see* Grewal NK et al). 2010;51:1209-14
Marucci MFN (*see* Ritti-Dias RM et al). 2010;51:89-95
Marzelle J (*see* Cochennec F et al). 2010;51:1360-6
Mastracci TM, Greenberg RK, Hernandez AV, Morales C. Defining high risk in endovascular aneurysm repair. 2010;51: 1088-95
Matsumaru Y (*see* Takigawa T et al). 2010;51:51-6
Matsumiya G (*see* Adachi I et al). 2010;51:1268-71
Matsumura A (*see* Takigawa T et al). 2010;51:51-6
Matsumura JS (*see* Eskandari MK et al). 2010;51:1145-51
Matsumura JS. Invited Commentary. 2010;51:1329-39
Maurel B (*see* Hyvelin J-M et al). 2010;51:417-28 (Basic research studies)
May PE (*see* DePalma RG et al). 2010;51:1498-503
Mayer D (*see* Donas KP et al). 2010;51:836-41
Mayer D (*see* Rancic Z et al). 2010;51:1293-6
McCollum CN (*see* Wright DD et al). 2010;51:104-7
McCullough LB (*see* Jones JW et al). 2010;51:1033-4 (Surgical ethics challenges)
McDonnell NB (*see* Brooke BS et al). 2010;51:131-9
McGwin G (*see* Killingsworth CD et al). 2010;51:1215-21
McKinsey JF (*see* Egorova NN et al). 2010;51:878-85
McNally MM, Agle SC, Parker FM, Bogey WM, Powell CS, Stoner MC. Preoperative statin therapy is associated with improved outcomes and resource utilization in patients undergoing aortic aneurysm repair. 2010;51:1390-6
Meijer JRM (*see* Fioole B et al). 2010;51:386-91
Meimarakis, G (*see* Kopp R et al). 2010;51:1103-10
Meisner RJ (*see* Gasparis AP et al). 2010;51:453-7 (Case rep.)
Meissner M (*see* Starnes BW et al). 2010;51:9-18
Melissano G (*see* Chiesa R et al). 2010;51:1195-202
Melton SM (*see* Killingsworth CD et al). 2010;51:1215-21
Merriam PA (*see* Luo Y et al). 2010;51:673-8
Messina LM (*see* Park B et al). 2010;51:165-73
Messina LM (*see* Simons JP et al). 2010;51:1419-24
Mheen PJM (*see* Flu HC et al). 2010;51:622-7
Middleton FA (*see* Maier KG et al). 2010;51:1238-47
Midy D, Berard X, Ferdani M, Alric P, Brizzi V, Ducasse E, Sassoust G, AURC French University Association for Vascular Surgery. A retrospective multicenter study of endovascular treatment of popliteal artery aneurysm. 2010;51:850-6
Mihm F (*see* Tsai TC et al). 2010;51:1514-6
Milic DJ, Zivic SS, Bogdanovic DC, Jovanovic MM, Jankovic RJ, Milosevic ZD, Stamenkovic DM, Trenkic MS. The influence of different sub-bandage pressure values on venous leg ulcers healing when treated with compression therapy. 2010;51: 655-61
Miller CC, Grimm JC, Estrera AL, Azizzadeh A, Coogan SM, Walkes J-CM, Safi HJ. Postoperative renal function preservation with nonischemic femoral arterial cannulation for thoracoabdominal aortic repair. 2010;51:38-42
Miller DV (*see* Rits Y et al). 2010;51:392-400
Milosevic ZD (*see* Milic DJ et al). 2010;51:655-61
Min S-I (*see* Son H-J et al). 2010;51:667-72
Min S-K (*see* Son H-J et al). 2010;51:667-72
Min S-K, Kim S-Y, Park YJ, Lee W, Jung IM, Lee T, Ha J, Kim SJ. Role of three-dimensional computed tomography venography as a powerful navigator for varicose vein surgery. 2010;51: 893-9
Minion DJ (*see* Davenport DL et al). 2010;51:305-9
Minion DJ (*see* O'Keeffe SD et al). 2010;51:616-21
Mirocha J (*see* Ng TT et al). 2010;51:801-9
Mitchell EL (*see* Jones MA et al). 2010;51:108-13
Mitchell EL (*see* Lee DY et al). 2010;51:662-6
Miyazaki K (*see* Rosenbaum MA et al). 2010;51:184-93
Moll FL (*see* Fioole B et al). 2010;51:386-91
Moll FL (*see* Jonker FHW et al). 2010;51:1026-32
Moll FL (*see* Sprengers RW et al). 2010;51:1564-8
Moll FL (*see* van Keulen JW et al). 2010;51:821-8
Monaca V (*see* Pulli R et al). 2010;51:1167-77
Moneta GL (*see* Jones MA et al). 2010;51:108-13
Moneta GL (*see* Lee DY et al). 2010;51:662-6
Money SR (*see* Thomas BG et al). 2010;51:1373-80
Monteiro M (*see* Ferreira M et al). 2010;51:545-50
Montgomery PS (*see* Gardner AW et al). 2010;51:1436-41
Moore RD, Hill AB. Open versus endovascular repair of popliteal artery aneurysms. 2010;51:271-7
Morales C (*see* Mastracci TM et al). 2010;51:1088-95
Morasch MD (*see* Eskandari MK et al). 2010;51:1145-51
Moratto R (*see* Coppi G et al). 2010;51:1397-405
Morgan R (*see* Holt PJ et al). 2010;51:1329-39
Morrissey N (*see* Egorova NN et al). 2010;51:878-85
Moskowitz A (*see* Egorova N et al). 2010;51:372-9
Motterlini R (*see* Hyvelin J-M et al). 2010;51:417-28 (Basic research studies)
Moumtzouoglou A (*see* Kadoglou NPE et al). 2010;51:114-21
Mousa AY, Batsides GP, Vogel TR. Delayed presentation of traumatic innominate artery injury. 2010;51:1014
Muhs BE (*see* Jonker FHW et al). 2010;51:1026-32

Müller SE (*see* Müller-Schweinitzer E et al). 2010;51:438-44
Müller-Schweinitzer E, Müller SE, Reineke DC, Kern T, Carrel TP, Eckstein FS, Grapow MTR. Reactive oxygen species mediate functional differences in human radial and internal thoracic arteries from smokers. 2010;51:438-44
Multidisciplinary Study Group Of Splanchnic Ischemia (*see* van Petersen AS et al). 2010;51:1309-16
Munia MA (*see* Wolosker N et al). 2010;51:1190-4
Munn J (*see* Jain KM et al). 2010;51:509-14
Murar J (*see* Tsihlis ND et al). 2010;51:1248-59
Myers SA (*see* Koutakis P et al). 2010;51:80-8

N

Nader ND (*see* Dosluoglu HH et al). 2010;51:1178-89
Naka N (*see* Emori M et al). 2010;51:1010-3
Nakazawa Y (*see* Enomoto S et al). 2010;51:155-64 (Basic research studies)
Naoum JJ (*see* Davies MG et al). 2010;51:1222-9
Naoum JJ (*see* Younes HK et al). 2010;51:259-66
Narayanan S, Shalhoub J, Karunanithy N, Burfitt N. Primary suture-anastomosis of the Viabahn endoprosthesis to a native artery. 2010;51:1297-9
Nazzal M (*see* Agko M et al). 2010;51:210-3 (Case rep.)
Neglén P (*see* Raju S et al). 2010;51:401-9
Neglén P, Darcey R, Olivier J, Raju S. Bilateral stenting at the iliocaval confluence. 2010;51:1457-66
Nemoto S (*see* Takigawa T et al). 2010;51:51-6
Neschis DG (*see* Chaudry M et al). 2010;51:1265-7
Neumann F-J (*see* Schwarz T et al). 2010;51:1474-8 (Case rep.)
Ng TT, Mirocha J, Magner D, Gewertz BL. Variations in the utilization of endovascular aneurysm repair reflect population risk factors and disease prevalence. 2010;51:801-9
Nichols S (*see* Jones WT et al). 2010;51:465-7
Nicolosi E (*see* Coppi G et al). 2010;51:1397-405
Nienaber CA (*see* Kische S et al). 2010;51:1550-9
Ninet J (*see* Henaine R et al). 2010;51:1525-7
Nloga J (*see* Henaine R et al). 2010;51:1525-7
Nolan BW (*see* Beck AW et al). 2010;51:380-5
Nolan BW (*see* Goodney PP et al). 2010;51:71-9
Nolan BW (*see* Simons JP et al). 2010;51:1419-24
Nolan BW (*see* Stone DH et al). 2010;51:559-64
Noll RE (*see* Albuquerque FC et al). 2010;51:1348-53
Norwood SH (*see* Berne JD et al). 2010;51:57-64
Noury-Desvaux B (*see* Le Faucheur A et al). 2010;51:886-92
Novis SJ, Havelka GE, Ostrowski D, Levin B, Blum-Eisa L, Prystowsky JB, Kibbe MR. Prevention of thromboembolic events in surgical patients through the creation and implementation of a computerized risk assessment program. 2010;51:648-54
Nowicki PT (*see* Park B et al). 2010;51:165-73
Nowygrod R (*see* Egorova NN et al). 2010;51:878-85

O

O'Connor DJ, Gross J, King B, Suggs WD, Gargiulo NJ, Lipsitz EC. Endovascular management of multiple arteriovenous fistulae following failed laser-assisted pacemaker lead extraction. 2010;51:1517-20
O'Donoghue KGL (*see* Van Herzeele I et al). 2010;51:1035-42
O'Keeffe SD (*see* Davenport DL et al). 2010;51:305-9
O'Keeffe SD, Davenport DL, Minion DJ, Sorial EE, Endean ED, Xenos ES. Blood transfusion is associated with increased morbidity and mortality after lower extremity revascularization. 2010;51:616-21
Obitsu Y (*see* Iida Y et al). 2010;51:1521-4
Obmann MA, Gray JL, Sheldon DG, Franklin DP. Duodenal perforation and vertebral body erosion by a Greenfield filter. 2010;51:1528
Oda S (*see* Baba H et al). 2010;51:445-52
Oderich GS (*see* Rits Y et al). 2010;51:392-400
Ohashi T (*see* Fujiwara H et al). 2010;51:194-202
Ohki T. Invited commentary. 2010;51:810-20
Olbricht WL (*see* Henderson PW et al). 2010;51:707-11
Olivier J (*see* Neglén P et al). 2010;51:1457-66
Olmedo M (*see* Khan I et al). 2010;51:1003-5
Onan B (*see* Inan K et al). 2010;51:720-4 (Case rep.)
Ortak J (*see* Kische S et al). 2010;51:1550-9
Ostrowski D (*see* Novis SJ et al). 2010;51:648-54
Ouriel K, Clair DG, Kent KC, Zarins CK, Positive Impact of Endovascular Options for treating Aneurysms Early (PIVOTAL) Investigators. Endovascular repair compared with surveillance for patients with small abdominal aortic aneurysms. 2010;51:1081-7
Oustwani CS (*see* Tsihlis ND et al). 2010;51:1248-59
Owens CD, Kim JM, Hevelone ND, Hamdan A, Raffetto JD, Creager MA, Conte MS. Novel adipokines, high molecular weight adiponectin and resistin, are associated with outcomes following lower extremity revascularization with autogenous vein. 2010;51:1152-9
Owens CD. Adaptive changes in autogenous vein grafts for arterial reconstruction: Clinical implications. 2010;51:736-46 (Review article)

P

Panneton JM (*see* Stout CL et al). 2010;51:990-2 (Case rep.)
Paraskevas N (*see* Fukui S et al). 2010;51:1560-3
Parine B (*see* Eagleton MJ et al). 2010;51:951-61 (Basic research studies)
Park B, Hoffman A, Yang Y, Yan J, Tie G, Bagshahi H, Nowicki PT, Messina LM. Endothelial nitric oxide synthase affects both early and late collateral arterial adaptation and blood flow recovery after induction of hind limb ischemia in mice. 2010;51:165-73
Park K-H, Hiramoto JS, Reilly LM, Sweet M, Chuter TAM. Variation in the shape and length of the branches of a thoracoabdominal aortic stent graft: Implications for the role of standard off-the-shelf components. 2010;51:572-6
Park U-J, Yun W-S, Lee K-B, Rho Y-N, Kim Y-W, Joh J-H, Kim D-I. Analysis of the postoperative hemodynamic changes in varicose vein surgery using air plethysmography. 2010;51:634-8
Park YJ (*see* Min S-K et al). 2010;51:893-9
Park YJ (*see* Son H-J et al). 2010;51:667-72
Parker DE (*see* Gardner AW et al). 2010;51:610-5
Parker FM (*see* McNally MM et al). 2010;51:1390-6
Parlani G (*see* De Rango P et al). 2010;51:337-44
Paruchuri V (*see* Patel R et al). 2010;51:310-6
Paruchuri V (*see* Peck MA et al). 2010;51:140-7
Passman MA (*see* Killingsworth CD et al). 2010;51:1215-21
Patel HJ, Williams DM, Upchurch GR, Dasika NL, Deeb GM. The challenge of associated intramural hematoma with endovascular repair for penetrating ulcers of the descending thoracic aorta. 2010;51:829-35
Patel K (*see* Han SM et al). 2010;51:1381-9
Patel R, Conrad MF, Paruchuri V, Kwolek CJ, Cambria RP. Balloon expandable stents facilitate right renal artery recon-

struction during complex open aortic aneurysm repair. 2010; 51:310-6
Patterson MA (*see* Killingsworth CD et al). 2010;51:1215-21
Patterson RB. Invited commentary. 2010;51:71-9
Paul EM, Sideman MJ, Rhoden DH, Jennings WC. Endoscopic basilic vein transposition for hemodialysis access. 2010;51: 1451-6
Pearce WH (*see* Eskandari MK et al). 2010;51:1145-51
Peck MA, Conrad MF, Kwolek CJ, LaMuraglia GM, Paruchuri V, Cambria RP. Intermediate-term outcomes of endovascular treatment for symptomatic chronic mesenteric ischemia. 2010; 51:140-7
Peden EK (*see* Davies MG et al). 2010;51:1222-9
Peden EK (*see* Younes HK et al). 2010;51:259-66
Perese S (*see* Han SM et al). 2010;51:1381-9
Perler BA (*see* Han SM et al). 2010;51:600-9 (Review article)
Perler BA. Charles Dickens, Coach K, Pogo, and the recent history and future of vascular surgery. 2010;51:1286-92 (Presidential address)
Peterson MD (*see* Dang W et al). 2010;51:33-8
Pevec WC (*see* Hylton JR et al). 2010;51:1510-3
Pevec WC, Lee ES, Lamba R. Symptomatic, acute aortocaval fistula complicating an infrarenal aortic aneurysm. 2010;51: 475
Pfaff K (*see* Coscas R et al). 2010;51:712-4 (Case rep.)
Pfammatter T (*see* Donas KP et al). 2010;51:836-41
Pfammatter T (*see* Rancic Z et al). 2010;51:1293-6
Piffaretti G, Mariscalco G, Tozzi M, Bruno VD, Sala A, Castelli P. Acute iatrogenic type A aortic dissection following thoracic aortic endografting. 2010;51:993-9
Pipinos II (*see* Koutakis P et al). 2010;51:80-8
Pittaluga P, Chastanet S, Locret T, Rousset O. Retrospective evaluation of the need of a redo surgery at the groin for the surgical treatment of varicose vein. 2010;51:1442-50
Ploeg AJ (*see* Flu HC et al). 2010;51:622-7
Plouin P-F (*see* Steichen O et al). 2010;51:1574-80
Pontone G, Andreini D, Bartorelli AL, Dainese L, Fusari M, Biglioli P. Incidental detection of a giant ductus arteriosus aneurysm by low-dose multidetector computed tomography in an asymptomatic adult. 2010;51:1260-4 (Case rep.)
Positive Impact of Endovascular Options for treating Aneurysms Early (PIVOTAL) Investigators (*see* Ouriel K et al). 2010;51: 1081-7
Powell CS (*see* McNally MM et al). 2010;51:1390-6
Powell RP (*see* Beck AW et al). 2010;51:380-5
Pratesi C (*see* Pulli R et al). 2010;51:1167-77
Pratesi C (*see* Troisi N et al). 2010;51:225-7
Pratt J (*see* Jones WT et al). 2010;51:465-7
Prenner SB, Turnbull IC, Malik R, Salloum A, Ellozy SH, Vouyouka AG, Marin ML, Faries PL. Outcome of elective endovascular abdominal aortic aneurysm repair in octogenarians and nonagenarians. 2010;51:1354-9
Prins TR (*see* Tielliu IFJ et al). 2010;51:1413-8 (Case rep.)
Propaten Italian Registry Group (*see* Pulli R et al). 2010;51: 1167-77
Propper BW, Rasmussen TE, Jones WT, Gifford SM, Burkhardt GE, Clouse WD. Temporal changes of aortic neck morphology in abdominal aortic aneurysms. 2010;51:1111-5
Prystowsky JB (*see* Novis SJ et al). 2010;51:648-54
Puech-Leao P (*see* Wolosker N et al). 2010;51:1190-4
Pulli R (*see* Troisi N et al). 2010;51:225-7
Pulli R, Dorigo W, Castelli P, Dorrucci V, Ferilli F, De Blasis G, Monaca V, Vecchiati E, Pratesi C, Propaten Italian Registry Group. Midterm results from a multicenter registry on the treatment of infrainguinal critical limb ischemia using a heparin-bonded ePTFE graft. 2010;51:1167-77

Q

Qiao X (*see* Raffetto JD et al). 2010;51:972-81
Qiao Y (*see* Luo Y et al). 2010;51:673-8
Qiu M (*see* Lee JT et al). 2010;51:496-503
Quax PHA (*see* Eefting D et al). 2010;51:429-37
Quin J (*see* Egorova N et al). 2010;51:372-9
Quinones-Baldrich WJ. Right subclavian pseudoaneurysm secondary to blunt trauma in an arteriovenous malformation. 2010; 51:228-9
Quiroga E (*see* Starnes BW et al). 2010;51:9-18

R

Rabinovich Y (*see* Tal R et al). 2010;51:1043-5
Raffetto JD (*see* Owens CD et al). 2010;51:1152-9
Raffetto JD, Qiao X, Beauregard KG, Khalil RA. Estrogen receptor-mediated enhancement of venous relaxation in female rat: Implications in sex-related differences in varicose veins. 2010; 51:972-81
Raffetto JD, Qiao X, Beauregard KG, Tanbe AF, Kumar A, Mam V, Khalil RA. Functional adaptation of venous smooth muscle response to vasoconstriction in proximal, distal, and varix segments of varicose veins. 2010;51:962-71
Raju S (*see* Neglén P et al). 2010;51:1457-66
Raju S, Darcey R, Neglén P. Unexpected major role for venous stenting in deep reflux disease. 2010;51:401-9
Rancic Z (*see* Donas KP et al). 2010;51:836-41
Rancic Z, Pfammatter T, Lachat M, Hechelhammer L, Frauenfelder T, Veith FJ, Criado FJ, Mayer D. Periscope graft to extend distal landing zone in ruptured thoracoabdominal aneurysms with short distal necks. 2010;51:1293-6
Randon C, Jacobs B, De Ryck F, Beele H, Vermassen F. Fifteen years of infrapopliteal arterial reconstructions with cryopreserved venous allografts for limb salvage. 2010;51:869-77
Rasmussen TE (*see* Propper BW et al). 2010;51:1111-5
Rasmussen TE, (*see* Aidinian G et al). 2010;51:214-7
Rassi I, Khabbaz Z, Chelala D, Jebara VA. A new variant of the posterior nutcracker phenomenon. 2010;51:1279
Rastan A (*see* Schwarz T et al). 2010;51:1474-8 (Case rep.)
Razumovsky A (*see* Wright DD et al). 2010;51:104-7
Reardon MJ (*see* Younes HK et al). 2010;51:259-66
Reddy DJ, Shepard AD. D. Emerick Szilagyi, MD, 1910-2009. 2010;51:291-3
Reed AB, Rhodes R, Ricotta J. Determining who trains vascular surgery fellows in endovascular techniques. 2010;51:756-9
Reeps C, Gee M, Maier, A, Gurdan M, Eckstein H-H, Wall WA. The impact of model assumptions on results of computational mechanics in abdominal aortic aneurysm. 2010;51:679-88 (Basic research studies)
Rehders TC (*see* Kische S et al). 2010;51:1550-9
Reiff DA (*see* Killingsworth CD et al). 2010;51:1215-21
Reilly LM (*see* Park K-H et al). 2010;51:572-6
Reineke DC (*see* Müller-Schweinitzer E et al). 2010;51:438-44
Rezayat C (*see* Goldstein LJ et al). 2010;51:725-8
Rheaume P, Chen J, Casey P. Open vs endovascular repair of blunt traumatic thoracic aortic injuries. 2010;51:763-70
Rhee RY (*see* Baril DT et al). 2010;51:1406-12
Rhissassi B (*see* Coscas R et al). 2010;51:1124-32
Rho Y-N (*see* Park U-J et al). 2010;51:634-8
Rhoden DH (*see* Paul EM et al). 2010;51:1451-6

Rhodes R (*see* Reed AB et al). 2010;51:756-9
Ribas Milanez de Campos J (*see* Wolosker N et al). 2010;51:1190-4
Ricotta J (*see* Reed AB et al). 2010;51:756-9
Ricotta JJ (*see* Rits Y et al). 2010;51:392-400
Ricotta JJ. Invited commentary. 2010;51:310-6
Riesenman PJ, Farber MA. Management of a thoracic endograft infection through an ascending to descending extra-anatomic aortic bypass and endograft explantation. 2010;51:207-9
Riga CV, Cheshire NJW, Hamady MS, Bicknell CD. The role of robotic endovascular catheters in fenestrated stent grafting. 2010;51:810-20
Rits Y, Oderich GS, Bower TC, Miller DV, Cooper L, Ricotta JJ, Kalra M, Gloviczki P. Interventions for mesenteric vasculitis. 2010;51:392-400
Ritti-Dias RM (*see* Gardner AW et al). 2010;51:628-33
Ritti-Dias RM, Wolosker N, Forjaz CLM, Carvalho CRF, Cucato GG, Leão PP, Marucci MFN. Strength training increases walking tolerance in intermittent claudication patients: Randomized trial. 2010;51:89-95
Roddy SP. Comparison of low-strength compression stockings with bandages for the treatment of recalcitrant venous ulcers. 2010;51:521
Roddy SP. Detection of common carotid artery stenosis using duplex ultrasonography: A validation study with computed tomographic angiography. 2010;51:279
Roddy SP. Management of early (<30 day) vascular groin infections using vacuum-assisted closure alone without muscle flap coverage in a consecutive patient series. 2010;51:1317
Roddy SP. Management of ruptured abdominal aortic aneurysm in the endovascular era. 2010;51:278
Roddy SP. Novel sutureless telescoping anastomosis revascularization technique of supra-aortic vessels to simplify combined open endovascular procedures in the treatment of aortic arch pathologies. 2010;51:1061
Roddy SP. Open surgical reconstruction of the internal carotid artery aneurysm at the base of the skull. 2010;51:520
Roddy SP. Open surgical repair of ruptured juxtarenal aortic aneurysms with and without renal cooling: Observations regarding morbidity and mortality. 2010;51:780
Roddy SP. Quantity of clot lysed after catheter-directed thrombolysis for iliofemoral deep vein thrombosis correlates with postthrombotic morbidity. 2010;51:1318-9
Roddy SP. Retrospective evaluation of the need of a redo surgery at the groin for the surgical treatment of varicose vein. 2010;51:1583
Roddy SP. Robot-assisted laparoscopic repair of renal artery aneurysms. 2010;51:1062
Roddy SP. Stent fractures in the Hemobahn/Viabahn stent graft after endovascular popliteal aneurysm repair. 2010;51:1581-2
Roddy SP. Techniques and results of portal vein/superior mesenteric vein reconstruction using femoral and saphenous vein during pancreaticoduodenectomy. 2010;51:781
Rodriguez HE (*see* Eskandari MK et al). 2010;51:1145-51
Romero JM (*see* Slovut DP et al). 2010;51:65-70
Ros VD (*see* Gandini R et al). 2010;51:760-2
Rosenbaum MA, Miyazaki K, Colles SM, Graham LM. Antioxidant therapy reverses impaired graft healing in hypercholesterolemic rabbits. 2010;51:184-93
Roukema JA (*see* Flu HC et al). 2010;51:622-7
Rousset O (*see* Pittaluga P et al). 2010;51:1442-50
Rowe SA (*see* Berne JD et al). 2010;51:57-64
Rowe VL (*see* Han SM et al). 2010;51:1381-9
Rubin BG (*see* Thomas BG et al). 2010;51:1373-80
Rue LW (*see* Killingsworth CD et al). 2010;51:1215-21
Ruggieri VG, Malezieux R, Bina N, Favre J-P. Hybrid treatment of an ascending aortic pseudoaneurysm following multiple sternotomies. 2010;51:729-31
Rummel M (*see* Jain KM et al). 2010;51:509-14
Rush J (*see* Wright DD et al). 2010;51:104-7

S

Saad WE (*see* Davies MG et al). 2010;51:1222-9
Saavedra JE (*see* Tsihlis ND et al). 2010;51:1248-59
Sadek M (*see* Turnbull IC et al). 2010;51:537-44
Sadowitz B (*see* Maier KG et al). 2010;51:1238-47
Safi HJ (*see* Miller CC et al). 2010;51:38-42
Saiki Y (*see* Fujiwara H et al). 2010;51:194-202
Sailer N (*see* Kadoglou NPE et al). 2010;51:114-21
Sakamoto N (*see* Fujiwara H et al). 2010;51:194-202
Sala A (*see* Piffaretti G et al). 2010;51:993-9
Salloum A (*see* Prenner SB et al). 2010;51:1354-9
Sam RC (*see* Darvall KAL et al). 2010;51:913-20
Sanchez L (*see* Turnbull IC et al). 2010;51:537-44
Sanchez LA (*see* Thomas BG et al). 2010;51:1373-80
Sangster GP (*see* Khan I et al). 2010;51:1003-5
Sassoust G (*see* Midy D et al). 2010;51:850-6
Sata M (*see* Enomoto S et al). 2010;51:155-64 (Basic research studies)
Satiani B, Vaccaro P. A critical appraisal of physician-hospital integration models. 2010;51:1046-53
Sato M (*see* Fujiwara H et al). 2010;51:194-202
Saumet JL (*see* Le Faucheur A et al). 2010;51:886-92
Sauvaget T (*see* Le Faucheur A et al). 2010;51:886-92
Sawa Y (*see* Adachi I et al). 2010;51:1268-71
Sbrana F (*see* Giulianotti PC et al). 2010;51:842-9
Schanzer A (*see* Goodney PP et al). 2010;51:71-9
Schanzer A (*see* Simons JP et al). 2010;51:1419-24
Schanzer A (*see* Stone DH et al). 2010;51:559-64
Schermerhorn ML (*see* White RA et al). 2010;51:1116-23
Schneider H (*see* Kische S et al). 2010;51:1550-9
Schuch P (*see* Czerny M et al). 2010;51:1139-44
Schurink GWH (*see* Speelman L et al). 2010;51:19-26
Schwarz T, von Hodenberg E, Furtwängler C, Rastan A, Zeller T, Neumann F-J. Endovenous laser ablation of varicose veins with the 1470-nm diode laser. 2010;51:1474-8 (Case rep.)
Scott EC (*see* Stout CL et al). 2010;51:990-2 (Case rep.)
Scott KJ (*see* Gardner AW et al). 2010;51:628-33
Segall JA (*see* Jones MA et al). 2010;51:108-13
Sénéchal M (*see* Desgranges P et al). 2010;51:267-70
Sfyroeras GS, Koutsiaris A, Karathanos C, Giannakopoulos A, Giannoukas AD. Clinical relevance and treatment of carotid stent fractures. 2010;51:1280-5 (Review article)
Shackelton RJ (*see* White RA et al). 2010;51:1116-23
Shah A (*see* Andersen ND et al). 2010;51:468-70
Shaikh N (*see* Henderson PW et al). 2010;51:707-11
Shalhoub J (*see* Narayanan S et al). 2010;51:1297-9
Shamayeva G (*see* DePalma RG et al). 2010;51:1498-503
Sheldon DG (*see* Obmann MA et al). 2010;51:1528
Shepard AD (*see* Reddy DJ et al). 2010;51:291-3
Sheppard BC (*see* Lee DY et al). 2010;51:662-6
Shigematsu H (*see* Iida Y et al). 2010;51:1521-4
Shirakawa Y (*see* Adachi I et al). 2010;51:1268-71
Shrikhande GV (*see* Goldstein LJ et al). 2010;51:725-8
Siami FS (*see* White RA et al). 2010;51:1116-23
Sicard GA (*see* Thomas BG et al). 2010;51:1373-80

Sicard GA (*see* White RA et al). 2010;51:1116-23
Sidawy AN (*see* White RA et al). 2010;51:1116-23
Sideman MJ (*see* Paul EM et al). 2010;51:1451-6
Siegal CL (*see* Farber A et al). 2010;51:771-5
Silingardi R (*see* Coppi G et al). 2010;51:1397-405
Silverman SH (*see* Darvall KAL et al). 2010;51:913-20
Simon JC (*see* Kendler M et al). 2010;51:639-47
Simonetti G (*see* Gandini R et al). 2010;51:760-2
Simons JP, Goodney PP, Nolan BW, Cronenwett JL, Messina LM, Schanzer A, Vascular Study Group of Northern New England. Failure to achieve clinical improvement despite graft patency in patients undergoing infrainguinal lower extremity bypass for critical limb ischemia. 2010;51:1419-24
Singh MJ (*see* Young KC et al). 2010;51:27-32
Singh N, Causey W, Brounts L, Clouse WD, Curry T, Andersen C. Vascular surgery knowledge and exposure obtained during medical school and the potential impact on career decisions. 2010;51:252-8
Slovut DP, Romero JM, Hannon KM, Dick J, Jaff MR. Detection of common carotid artery stenosis using duplex ultrasonography: A validation study with computed tomographic angiography. 2010;51:65-70
Sodeck G (*see* Czerny M et al). 2010;51:1139-44
Sohn A (*see* Henderson PW et al). 2010;51:707-11
Soker S (*see* Yazdani SK et al). 2010;51:174-83
Son H-J, Min S-K, Min S-I, Park YJ, Ha J, Kim SJ. Evaluation of the efficacy of the forearm basilic vein transposition arteriovenous fistula. 2010;51:667-72
Sorial EE (*see* Davenport DL et al). 2010;51:305-9
Sorial EE (*see* O'Keeffe SD et al). 2010;51:616-21
Sosa JA (*see* Jonker FHW et al). 2010;51:565-71
Soury P (*see* Fukui S et al). 2010;51:1560-3
Spector JA (*see* Henderson PW et al). 2010;51:707-11
Speelman L, Schurink GWH, Bosboom EMH, Buth J, Breeuwer M, van de Vosse FN, Jacobs MH. The mechanical role of thrombus on the growth rate of an abdominal aortic aneurysm. 2010;51:19-26
Spentzouris G (*see* Labropoulos N et al). 2010;51:96-103
Sprengers RW, Moll FL, Teraa M, Verhaar MC, JUVENTAS Study Group,. Rationale and design of the JUVENTAS trial for repeated intra-arterial infusion of autologous bone marrow-derived mononuclear cells in patients with critical limb ischemia. 2010;51:1564-8
Stamenkovic DM (*see* Milic DJ et al). 2010;51:655-61
Stanley AC (*see* Goodney PP et al). 2010;51:71-9
Starnes BW, Quiroga E, Hutter C, Tran NT, Hatsukami T, Meissner M, Tang G, Kohler T. Management of ruptured abdominal aortic aneurysm in the endovascular era. 2010;51:9-18
Steichen O, Amar L, Plouin P-F. Primary stenting for atherosclerotic renal artery stenosis. 2010;51:1574-80
Steinmetz E (*see* Kretz B et al). 2010;51:43-50
Stergiou N (*see* Koutakis P et al). 2010;51:80-8
Sternbergh WC (*see* Albuquerque FC et al). 2010;51:1348-53
Stokes GK (*see* Stout CL et al). 2010;51:990-2 (Case rep.)
Stone DH (*see* Goodney PP et al). 2010;51:71-9
Stone DH, Nolan BW, Schanzer A, Goodney PP, Cambria RA, Likosky DS, Walsh DB, Cronenwett JL, Vascular Study Group of Northern New England. Protamine reduces bleeding complications associated with carotid endarterectomy without increasing the risk of stroke. 2010;51:559-64
Stone PA (*see* AbuRahma AF et al). 2010;51:1133-8
Stoner JA (*see* Gardner AW et al). 2010;51:628-33
Stoner MC (*see* McNally MM et al). 2010;51:1390-6
Stout CL, Scott EC, Stokes GK, Panneton JM. Successful repair of a ruptured Stanford type B aortic dissection during pregnancy. 2010;51:990-2 (Case rep.)
Street S (*see* Twine CP et al). 2010;51:732-4
Stukenborg GJ (*see* Harthun NL et al). 2010;51:330-6
Suciu H (*see* Galajda Z et al). 2010;51:1000-2
Suggs WD (*see* O'Connor DJ et al). 2010;51:1517-20
Sumi M (*see* Enomoto S et al). 2010;51:155-64 (Basic research studies)
Sumpio BE (*see* Jonker FHW et al). 2010;51:1026-32
Sumpio BE, Armstrong DG, Lavery LA, Andros G, (the SVS/APMA writing group). The role of interdisciplinary team approach in the management of the diabetic foot. 2010;51:1504-6
Sun L-Z (*see* Wang R et al). 2010;51:1203-8
SVS Outcomes Committee (*see* White RA et al). 2010;51:1116-23
Swedenborg J (*see* Wahlgren CM et al). 2010;51:3-8
Sweet M (*see* Park K-H et al). 2010;51:572-6

T

Tabata Y (*see* Fujiwara H et al). 2010;51:194-202
Tabayashi K (*see* Fujiwara H et al). 2010;51:194-202
Takabayashi C (*see* Enomoto S et al). 2010;51:155-64 (Basic research studies)
Takahashi R (*see* Enomoto S et al). 2010;51:155-64 (Basic research studies)
Takami H (*see* Emori M et al). 2010;51:1010-3
Takigawa T, Matsumaru Y, Hayakawa M, Nemoto S, Matsumura A. Cilostazol reduces restenosis after carotid artery stenting. 2010;51:51-6
Tal R, Rabinovich Y, Zelmanovich L, Wolf YG. Preferential use of basilic vein for surgical repair of popliteal aneurysms via the posterior approach. 2010;51:1043-5
Tameo MN, Calligaro KD, Antin L, Dougherty MJ. Primary leiomyosarcoma of the inferior vena cava: Reports of infrarenal and suprahepatic caval involvement. 2010;51:221-4
Tan K (*see* Bent CL et al). 2010;51:203-6 (Case rep.)
Tanaka T-A (*see* Emori M et al). 2010;51:1010-3
Tanbe AF (*see* Raffetto JD et al). 2010;51:962-71
Tang G (*see* Starnes BW et al). 2010;51:9-18
Tangelder GJ (*see* Yeung KK et al). 2010;51:551-8
Tanoue Y (*see* Baba H et al). 2010;51:445-52
Tanski WJ (*see* Beck AW et al). 2010;51:380-5
Tassiopoulos AK (*see* Labropoulos N et al). 2010;51:96-103
Tavris D (*see* Goodney PP et al). 2010;51:1340-70
Taylor CA (*see* Figueroa CA et al). 2010;51:1488-97
Taylor PR (*see* Clough RE et al). 2010;51:1272-5
Taylor SM (*see* Killingsworth CD et al). 2010;51:1215-21
Temizkan V (*see* Inan K et al). 2010;51:720-4 (Case rep.)
Teraa M (*see* Sprengers RW et al). 2010;51:1564-8
Teshome M (*see* Lee JT et al). 2010;51:496-503
Thomas BG, Sanchez LA, Geraghty PJ, Rubin BG, Money SR, Sicard GA. A comparative analysis of the outcomes of aortic cuffs and converters for endovascular graft migration. 2010;51:1373-80
Thomassin JM (*see* Malikov S et al). 2010;51:323-9
Thompson MM (*see* Holt PJ et al). 2010;51:1329-39
Tie G (*see* Park B et al). 2010;51:165-73
Tielliu IFJ, Zeebregts CJ, Vourliotakis G, Bekkema F, van den Dungen JJAM, Prins TR, Verhoeven ELG. Stent fractures in the Hemobahn/Viabahn stent graft after endovascular popliteal aneurysm repair. 2010;51:1413-8 (Case rep.)

Tillman BW (*see* Yazdani SK et al). 2010;51:174-83
Tint D (*see* Galajda Z et al). 2010;51:1000-2
Tolenaar JL (*see* van Keulen JW et al). 2010;51:821-8
Tominaga R (*see* Baba H et al). 2010;51:445-52
Tomita Y (*see* Emori M et al). 2010;51:1010-3
Tonnessen BH (*see* Albuquerque FC et al). 2010;51:1348-53
Topple JA (*see* Clough RE et al). 2010;51:1272-5
Tortolani A (*see* Li W et al). 2010;51:593-9
Tozzi M (*see* Piffaretti G et al). 2010;51:993-9
Tran NT (*see* Starnes BW et al). 2010;51:9-18
Trenkic MS (*see* Milic DJ et al). 2010;51:655-61
Trimarchi S (*see* Jonker FHW et al). 2010;51:1026-32
Troisi N, Dorigo W, Pulli R, Pratesi C. A case of traumatic internal carotid artery aneurysm secondary to carotid shunting. 2010;51:225-7
Trotter MC. Rudolph Matas and the first endoaneurysmorrhaphy: "A Fine Account of this Operation". 2010;51:1569-71
Tsai TC, Barot N, Dalman R, Mihm F. Combined endovascular and open operative approach for mycotic carotid aneurysm. 2010;51:1514-6
Tsetis D (*see* Kostas TI et al). 2010;51:900-7
Tshomba Y (*see* Chiesa R et al). 2010;51:1195-202
Tsihlis ND, Murar J, Kapadia MR, Ahanchi SS, Oustwani CS, Saavedra JE, Keefer LK, Kibbe MR. Isopropylamine NONOate (IPA/NO) moderates neointimal hyperplasia following vascular injury. 2010;51:1248-59
Tsui J (*see* Ho TK et al). 2010;51:689-99
Turba UC (*see* Maged IM et al). 2010;51:471-4
Turnbull IC (*see* Prenner SB et al). 2010;51:1354-9
Turnbull IC, Criado FJ, Sanchez L, Sadek M, Malik R, Ellozy SH, Marin ML, Faries PL. Five-year results for the Talent enhanced Low Profile System abdominal stent graft pivotal trial including early and long-term safety and efficacy. 2010;51:537-44
Twine CP, Malik G, Street S, Williams IM. Bullous pemphigoid presenting as dry gangrene in a revascularized limb. 2010;51:732-4

U

Ucak A (*see* Inan K et al). 2010;51:720-4 (Case rep.)
Ueno T (*see* Adachi I et al). 2010;51:1268-71
Ugur M (*see* Inan K et al). 2010;51:720-4 (Case rep.)
Upchurch GR (*see* Barnes GD et al). 2010;51:1467-73
Upchurch GR (*see* Patel HJ et al). 2010;51:829-35
Usman AA (*see* Eskandari MK et al). 2010;51:1145-51
Uzbekov R (*see* Hyvelin J-M et al). 2010;51:417-28 (Basic research studies)

V

Vaccaro P (*see* Satiani B et al). 2010;51:1046-53
Vaddineni S (*see* Jain KM et al). 2010;51:509-14
van Bockel JH (*see* Abdul-Hussien H et al). 2010;51:1479-87 (Basic research studies)
van Bockel JH (*see* Eefting D et al). 2010;51:429-37
van de Rest HJM (*see* Fioole B et al). 2010;51:386-91
van de Vosse FN (*see* Speelman L et al). 2010;51:19-26
van den Berg JC (*see* Fioole B et al). 2010;51:386-91
van den Dungen JJAM (*see* Tielliu IFJ et al). 2010;51:1413-8 (Case rep.)
van der Steenhoven TJ (*see* Bosman W-MPF et al). 2010;51:1230-7 (Basic research studies)
van Herwaarden JA (*see* van Keulen JW et al). 2010;51:821-8
Van Herzeele I, O'Donoghue KGL, Aggarwal R, Vermassen F, Darzi A, Cheshire NJW. Visuospatial and psychomotor aptitude predicts endovascular performance of inexperienced individuals on a virtual reality simulator. 2010;51:1035-42
van Keulen JW, Moll FL, Tolenaar JL, Verhagen HJM, van Herwaarden JA. Validation of a new standardized method to measure proximal aneurysm neck angulation. 2010;51:821-8
van Koeverden S (*see* Fioole B et al). 2010;51:386-91
van Leersum M (*see* Fioole B et al). 2010;51:386-91
Van Leeuwen PAM (*see* Yeung KK et al). 2010;51:551-8
van Petersen AS, Kolkman JJ, Beuk RJ, Huisman AB, Doelman CJA, Geelkerken RH, Multidisciplinary Study Group Of Splanchnic Ischemia. Open or percutaneous revascularization for chronic splanchnic syndrome. 2010;51:1309-16
van Walraven C (*see* Jetty P et al). 2010;51:577-83
Varu VN, Hogg ME, Kibbe MR. Critical limb ischemia. 2010;51:230-41 (Review article)
Vascular Study Group Of Northern New England (*see* Goodney PP et al). 2010;51:71-9
Vascular Study Group of Northern New England (*see* Simons JP et al). 2010;51:1419-24
Vascular Study Group of Northern New England, (*see* Stone DH et al). 2010;51:559-64
Vaz G (*see* Brandão D et al). 2010;51:1276-8
Vecchiati E (*see* Pulli R et al). 2010;51:1167-77
Veen EJ (*see* Flu HC et al). 2010;51:622-7
Veith FJ (*see* Bauer SM et al). 2010;51:242-51
Veith FJ (*see* Donas KP et al). 2010;51:836-41
Veith FJ (*see* Rancic Z et al). 2010;51:1293-6
Verdant A. Contemporary results of standard open repair of acute traumatic rupture of the thoracic aorta. 2010;51:294-8
Vergnat M (*see* Henaine R et al). 2010;51:1525-7
Verhaar MC (*see* Sprengers RW et al). 2010;51:1564-8
Verhaaren BFJ (*see* Abdul-Hussien H et al). 2010;51:1479-87 (Basic research studies)
Verhagen HJM (*see* Jonker FHW et al). 2010;51:1026-32
Verhagen HJM (*see* van Keulen JW et al). 2010;51:821-8
Verhoeven ELG (*see* Tielliu IFJ et al). 2010;51:1413-8 (Case rep.)
Vermassen F (*see* Randon C et al). 2010;51:869-77
Vermassen F (*see* Van Herzeele I et al). 2010;51:1035-42
Veronesi J (*see* Coppi G et al). 2010;51:1397-405
Verzini F (*see* De Rango P et al). 2010;51:337-44
Vielle B (*see* Mahe G et al). 2010;51:863-8
Virvilis D (*see* Klein SJ et al). 2010;51:908-12
Vogel TR (*see* Mousa AY et al). 2010;51:1014
Vogel TR, Dombrovskiy VY, Carson JL, Haser PB, Lowry SF, Graham AM. Infectious complications after elective vascular surgical procedures. 2010;51:122-30
von Hodenberg E (*see* Schwarz T et al). 2010;51:1474-8 (Case rep.)
Vourliotakis G (*see* Tielliu IFJ et al). 2010;51:1413-8 (Case rep.)
Vouyouka AG (*see* Egorova N et al). 2010;51:372-9
Vouyouka AG (*see* Prenner SB et al). 2010;51:1354-9

W

Wahlgren CM, Larsson E, Magnusson PKE, Hultgren R, Swedenborg J. Genetic and environmental contributions to abdominal aortic aneurysm development in a twin population. 2010;51:3-8
Wakefield T (*see* Barnes GD et al). 2010;51:1467-73
Wakefield TW. Invited commentary. 2010;51:401-9
Walkes J-CM (*see* Miller CC et al). 2010;51:38-42
Wall WA (*see* Reeps C et al). 2010;51:679-88 (Basic research studies)
Walsh DB (*see* Beck AW et al). 2010;51:380-5

Walsh DB (*see* Stone DH et al). 2010;51:559-64
Wang H (*see* Chang G et al). 2010;51:1507-9 (Case rep.)
Wang H (*see* Ma J et al). 2010;51:700-6
Wang L (*see* Hou R et al). 2010;51:940-5
Wang R, Sun L-Z, Hu X-P, Ma W-G, Chang Q, Zhu J-M, Liu Y-M, Yu C-T. Treatment of complex coarctation and coarctation with cardiac lesions using extra-anatomic aortic bypass. 2010;51:1203-8
Wang S (*see* Chang G et al). 2010;51:1507-9 (Case rep.)
Wang X (*see* Luo Y et al). 2010;51:673-8
Wanhainen A (*see* Mani K et al). 2010;51:148-54
Watkins MT (*see* Crawford RS et al). 2010;51:351-9
Wautot F (*see* Henaine R et al). 2010;51:1525-7
Weaver FA (*see* Han SM et al). 2010;51:1381-9
Weber TF (*see* Geisbüsch P et al). 2010;51:299-304
Wechsler SB (*see* Andersen ND et al). 2010;51:468-70
Weidenhagen R (*see* Kopp R et al). 2010;51:1103-10
Weinberg JA (*see* Killingsworth CD et al). 2010;51:1215-21
Weinstein AL (*see* Henderson PW et al). 2010;51:707-11
West CA (*see* Khan I et al). 2010;51:1003-5
Wetzig T (*see* Kendler M et al). 2010;51:639-47
White RA, Sicard GA, Zwolak RM, Sidawy AN, Schermerhorn ML, Shackelton RJ, Siami FS, SVS Outcomes Committee. Society of Vascular Surgery Vascular Registry® comparison of carotid artery stenting outcomes for atherosclerotic vs nonatherosclerotic carotid artery disease. 2010;51:1116-23
Williams DM (*see* Patel HJ et al). 2010;51:829-35
Williams IM (*see* Twine CP et al). 2010;51:732-4
Wise L (*see* Li W et al). 2010;51:593-9
Wisselink W (*see* Yeung KK et al). 2010;51:551-8
Wolf YG (*see* Tal R et al). 2010;51:1043-5
Wolosker N (*see* Ritti-Dias RM et al). 2010;51:89-95
Wolosker N, Yazbek G, Ribas Milanez de Campos J, Munia MA, Kauffman P, Jatene FB, Puech-Leao P. Quality of life before surgery is a predictive factor for satisfaction among patients undergoing sympathectomy to treat hyperhidrosis. 2010;51:1190-4
Won JY (*see* Choi SY et al). 2010;51:1006-9
Woo K (*see* Garg J et al). 2010;51:946-50
Woo K, Cook PR, Garg J, Hye RJ, Canty TG. Midterm results of a novel technique to salvage autogenous dialysis access in aneurysmal arteriovenous fistulas. 2010;51:921-5
Wright DD, Gibson KD, Barclay J, Razumovsky A, Rush J, McCollum CN. High prevalence of right-to-left shunt in patients with symptomatic great saphenous incompetence and varicose veins. 2010;51:104-7
Wu Q (*see* Ma J et al). 2010;51:700-6

X

Xenos ES (*see* Davenport DL et al). 2010;51:305-9
Xenos ES (*see* O'Keeffe SD et al). 2010;51:616-21
Xu J (*see* Eagleton MJ et al). 2010;51:951-61 (Basic research studies)
Xu S (*see* Ho TK et al). 2010;51:689-99

Y

Yan J (*see* Park B et al). 2010;51:165-73
Yang Y (*see* Hou R et al). 2010;51:940-5
Yang Y (*see* Park B et al). 2010;51:165-73
Yao C (*see* Chang G et al). 2010;51:1507-9 (Case rep.)
Yao JST. Society for Vascular Surgery® (SVS)—The beginning. 2010;51:776-9
Yazbek G (*see* Wolosker N et al). 2010;51:1190-4
Yazdani SK, Tillman BW, Berry JL, Soker S, Geary RL. The fate of an endothelium layer after preconditioning. 2010;51:174-83
Ye Z (*see* Yoshida R et al). 2010;51:504-8
Yeh V (*see* Figueroa CA et al). 2010;51:1488-97
Yeung KK, Tangelder GJ, Fung WY, Coveliers HME, Hoksbergen AWJ, Van Leeuwen PAM, Klerk ESMdeL, Wisselink W. Open surgical repair of ruptured juxtarenal aortic aneurysms with and without renal cooling: Observations regarding morbidity and mortality. 2010;51:551-8
Yilmaz AT (*see* Inan K et al). 2010;51:720-4 (Case rep.)
Yokoi Y (*see* Iida Y et al). 2010;51:1521-4
Yoshida R, Kolvenbach RR, Ye Z, Yoshida W. A total laparoscopic technique for endovascular thoracic stent graft deployment. 2010;51:504-8
Yoshida W (*see* Yoshida R et al). 2010;51:504-8
Younes HK, Davies MG, Bismuth J, Naoum JJ, Peden EK, Reardon MJ, Lumsden AB. Hybrid thoracic endovascular aortic repair: Pushing the envelope. 2010;51:259-66
Young KC, Awad NA, Johansson M, Gillespie D, Singh MJ, Illig KA. Cost-effectiveness of abdominal aortic aneurysm repair based on aneurysm size. 2010;51:27-32
Ysa A, Gainza E, Bustabad MR, Arruabarrena A. Primary venous aneurysm of the internal iliac vein. 2010;51:735
Yu C-T (*see* Wang R et al). 2010;51:1203-8
Yun W-S (*see* Park U-J et al). 2010;51:634-8
Yuo TH (*see* Beck AW et al). 2010;51:380-5

Z

Zacharski LR (*see* DePalma RG et al). 2010;51:1498-503
Zarins CK (*see* Figueroa CA et al). 2010;51:1488-97
Zarins CK (*see* Ouriel K et al). 2010;51:1081-7
Zayed HA (*see* Clough RE et al). 2010;51:1272-5
Zeebregts CJ (*see* Tielliu IFJ et al). 2010;51:1413-8 (Case rep.)
Zeenny M (*see* Mahe G et al). 2010;51:863-8
Zeller T (*see* Schwarz T et al). 2010;51:1474-8 (Case rep.)
Zelmanovich L (*see* Tal R et al). 2010;51:1043-5
Zhu J-M (*see* Wang R et al). 2010;51:1203-8
Ziporin SJ, Ifune CK, MacConmara MP, Geraghty PJ, Choi ET. A case of external iliac arteriovenous fistula and high-output cardiac failure after endovenous laser treatment of great saphenous vein. 2010;51:715-9
Zivic SS (*see* Milic DJ et al). 2010;51:655-61
Zouboulis C (*see* Kendler M et al). 2010;51:639-47
Zürn W (*see* Kopp R et al). 2010;51:1103-10
Zwolak RM (*see* White RA et al). 2010;51:1116-23

Subject Index

A

Abdominal aortic aneurysm; *see* Aortic aneurysm, abdominal

Absorbable implants

Long-term patency of small-diameter vascular graft made from fibroin, a silk-based biodegradable material (Enomoto et al). 2010;51:155-64

Modification of the descending thoracic aortic anastomotic site using biodegradable felt: study in a canine model with or without basic fibroblast growth factor (Fujiwara et al). 2010;51:194-202

Abstracts

Abstracts. 2010;51:280-4, 522-35, 782-98, 1063-75, 1320-24, 1584-6

Acute-phase proteins

Circulation levels of acute phase proteins in patients with Takayasu arteritis (Ma et al). 2010;51:700-6

Adipokines

Novel adipokines, high molecular weight adiponectin and resistin, are associated with outcomes following lower extremity revascularization with autogenous vein (Owens et al). 2010;51:1152-9

Adiponectin

Novel adipokines, high molecular weight adiponectin and resistin, are associated with outcomes following lower extremity revascularization with autogenous vein (Owens et al). 2010;51:1152-9

Adrenergic beta-antagonists

Perioperative β-blockers for vascular surgery patients (Brooke). 2010;51:515-9

Aged, 80 and over

Outcome of elective endovascular abdominal aortic aneurysm repair in octogenarians and nonagenarians (Prenner et al). 2010;51:1354-9

Alfimeprase; *see* Fibrinolytic agents

Ambulatory surgical procedures

Future of vascular surgery is in the office (Jain et al). 2010;51:509-14

Anastomosis, surgical

Modification of the descending thoracic aortic anastomotic site using biodegradable felt: study in a canine model with or without basic fibroblast growth factor (Fujiwara et al). 2010;51:194-202

Novel sutureless telescoping anastomosis revascularization technique of supra-aortic vessels to simplify combined open endovascular procedures in the treatment of aortic arch pathologies (Donas et al); (Ballard) (Commentary). 2010;51:836-41; Roddy). 2010;51:1061

Primary suture-anastomosis of the Viabahn endoprosthesis to a native artery (Narayanan et al). 2010;51:1297-9

Anatomy

The anatomy of the small saphenous vein: fascial and neural relations, saphenofemoral junction, and valves (Schweighofer et al). 2010;51:982-9

Aneurysm

A case of traumatic internal carotid artery aneurysm secondary to carotid shunting (Troisi et al). 2010;51:225-7 (Case rep.)

Endovascular repair of popliteal aneurysms (Cina). 2010;51:1056-60

Incidental detection of a giant ductus arteriosus aneurysm by low-dose multidetector computed tomography in an asymptomatic adult (Pontone et al). 2010;51:1260-4 (Case rep.)

Management of a nontraumatic extracranial internal carotid aneurysm with external carotid transposition (Jones et al). 2010;51:465-7 (Case rep.)

Midterm results of a novel technique to salvage autogenous dialysis access in aneurysmal arteriovenous fistulas (Woo et al). 2010;51:921-5, 921.e1

Open surgical reconstruction of the internal carotid artery aneurysm at the base of the skull (Malikov et al). 2010;51:323-9; Roddy). 2010;51:520

Open versus endovascular repair of popliteal artery aneurysms (Moore and Hill); (Forbes) (Commentary). 2010;51:271-7

Preferential use of basilic vein for surgical repair of popliteal aneurysms via the posterior approach (Tal et al). 2010;51:1043-5

Primary venous aneurysm of the internal iliac vein (Ysa et al). 2010;51:735

Recurrence of a popliteal venous aneurysm (Falls and Eslami); (Comerota) (Commentary). 2010;51:458-60 (Case rep.)

Recurrent popliteal vein aneurysm (Gasparis et al). 2010;51:453-7 (Case rep.)

A retrospective multicenter study of endovascular treatment of popliteal artery aneurysm (Midy et al). 2010;51:850-6

Robot-assisted laparoscopic repair of renal artery aneurysms (Giulianotti et al). 2010;51:842-9; Roddy). 2010;51:1062

Stent fractures in the Hemobahn/Viabahn stent graft after endovascular popliteal aneurysm repair (Roddy). 2010;51:1581-2 (Editorial); Tielliu et al). 2010;51:1413-8

Aneurysm, dissecting

Acute iatrogenic type A aortic dissection following thoracic aortic endografting (Piffaretti et al). 2010;51:993-9 (Case rep.)

Endovascular repair of a type B aortic dissection with a ventricular septal defect occluder (Chang et al). 2010;51:1507-9 (Case rep.)

Loss of STAT1 is associated with increased aortic rupture in an experimental model of aortic dissection and aneurysm formation (Eagleton et al). 2010;51:951-61

A single-center experience treating renal malperfusion after aortic dissection with central aortic fenestration and renal artery stenting (Barnes et al); (Cambria) (Commentary). 2008;47:903-11, 903.e1-e11. Correction. 2010;51:1079

Successful repair of a ruptured Stanford type B aortic dissection during pregnancy (Stout et al). 2010;51:990-2 (Case rep.)

Aneurysm, false

Hybrid treatment of an ascending aortic pseudoaneurysm following multiple sternotomies (Ruggieri et al). 2010;51:729-31 (Case rep.)

Right subclavian pseudoaneurysm secondary to blunt trauma in an arteriovenous malformation (Quinones-Baldrich). 2010;51:228-9

Successful treatment of an iatrogenic right hepatic artery pseudoaneurysm and stenosis with a stent graft (Hylton and Pevec). 2010;51:1510-3 (Case rep.)

Aneurysm, infected

Combined endovascular and open operative approach for mycotic carotid aneurysm (Tsai et al). 2010;51:1514-6 (Case rep.)

Endovascular repair of a tuberculous mycotic thoracic aortic aneurysm with a custom-made device (Clough et al). 2010;51:1272-5 (Case rep.)

Successful treatment of multiple mycotic aortic aneurysms, using a hybrid procedure (Iida et al). 2010;51:1521-4 (Case rep.)

Aneurysm repair; *see* Blood vessel prosthesis implantation; Vascular surgical procedures

Aneurysm, ruptured

The Endovasculaire vs Chirurgie dans les Anévrysmes Rompus PROTOCOL trial update (Desgranges et al); (Forbes) (Commentary). 2010;51:267-70

Endovascular treatment of contained rupture of a superior mesenteric artery aneurysm resulting from neurofibromatosis type I (Mendonça et al). 2010;51:461-4 (Case rep.)

Meta-analysis of open versus endovascular repair for ruptured descending thoracic aortic aneurysm (Jonker et al). 2010; 51:1026-32 (Review)

Ruptured brachial artery aneurysm in a patient with type 1 neurofibromatosis (Emori et al). 2010;51:1010-3 (Case rep.)

Angiography

Detection of common carotid artery stenosis using duplex ultrasonography: a validation study with computed tomographic angiography (Roddy). 2010;51:279; Slovut et al). 2010;51:65-70

Evaluation of peripheral atherosclerosis: a comparative analysis of angiography and intravascular ultrasound imaging (Arthurs et al). 2010;51:933-9

The use of dynamic volumetric CT angiography (DV-CTA) for the characterization of endoleaks following fenestrated endovascular aortic aneurysm repair (f-EVAR) (Bent et al). 2010;51:203-6 (Case rep.)

Angioplasty

A comparative analysis of the outcomes of carotid stenting and carotid endarterectomy in women (Rango et al). 2010;51: 337-44

Impact of metabolic syndrome on the outcomes of percutaneous renal angioplasty and stenting (Davies et al). 2010;51: 926-32

Predicting embolic potential during carotid angioplasty and stenting: analysis of captured particulate debris, ultrasound characteristics, and prior carotid endarterectomy (Malik et al). 2010;51:317-22

Angioplasty, balloon

Open surgery remains a valid option for the treatment of recurrent carotid stenosis (Coscas et al). 2010;51:1124-32

Percutaneous transluminal angioplasty and stenting as first-choice treatment in patients with chronic mesenteric ischemia (Fioole et al); (Abou-Zamzam, Jr) (Commentary). 2010;51:386-91

Percutaneous transluminal angioplasty for treatment of critical hand ischemia with a novel endovascular approach: "the radial to ulnar artery loop technique" (Gandini et al). 2010;51:760-2

A prospective open-label study of endovascular treatment of chronic cerebrospinal venous insufficiency (Zamboni et al). 2009;50:1348-58, 1348.e1-e3. Correction. 2010;51:1079

Regarding: "Carotid angioplasty and stenting in anatomically high-risk patients: safe and durable except for radiation-induced stenosis" (Borst and Moll) (Letter); (Panneton) (Reply). 2010;51:1077-8

Renal parenchymal preservation after percutaneous renal angioplasty and stenting (Davies et al). 2010;51:1222-9

Antioxidants

Antioxidant therapy reverses impaired graft healing in hypercholesterolemic rabbits (Rosenbaum et al). 2010;51: 184-93

Aorta

A comparative analysis of the outcomes of aortic cuffs and converters for endovascular graft migration (Thomas et al). 2010;51:1373-80

Endovascular treatment of aortoesophageal and aortobronchial fistulae (Chiesa et al); (Brower) (Commentary). 2010; 51:1195-202

Preliminary 3D computational analysis of the relationship between aortic displacement force and direction of endograft movement (Figueroa et al). 2010;51:1488-97

Aorta, abdominal

Treatment of complex coarctation and coarctation with cardiac lesions using extra-anatomic aortic bypass (Wang et al). 2010;51:1203-8

Aorta, thoracic

Acute iatrogenic type A aortic dissection following thoracic aortic endografting (Piffaretti et al). 2010;51:993-9 (Case rep.)

The challenge of associated intramural hematoma with endovascular repair for penetrating ulcers of the descending thoracic aorta (Patel et al). 2010;51:829-35

Congenital native interruption of aortic arch in an adult: extra-anatomic approach by right-side thoracotomy (Henaine et al). 2010;51:1525-7 (Case rep.)

Contemporary results of standard open repair of acute traumatic rupture of the thoracic aorta (Verdant); (Balm) (Commentary). 2010;51:294-8

Management of a thoracic endograft infection through an ascending to descending extra-anatomic aortic bypass and endograft explantation (Riesenman and Farber). 2010;51: 207-9 (Case rep.)

Modification of the descending thoracic aortic anastomotic site using biodegradable felt: study in a canine model with or without basic fibroblast growth factor (Fujiwara et al). 2010;51:194-202

Novel sutureless telescoping anastomosis revascularization technique of supra-aortic vessels to simplify combined open endovascular procedures in the treatment of aortic arch pathologies (Donas et al); (Ballard) (Commentary). 2010; 51:836-41; Roddy). 2010;51:1061

Open vs endovascular repair of blunt traumatic thoracic aortic injuries (Rheaume et al); (Forbes) (Commentary). 2010; 51:763-70

Totally videoendoscopic descending thoracic aorta-to-femoral artery bypass (Fukui et al). 2010;51:1560-3

Trends and outcomes of endovascular and open treatment for traumatic thoracic aortic injury (Jonker et al). 2010;51: 565-71

Variation in the shape and length of the branches of a thoracoabdominal aortic stent graft: implications for the role of standard off-the-shelf components (Park et al). 2010;51: 572-6

Aortic aneurysm

Aortic Customize: a new alternative endovascular approach to aortic aneurysm repair using injectable biocompatible elastomer. An in vitro study (Bosman et al). 2010;51:1230-7

Balloon expandable stents facilitate right renal artery reconstruction during complex open aortic aneurysm repair (Patel et al); (Ricotta II) (Commentary). 2010;51:310-16

The Endovasculaire vs Chirurgie dans les Anévrysmes Rompus PROTOCOL trial update (Desgranges et al); (Forbes) (Commentary). 2010;51:267-70

Endovascular repair of a type B aortic dissection with a ventricular septal defect occluder (Chang et al). 2010;51:1507-9 (Case rep.)

A single-center experience treating renal malperfusion after aortic dissection with central aortic fenestration and renal artery stenting (Barnes et al); (Cambria) (Commentary). 2008;47:903-11, 903.e1-e11. Correction. 2010;51:1079

Successful repair of a ruptured Stanford type B aortic dissection during pregnancy (Stout et al). 2010;51:990-2 (Case rep.)

Successful treatment of multiple mycotic aortic aneurysms, using a hybrid procedure (Iida et al). 2010;51:1521-4 (Case rep.)

Ultrasound-determined diameter measurements are more accurate than axial computed tomography after endovascular aortic aneurysm repair (Han et al). 2010;51:1381-9

The use of dynamic volumetric CT angiography (DV-CTA) for the characterization of endoleaks following fenestrated endovascular aortic aneurysm repair (f-EVAR) (Bent et al). 2010;51:203-6 (Case rep.)

Aortic aneurysm, abdominal

Bilateral renal artery occlusion due to intraoperative retrograde migration of an abdominal aortic aneurysm endograft (Inan et al). 2010;51:720-4 (Case rep.)

Causes of late mortality after endovascular and open surgical repair of infrarenal abdominal aortic aneurysms (Goodney et al). 2010;51:1340-7, 1340.e1

Challenges in analysis and interpretation of cost data in vascular surgery (Mani et al). 2010;51:148-54

Cost-effectiveness of abdominal aortic aneurysm repair based on aneurysm size (Young et al). 2010;51:27-32

Defining high risk in endovascular aneurysm repair (Mastracci et al). 2010;51:1088-95, 1088.e1

Delayed permanent paraplegia after endovascular repair of abdominal aortic aneurysm (Goldstein et al). 2010;51:725-8 (Case rep.)

Endovascular repair compared with surveillance for patients with small abdominal aortic aneurysms (Ouriel et al). 2010;51:1081-7

First experience using intraoperative contrast enhanced ultrasound during endovascular aneurysm repair for infrarenal aortic aneurysms (Kopp et al). 2010;51:1103-10

Five-year results for the Talent enhanced Low Profile System abdominal stent graft pivotal trial including early and long-term safety and efficacy (Turnbull et al). 2010;51:537-44, 537.e1-e2

Genetic and environmental contributions to abdominal aortic aneurysm development in a twin population (Wahlgren et al); (Bush) (Commentary). 2010;51:3-8

Hybrid treatment of an ascending aortic pseudoaneurysm following multiple sternotomies (Ruggieri et al). 2010;51:729-31 (Case rep.)

The impact of model assumptions on results of computational mechanics in abdominal aortic aneurysm (Reeps et al). 2010;51:679-88

Long-term outcomes and resource utilization of endovascular versus open repair of abdominal aortic aneurysms in Ontario (Jetty et al). 2010;51:577-83, 577.e1-e3

Loss of STAT1 is associated with increased aortic rupture in an experimental model of aortic dissection and aneurysm formation (Eagleton et al). 2010;51:951-61

Management of ruptured abdominal aortic aneurysm in the endovascular era (Roddy). 2010;51:278; Stanes et al). 2010;51:9-18. Correction. 2010;51:1079; Starnes et al). 2010;51:9-18

The mechanical role of thrombus on the growth rate of an abdominal aortic aneurysm (Speelman et al). 2010;51:19-26

Open surgical repair of ruptured juxtarenal aortic aneurysms with and without renal cooling: observations regarding morbidity and mortality (Roddy). 2010;51:780; Yeung et al). 2010;51:551-8

Open vs endovascular repair of abdominal aortic aneurysm involving the iliac bifurcation (Cochennec et al). 2010;51:1360-6

Outcome of elective endovascular abdominal aortic aneurysm repair in octogenarians and nonagenarians (Prenner et al). 2010;51:1354-9

Paradigm shifts in the treatment of abdominal aortic aneurysm: trends in 721 patients between 1996 and 2008 (Albuquerque, Jr et al). 2010;51:1348-53

Patency and durability of presewn multiple branched graft for thoracoabdominal aortic aneurysm repair (Kulik et al). 2010;51:1367-72

The pathophysiology of abdominal aortic aneurysm growth: corresponding and discordant inflammatory and proteolytic processes in abdominal aortic and popliteal artery aneurysms (Abdul-Hussien et al). 2010;51:1479-87

Perioperative asymptomatic cardiac damage after endovascular abdominal aneurysm repair is associated with poor long-term outcome (Winkel et al). 2009;50:749-54. Correction. 2010;51:289

Periscope graft to extend distal landing zone in ruptured thoracoabdominal aneurysms with short distal necks (Rancic et al). 2010;51:1293-6

Preoperative statin therapy is associated with improved outcomes and resource utilization in patients undergoing aortic aneurysm repair (McNally et al). 2010;51:1390-6

Regarding "Abdominal aortic aneurysm diameter: a comparison of ultrasound measurements with those from standard and three-dimensional computed tomography reconstruction" (Dalainas and Avgerinos) (Letter); (Manning et al) (Reply). 2010;51:287-8

Regarding "Analysis of motor and somatosensory evoked potentials during thoracic and thoracoabdominal aortic aneurysm repair" (Mess and Jacobs) (Letter); (Miller III et al) (Reply). 2010;51:286-7

Regarding "Prospective follow-up of sexual function after elective repair of abdominal aortic aneurysms using open and endovascular techniques" (Shoab et al) (Letter); (Pettersson) (Reply). 2010;51:1325-6

Relationship between access side used to deliver the main body of bifurcated prostheses for endovascular aneurysm repair and speed of cannulation of the contralateral limb (Dang et al). 2010;51:33-7, 33.e1

SVS practice guidelines for the care of patients with an abdominal aortic aneurysm: executive summary (Lederle) (Letter); (Chaikof et al) (Reply). 2010;51:799-800

Symptomatic, acute aortocaval fistula complicating an infrarenal aortic aneurysm (Pevec et al). 2010;51:475

Temporal changes of aortic neck morphology in abdominal aortic aneurysms (Propper et al). 2010:51:1111-5

Thirty-day NSQIP database outcomes of open versus endolu-

minal repair of ruptured abdominal aortic aneurysms (Davenport et al). 2010;51:305-9, 305.e1
Validation of a new standardized method to measure proximal aneurysm neck angulation (van Keulen et al). 2010;51: 821-8
Variation in the shape and length of the branches of a thoracoabdominal aortic stent graft: implications for the role of standard off-the-shelf components (Park et al). 2010;51: 572-6
Variations in the utilization of endovascular aneurysm repair reflect population risk factors and disease prevalence (Ng et al). 2010;51:801-9, 801.e1

Aortic aneurysm, thoracic
Endovascular repair of a tuberculous mycotic thoracic aortic aneurysm with a custom-made device (Clough et al). 2010; 51:1272-5 (Case rep.)
Endovascular repair of ruptured thoracic aortic aneurysms is associated with high perioperative mortality and morbidity (Geisbüsch et al). 2010;51:299-304
Hybrid thoracic endovascular aortic repair: pushing the envelope (Younes et al). 2010;51:259-66
Meta-analysis of open versus endovascular repair for ruptured descending thoracic aortic aneurysm (Jonker et al). 2010; 51:1026-32 (Review)
Outcomes of the endovascular management of aortic arch aneurysm: implications for management of the left subclavian artery (Holt et al); (Matsumura) (Commentary). 2010; 51:1329-39
Patency and durability of presewn multiple branched graft for thoracoabdominal aortic aneurysm repair (Kulik et al). 2010; 51:1367-72
Periscope graft to extend distal landing zone in ruptured thoracoabdominal aneurysms with short distal necks (Rancic et al). 2010;51:1293-6
Postoperative renal function preservation with nonischemic femoral arterial cannulation for thoracoabdominal aortic repair (Miller III et al). 2010;51:38-42
Regarding "Analysis of motor and somatosensory evoked potentials during thoracic and thoracoabdominal aortic aneurysm repair" (Mess and Jacobs) (Letter); (Miller III et al) (Reply). 2010;51:286-7
Thoracic endografting in a patient with hereditary hemorrhagic telangiectasia presenting with a descending thoracic aneurysm (Andersen et al). 2010;51:468-70 (Case rep.)
A total laparoscopic technique for endovascular thoracic stent graft deployment (Yoshida et al). 2010;51:504-8
Variation in the shape and length of the branches of a thoracoabdominal aortic stent graft: implications for the role of standard off-the-shelf components (Park et al). 2010;51: 572-6

Aortic arch; *see* Aorta, thoracic

Aortic coarctation
Technique of interventional repair in adult aortic coarctation (Kische et al). 2010;51:1550-9
Treatment of complex coarctation and coarctation with cardiac lesions using extra-anatomic aortic bypass (Wang et al). 2010;51:1203-8

Aortic rupture
Contemporary results of standard open repair of acute traumatic rupture of the thoracic aorta (Verdant); (Balm) (Commentary). 2010;51:294-8
The Endovasculaire vs Chirurgie dans les Anévrysmes Rompus PROTOCOL trial update (Desgranges et al); (Forbes) (Commentary). 2010;51:267-70
Endovascular repair of ruptured thoracic aortic aneurysms is associated with high perioperative mortality and morbidity (Geisbüsch et al). 2010;51:299-304
Loss of STAT1 is associated with increased aortic rupture in an experimental model of aortic dissection and aneurysm formation (Eagleton et al). 2010;51:951-61
Management of ruptured abdominal aortic aneurysm in the endovascular era (Roddy). 2010;51:278; Stanes et al). 2010; 51:9-18. Correction. 2010;51:1079; Starnes et al). 2010; 51:9-18
Open surgical repair of ruptured juxtarenal aortic aneurysms with and without renal cooling: observations regarding morbidity and mortality (Roddy). 2010;51:780; Yeung et al). 2010;51:551-8
Periscope graft to extend distal landing zone in ruptured thoracoabdominal aneurysms with short distal necks (Rancic et al). 2010;51:1293-6
Successful repair of a ruptured Stanford type B aortic dissection during pregnancy (Stout et al). 2010;51:990-2 (Case rep.)
Thirty-day NSQIP database outcomes of open versus endoluminal repair of ruptured abdominal aortic aneurysms (Davenport et al). 2010;51:305-9, 305.e1

Arterial occlusive diseases
Efficacy and safety of alfimeprase in patients with acute peripheral arterial occlusion (PAO) (Han et al); (Kashyap) (Commentary). 2010;51:600-9
Endovascular interventions for TASC II D femoropopliteal lesions (Baril et al). 2010;51:1406-12
High spatial resolution magnetic resonance imaging of cystic adventitial disease of the popliteal artery (Maged et al). 2010;51:471-4 (Case rep.)
Role of simple and complex hybrid revascularization procedures for symptomatic lower extremity occlusive disease (Dosluoglu et al). 2010;51:1425-35, 1425.e1

Arteriovenous fistula
A case of external iliac arteriovenous fistula and high-output cardiac failure after endovenous laser treatment of great saphenous vein (Ziporin et al). 2010;51:715-9 (Case rep.)
Endoscopic basilic vein transposition for hemodialysis access (Paul et al). 2010;51:1451-6
Endovascular management of multiple arteriovenous fistulae following failed laser-assisted pacemaker lead extraction (O'Connor et al). 2010;51:1517-20 (Case rep.)
Midterm results of a novel technique to salvage autogenous dialysis access in aneurysmal arteriovenous fistulas (Woo et al). 2010;51:921-5, 921.e1
Traumatic arteriovenous fistula 52 years after injury (Chaudry et al). 2010;51:1265-7 (Case rep.)

Arteriovenous malformations
A clinical study of ultrasound-guided of bleomycin A5 on venous malformation in cervical-facial region in China (Hou et al). 2010;51:940-5
Right subclavian pseudoaneurysm secondary to blunt trauma in an arteriovenous malformation (Quinones-Baldrich). 2010;51:228-9
Treatment of a pelvic arteriovenous malformation by stent graft placement combined with sclerotherapy (Choi et al). 2010; 51:1006-9 (Case rep.)

Arteriovenous shunt, surgical
Evaluation of the efficacy of the forearm basilic vein transposition arteriovenous fistula (Son et al). 2010;51:667-72

Atherosclerosis
Evaluation of peripheral atherosclerosis: a comparative analysis of angiography and intravascular ultrasound imaging (Arthurs et al). 2010;51:933-9
Ferritin levels, inflammatory biomarkers, and mortality in peripheral arterial disease: a substudy of the Iron (Fe) and Atherosclerosis Study (FeAST) Trial (DePalma et al). 2010; 51:1498-503
Primary stenting for atherosclerotic renal artery stenosis (Steichen et al). 2010;51:1574-80, 1574.e1
Society of Vascular Surgery Vascular Registry® comparison of carotid artery stenting outcomes for atherosclerotic vs non-atherosclerotic carotid artery disease (White et al). 2010; 51:1116-23
Thrombospondin-1: a proatherosclerotic protein augmented by hyperglycemia (Maier et al). 2010;51:1238-47
Atorvastatin; *see* Hydroxymethylglutaryl-CoA reductase inhibitors
Atrial fibrillation
Atrial fibrillation is associated with increased risk of perioperative stroke and death from carotid endarterectomy (Harthun and Stukenborg). 2010;51:330-6
Attitude of health personnel
A survey of demographics, motivations, and backgrounds among applicants to the integrated 0 + 5 vascular surgery residency (Lee et al). 2010;51:496-503
Attorney; *see* Lawyers

B

Balloon angioplasty
Technique of interventional repair in adult aortic coarctation (Kische et al). 2010;51:1550-9
Bandages
Comparison of low-strength compression stockings with bandages for the treatment of recalcitrant venous ulcers (Brizzio et al). 2010;51:410-6; Roddy). 2010;51:521
The influence of different sub-bandage pressure values on venous leg ulcers healing when treated with compression therapy (Milic et al). 2010;51:655-61
In search of optimal compression therapy for venous leg ulcers: a meta-analysis of studies comparing divers bandages with specifically designed stockings (Amsler et al). 2009;50:668-74. Correction. 2010;51:289
Biological markers
Ferritin levels, inflammatory biomarkers, and mortality in peripheral arterial disease: a substudy of the Iron (Fe) and Atherosclerosis Study (FeAST) Trial (DePalma et al). 2010; 51:1498-503
Biomarkers; *see* Biological markers
Biomechanics
The impact of model assumptions on results of computational mechanics in abdominal aortic aneurysm (Reeps et al). 2010;51:679-88
Bleomycetin
A clinical study of ultrasound-guided intralesional injection of bleomycin A5 on venous malformation in cervical-facial region in China). 2010;51:940-5
Bleomycin A5; *see* Bleomycetin
Blood pressure
Predicting blood pressure response after renal artery stenting (Beck et al). 2010;51:380-5
Blood transfusion
Blood transfusion is associated with increased morbidity and mortality after lower extremity revascularization (O'Keeffe et al). 2010;51:616-21, 616.e1-e3
Blood vessel prosthesis
Adaptive changes in autogenous vein grafts for arterial reconstruction:clinical implications (Owens). 2010;51:736-46 (Review)
Bilateral renal artery occlusion due to intraoperative retrograde migration of an abdominal aortic aneurysm endograft (Inan et al). 2010;51:720-4 (Case rep.)
The fate of an endothelium layer after preconditioning (Yazdani et al); (Golden) (Commentary). 2010;51:174-83
Fifteen years of infrapopliteal arterial reconstructions with cryopreserved venous allografts for limb salvage (Randon et al). 2010;51:869-77
Long-term patency of small-diameter vascular graft made from fibroin, a silk-based biodegradable material (Enomoto et al). 2010;51:155-64
Management of a thoracic endograft infection through an ascending to descending extra-anatomic aortic bypass and endograft explantation (Riesenman and Farber). 2010;51: 207-9 (Case rep.)
Perioperative asymptomatic cardiac damage after endovascular abdominal aneurysm repair is associated with poor long-term outcome (Winkel et al). 2009;50:749-54. Correction. 2010;51:289
Blood vessel prosthesis implantation
Acute iatrogenic type A aortic dissection following thoracic aortic endografting (Piffaretti et al). 2010;51:993-9 (Case rep.)
Antioxidant therapy reverses impaired graft healing in hypercholesterolemic rabbits (Rosenbaum et al). 2010;51: 184-93
Application of a homemade stent graft to the pulmonary arteries in a patient with total cavopulmonary connection (Adachi et al). 2010;51:1268-71 (Case rep.)
Balloon expandable stents facilitate right renal artery reconstruction during complex open aortic aneurysm repair (Patel et al); (Ricotta II) (Commentary). 2010;51:310-16
Bilateral stenting at the iliocaval confluence (Neglén et al). 2010;51:1457-66
Carotid artery stent fracture identification and clinical relevance (Coppi et al). 2010;51:1397-405
Clinical relevance and treatment of carotid stent fractures (Sfyroeras et al). 2010;51:1280-5 (Review)
A comparative analysis of the outcomes of aortic cuffs and converters for endovascular graft migration (Thomas et al). 2010;51:1373-80
Duodenal perforation and vertebral body erosion by a Greenfield filter (Obmann et al). 2010;51:1528
Eight-year institutional review of carotid artery stenting (Eskandari et al). 2010;51:1145-51
Endovascular repair of a tuberculous mycotic thoracic aortic aneurysm with a custom-made device (Clough et al). 2010; 51:1272-5 (Case rep.)
Endovascular repair of ruptured thoracic aortic aneurysms is associated with high perioperative mortality and morbidity (Geisbüsch et al). 2010;51:299-304
Endovascular treatment of contained rupture of a superior mesenteric artery aneurysm resulting from neurofibromatosis type 1 (Mendonça et al). 2010;51:461-4 (Case rep.)
Factors associated with death 1 year after lower extremity bypass in Northern New England (Goodney et al); (Patterson) (Commentary). 2010;51:71-9
Five-year results for the Talent enhanced Low Profile System

abdominal stent graft pivotal trial including early and long-term safety and efficacy (Turnbull et al). 2010;51:537-44, 537.e1-e2

Incidence of and outcomes after misaligned deployment of the Talent Thoracic Stent Graft System (Kasirajan et al); (Clair) (Commentary). 2010;51:1096-102

Modification of the descending thoracic aortic anastomotic site using biodegradable felt: study in a canine model with or without basic fibroblast growth factor (Fujiwara et al). 2010;51:194-202

Open surgery remains a valid option for the treatment of recurrent carotid stenosis (Coscas et al). 2010;51:1124-32

Patency and durability of presewn multiple branched graft for thoracoabdominal aortic aneurysm repair (Kulik et al). 2010; 51:1367-72

Periscope graft to extend distal landing zone in ruptured thoracoabdominal aneurysms with short distal necks (Rancic et al). 2010;51:1293-6

Preferential use of basilic vein for surgical repair of popliteal aneurysms via the posterior approach (Tal et al). 2010;51: 1043-5

Preliminary 3D computational analysis of the relationship between aortic displacement force and direction of endograft movement (Figueroa et al). 2010;51:1488-97

Primary stenting for atherosclerotic renal artery stenosis (Steichen et al). 2010;51:1574-80, 1574.e1

Primary suture-anastomosis of the Viabahn endoprosthesis to a native artery (Narayanan et al). 2010;51:1297-9

Regarding "A modified technique for iliac artery branched endografting using a 'tromboned' technique" (Manning and Ivancev) (Letter); (Tielliu and Verhoeven) (Reply). 2010;51:1326-7

Relationship between access side used to deliver the main body of bifurcated prostheses for endovascular aneurysm repair and speed of cannulation of the contralateral limb (Dang et al). 2010;51:33-7, 33.e1

Renal parenchymal preservation after percutaneous renal angioplasty and stenting (Davies et al). 2010;51:1222-9

A retrospective multicenter study of endovascular treatment of popliteal artery aneurysm (Midy et al). 2010;51:850-6

Society of Vascular Surgery Vascular Registry® comparison of carotid artery stenting outcomes for atherosclerotic vs non-atherosclerotic carotid artery disease (White et al). 2010; 51:1116-23

Stent fractures in the Hemobahn/Viabahn stent graft after endovascular popliteal aneurysm repair (Roddy). 2010;51: 1581-2 (Editorial); Tielliu et al). 2010;51:1413-8

Successful treatment of an iatrogenic right hepatic artery pseudoaneurysm and stenosis with a stent graft (Hylton and Pevec). 2010;51:1510-3 (Case rep.)

Technical aspects and midterm patency of iliac branched devices (Ferreira et al). 2010;51:545-50

Technique of interventional repair in adult aortic coarctation (Kische et al). 2010;51:1550-9

Thoracic endografting in a patient with hereditary hemorrhagic telangiectasia presenting with a descending thoracic aneurysm (Andersen et al). 2010;51:468-70 (Case rep.)

A total laparoscopic technique for endovascular thoracic stent graft deployment (Yoshida et al). 2010;51:504-8

The use of dynamic volumetric CT angiography (DV-CTA) for the characterization of endoleaks following fenestrated endovascular aortic aneurysm repair (f-EVAR) (Bent et al). 2010;51:203-6 (Case rep.)

Variation in the shape and length of the branches of a thoracoabdominal aortic stent graft: implications for the role of standard off-the-shelf components (Park et al). 2010;51: 572-6

Blunt injuries; *see* Wounds, nonpenetrating

Bone marrow

Rationale and design of the JUVENTAS trial for repeated intra-arterial infusion of autologous bone marrow-derived mononuclear cells in patients with critical limb ischemia (Sprengers et al); (Forbes) (Commentary). 2010;51: 1564-8

Brachial artery

Ruptured brachial artery aneurysm in a patient with type 1 neurofibromatosis (Emori et al). 2010;51:1010-3 (Case rep.)

Brachiocephalic trunk

Delayed presentation of traumatic innominate artery injury (Mousa et al). 2010;51:1014

Brain injuries

Comparative study on carotid revascularization (endarterectomy vs stenting) using markers of cellular brain injury, neuropsychometric tests, and diffusion-weighted magnetic resonance imaging (Capoccia et al). 2010;51:584-92, 584.e1-e3

Bronchial fistula

Endovascular treatment of aortoesophageal and aortobronchial fistulae (Chiesa et al); (Brower) (Commentary). 2010; 51:1195-202

C

Calcinosis

Systematic review on the association between calcification in carotid plaques and clinical ischemic symptoms (Kwee). 2010;51:1015-25 (Review)

Capsule endoscopy

Totally videoendoscopic descending thoracic aorta-to-femoral artery bypass (Fukui et al). 2010;51:1560-3

Cardiac failure; *see* Heart failure

Cardiac lesions; *see* Cardiovascular diseases

Cardiovascular diseases

Combined effects of smoking and peripheral arterial disease on all-cause and cardiovascular disease mortality in a Chinese male cohort (Luo et al). 2010;51:673-8

Treatment of complex coarctation and coarctation with cardiac lesions using extra-anatomic aortic bypass (Wang et al). 2010;51:1203-8

Career choice

Vascular surgery knowledge and exposure obtained during medical school and the potential impact on career decisions (Singh et al). 2010;51:252-8

Carotid arteries

Carotid artery stent fracture identification and clinical relevance (Coppi et al). 2010;51:1397-405

Clinical relevance and treatment of carotid stent fractures (Sfyroeras et al). 2010;51:1280-5 (Review)

Combined endovascular and open operative approach for mycotic carotid aneurysm (Tsai et al). 2010;51:1514-6 (Case rep.)

A comparative analysis of the outcomes of carotid stenting and carotid endarterectomy in women (Rango et al). 2010;51: 337-44

Eight-year institutional review of carotid artery stenting (Eskandari et al). 2010;51:1145-51

Informed consent: what level of risk to disclose with carotid artery endarterectomy? (Forbes). 2010;51:1548-9

Predicting embolic potential during carotid angioplasty and stenting: analysis of captured particulate debris, ultrasound characteristics, and prior carotid endarterectomy (Malik et al). 2010;51:317-22

Preliminary results of Carotid Revascularization Endarterectomy vs Stenting Trial (CREST) (Forbes). 2010;51: 1300-1

Prospective randomized trial of routine versus selective shunting in carotid endarterectomy based on stump pressure (AbuRahma et al). 2010;51:1133-8

Carotid artery, common

Detection of common carotid artery stenosis using duplex ultrasonography: a validation study with computed tomographic angiography (Roddy). 2010;51:279; Slovut et al). 2010;51:65-70

Carotid artery diseases

Management of a nontraumatic extracranial internal carotid aneurysm with external carotid transposition (Jones et al). 2010;51:465-7 (Case rep.)

Open surgical reconstruction of the internal carotid artery aneurysm at the base of the skull (Malikov et al). 2010;51: 323-9

Seasonal variation of acute carotid surgery: does it exist? (Coen et al). 2010;51:285-6 (Letter)

Society of Vascular Surgery Vascular Registry® comparison of carotid artery stenting outcomes for atherosclerotic vs non-atherosclerotic carotid artery disease (White et al). 2010; 51:1116-23

Carotid artery injuries

Comparison of conservative and operative treatment for blunt carotid injuries: analysis of the National Trauma Data Bank (Li et al). 2010;51:593-9, 593.e1-e2

Carotid artery, internal

A case of traumatic internal carotid artery aneurysm secondary to carotid shunting (Troisi et al). 2010;51:225-7 (Case rep.)

Open surgical reconstruction of the internal carotid artery aneurysm at the base of the skull (Malikov et al). 2010;51: 323-9; Roddy). 2010;51:520

Carotid endarterectomy; *see* Endarterectomy, carotid

Carotid plaque; *see* Carotid stenosis

Carotid shunting; *see* Vascular surgical procedures

Carotid stenosis

Aggressive lipid-lowering is more effective than moderate lipid-lowering treatment in carotid plaque stabilization (Kadoglou et al). 2010;51:114-21

Cilostazol reduces restenosis after carotid artery stenting (Takigawa et al). 2010;51:51-6

Comparative study on carotid revascularization (endarterectomy vs stenting) using markers of cellular brain injury, neuropsychometric tests, and diffusion-weighted magnetic resonance imaging (Capoccia et al). 2010;51:584-92, 584.e1-e3

Detection of common carotid artery stenosis using duplex ultrasonography: a validation study with computed tomographic angiography (Roddy). 2010;51:279; Slovut et al). 2010;51:65-70

Echolucent or predominantly echolucent femoral plaques predict early restenosis after eversion carotid endarterectomy (Dósa et al). 2010;51:345-50

The impact of renal insufficiency on the outcome of carotid surgery is influenced by the definition used (Kretz et al). 2010;51:43-50

Open surgery remains a valid option for the treatment of recurrent carotid stenosis (Coscas et al). 2010;51:1124-32

Regarding: "Carotid angioplasty and stenting in anatomically high-risk patients: safe and durable except for radiation-induced stenosis" (Borst and Moll) (Letter); (Panneton) (Reply). 2010;51:1077-8

Systematic review on the association between calcification in carotid plaques and clinical ischemic symptoms (Kwee). 2010;51:1015-25 (Review)

Carotid transposition; *see* Vascular surgical procedures

Case reports

Case reports. 2010;51:203-27, 453-74, 712-34, 990-1013, 1260-78, 1507-27

Catheterization

The role of robotic endovascular catheters in fenestrated stent grafting (Riga et al); (Ohki) (Commentary). 2010;51: 810-20

Catheterization, central venous

Characterizing resolution of catheter-associated upper extremity deep venous thrombosis (Jones et al); (Lynch) (Commentary). 2010;51:108-13

Catheterization, peripheral

Embolization of a type 2 endoleak through catheterization of a hypogastric branched stent-graft (Coscas et al). 2010;51: 712-4 (Case rep.)

Postoperative renal function preservation with nonischemic femoral arterial cannulation for thoracoabdominal aortic repair (Miller III et al). 2010;51:38-42

Quantity of clot lysed after catheter-directed thrombolysis for iliofemoral deep venous thrombosis correlates with post-thrombotic morbidity (Grewal et al). 2010;51:1209-14

Quantity of clot lysed following catheter-directed thrombolysis for iliofemoral deep vein thrombosis correlates with post-thrombotic morbidity (Roddy). 2010;51:1318-9

Relationship between access side used to deliver the main body of bifurcated prostheses for endovascular aneurysm repair and speed of cannulation of the contralateral limb (Dang et al). 2010;51:33-7, 33.e1

Catheters, indwelling

Characterizing resolution of catheter-associated upper extremity deep venous thrombosis (Jones et al); (Lynch) (Commentary). 2010;51:108-13

Cerebrovascular disorders

Comparative study on carotid revascularization (endarterectomy vs stenting) using markers of cellular brain injury, neuropsychometric tests, and diffusion-weighted magnetic resonance imaging (Capoccia et al). 2010;51:584-92, 584.e1-e3

A prospective open-label study of endovascular treatment of chronic cerebrospinal venous insufficiency (Zamboni et al). 2009;50:1348-58, 1348.e1-e3. Correction. 2010;51: 1079

Cerebrovascular trauma

A multivariate logistic regression analysis of risk factors for blunt cerebrovascular injury (Berne et al). 2010;51:57-64

Chemokine CXCL12

Angiogenic effects of stromal cell-derived factor-1 (SDF-1/CXCL12) variants in vitro and the in vivo expressions of CXCL12 variants and CXCR4 in human critical leg ischemia (Ho et al). 2010;51:689-99

Chronic disease
Chronic venous disease progression and modification of predisposing factors (Kostas et al). 2010;51:900-7
Multiple hereditary exostoses as a rare nonatherosclerotic etiology of chronic lower extremity ischemia (Khan et al). 2010;51:1003-5 (Case rep.)
Chronic splanchnic syndrome; *see* Peripheral vascular diseases
Cilostazol; *see* Platelet aggregation inhibitors
Clinical competence
Visuospatial and psychomotor aptitude predicts endovascular performance of inexperienced individuals on a virtual reality simulator (Van Herzeele et al); (Lawrence) (Commentary). 2010;51:1035-42
Cognition
Sustained cognitive benefit 5 years after carotid endarterectomy (Czerny et al). 2010;51:1139-44
Collateral circulation
Endothelial nitric oxide synthase affects both early and late collateral arterial adaptation and blood flow recovery after induction of hind limb ischemia in mice (Park et al). 2010;51:165-73
Computed tomography; *see* Tomography, X-ray computed
Computer simulation
Visuospatial and psychomotor aptitude predicts endovascular performance of inexperienced individuals on a virtual reality simulator (Van Herzeele et al); (Lawrence) (Commentary). 2010;51:1035-42
Constriction, pathological
Hemin prevents in-stent stenosis in rat and rabbit models by inducing heme-oxygenase-1 (Hyvelin et al). 2010;51:417-28
Successful treatment of an iatrogenic right hepatic artery pseudoaneurysm and stenosis with a stent graft (Hylton and Pevec). 2010;51:1510-3 (Case rep.)
Contrast media
First experience using intraoperative contrast enhanced ultrasound during endovascular aneurysm repair for infrarenal aortic aneurysms (Kopp et al). 2010;51:1103-10
Macromolecule lymph-compatible MR contrast agent for the diagnosis of lymphatic circulation disorders (Jiang) (Letter). 2010;51:1076
Coronary artery disease
New developments in the preoperative evaluation and perioperative management of coronary artery disease in patients undergoing vascular surgery (Bauer et al). 2010;51:242-51 (Review)
Corrections
Management of ruptured abdominal aortic aneurysm in the endovascular era (Stanes et al). (2010;51:9-18). 2010;51:1079
Perioperative asymptomatic cardiac damage after endovascular abdominal aneurysm repair is associated with poor long-term outcome (Winkel et al) (2009;50:749-54). 2010;51:289
A prospective open-label study of endovascular treatment of chronic cerebrospinal venous insufficiency (Zamboni et al) (2009;50:1348-58, 1348.e1-e3). 2010;51:1079
In search of optimal compression therapy for venous leg ulcers: a meta-analysis of studies comparing divers bandages with specifically designed stockings (Amsler et al) (2009;50:668-74). 2010;51:289
A single-center experience treating renal malperfusion after aortic dissection with central aortic fenestration and renal artery stenting (Barnes et al); (Cambria) (Commentary) (2008;47:903-11, 903.e1-e11). 2010;51:1079
Cost-benefit analysis
Cost-effectiveness of abdominal aortic aneurysm repair based on aneurysm size (Young et al). 2010;51:27-32
Critical illness
Prospective implementation of an algorithm for bedside intravascular ultrasound-guided filter placement in critically ill patients (Killingsworth et al). 2010;51:1215-21
Cryopreservation
Fifteen years of infrapopliteal arterial reconstructions with cryopreserved venous allografts for limb salvage (Randon et al). 2010;51:869-77
Cysts
High spatial resolution magnetic resonance imaging of cystic adventitial disease of the popliteal artery (Maged et al). 2010;51:471-4 (Case rep.)

D

Death
Atrial fibrillation is associated with increased risk of perioperative stroke and death from carotid endarterectomy (Harthun and Stukenborg). 2010;51:330-6
Factors associated with death 1 year after lower extremity bypass in Northern New England (Goodney et al); (Patterson) (Commentary). 2010;51:71-9
Deep vein thrombosis; *see* Venous thrombosis
Deep venous reflux; *see* Peripheral vascular diseases
Device removal
Characterizing resolution of catheter-associated upper extremity deep venous thrombosis (Jones et al); (Lynch) (Commentary). 2010;51:108-13
Diabetes mellitus
Insulin use is associated with poor limb salvage and survival in diabetic patients with chronic limb ischemia (Dosluoglu et al). 2010;51:1178-89
Diabetic foot
Management of diabetic foot problems (Kalish and Hamdan). 2010;51:476-86 (Review)
The role of interdisciplinary team approach in the management of the diabetic foot (Sumpio et al). 2010;51:1504-6
Dialysis
Midterm results of a novel technique to salvage autogenous dialysis access in aneurysmal arteriovenous fistulas (Woo et al). 2010;51:921-5, 921.e1
Diffusion magnetic resonance imaging
Comparative study on carotid revascularization (endarterectomy vs stenting) using markers of cellular brain injury, neuropsychometric tests, and diffusion-weighted magnetic resonance imaging (Capoccia et al). 2010;51:584-92, 584.e1-e3
Diode laser; *see* Lasers, semiconductor
Disease progression
Chronic venous disease progression and modification of predisposing factors (Kostas et al). 2010;51:900-7
Ductus arteriosus
Incidental detection of a giant ductus arteriosus aneurysm by low-dose multidetector computed tomography in an asymptomatic adult (Pontone et al). 2010;51:1260-4 (Case rep.)
Duodenocaval fistula; *see* Intestinal Fistula

Duodenum
Duodenal perforation and vertebral body erosion by a Greenfield filter (Obmann et al). 2010;51:1528
Duplex ultrasound; *see* Ultrasonography, Doppler, duplex

E

Education, medical
Determining who trains vascular surgery fellows in endovascular techniques (Reed et al). 2010;51:756-9
Visuospatial and psychomotor aptitude predicts endovascular performance of inexperienced individuals on a virtual reality simulator (Van Herzeele et al); (Lawrence) (Commentary). 2010;51:1035-42
Education, medical, graduate
A survey of demographics, motivations, and backgrounds among applicants to the integrated 0 + 5 vascular surgery residency (Lee et al). 2010;51:496-503
Vascular surgery knowledge and exposure obtained during medical school and the potential impact on career decisions (Singh et al). 2010;51:252-8
Ehlers-Danlos syndrome
Contemporary management of vascular complications associated with Ehlers-Danlos syndrome (Brooke et al). 2010;51:131-9
Elastomers
Aortic Customize: a new alternative endovascular approach to aortic aneurysm repair using injectable biocompatible elastomer. An in vitro study (Bosman et al). 2010;51:1230-7
Electronic medical records
Electronic medical records for the office (Bays). 2010;51:1302-8
Electroporation
In vivo suppression of vein graft disease by nonviral, electroporation-mediated, gene transfer of tissue inhibitor of metalloproteinase-1 linked to the amino terminal fragment of urokinase (TIMP-1.ATF), a cell-surface directed matrix metalloproteinase inhibitor (Eefting et al). 2010;51:429-37
Embolism
Predicting embolic potential during carotid angioplasty and stenting: analysis of captured particulate debris, ultrasound characteristics, and prior carotid endarterectomy (Malik et al). 2010;51:317-22
Prevention of cardiopulmonary embolization of polymethylmethacrylate cement fragment after kyphoplasty with insertion of inferior vena cava filter (Agko et al). 2010;51:210-3 (Case rep.)
Varied presentations of missile emboli in military combat (Aidinian et al). 2010;51:214-7 (Case rep.)
Embolization, therapeutic
Embolization of a type 2 endoleak through catheterization of a hypogastric branched stent-graft (Coscas et al). 2010;51:712-4 (Case rep.)
Endarterectomy, carotid
Atrial fibrillation is associated with increased risk of perioperative stroke and death from carotid endarterectomy (Harthun and Stukenborg). 2010;51:330-6
A comparative analysis of the outcomes of carotid stenting and carotid endarterectomy in women (Rango et al). 2010;51:337-44
Comparative study on carotid revascularization (endarterectomy vs stenting) using markers of cellular brain injury, neuropsychometric tests, and diffusion-weighted magnetic resonance imaging (Capoccia et al). 2010;51:584-92, 584.e1-e3
Echolucent or predominantly echolucent femoral plaques predict early restenosis after eversion carotid endarterectomy (Dósa et al). 2010;51:345-50
The impact of renal insufficiency on the outcome of carotid surgery is influenced by the definition used (Kretz et al). 2010;51:43-50
Informed consent: what level of risk to disclose with carotid artery endarterectomy? (Forbes). 2010;51:1548-9
Predicting embolic potential during carotid angioplasty and stenting: analysis of captured particulate debris, ultrasound characteristics, and prior carotid endarterectomy (Malik et al). 2010;51:317-22
Preliminary results of Carotid Revascularization Endarterectomy vs Stenting Trial (CREST) (Forbes). 2010;51:1300-1
Prospective randomized trial of routine versus selective shunting in carotid endarterectomy based on stump pressure (AbuRahma et al). 2010;51:1133-8
Protamine reduces bleeding complications associated with carotid endarterectomy without increasing the risk of stroke (Stone et al). 2010;51:559-64, 559.e1
Regarding: "Carotid angioplasty and stenting in anatomically high-risk patients: safe and durable except for radiation-induced stenosis" (Borst and Moll) (Letter); (Panneton) (Reply). 2010;51:1077-8
Sustained cognitive benefit 5 years after carotid endarterectomy (Czerny et al). 2010;51:1139-44
Endoleaks; *see* Postoperative complications
Endoscopy
Endoscopic basilic vein transposition for hemodialysis access (Paul et al). 2010;51:1451-6
Endothelial cells
The fate of an endothelium layer after preconditioning (Yazdani et al); (Golden) (Commentary). 2010;51:174-83
Energy expenditure; *see* Energy metabolism
Energy metabolism
Resting energy expenditure in patients with intermittent claudication and critical limb ischemia (Gardner and Montgomery). 2010;51:1436-41
ePTFE; *see* Polytetrafluoroethylene
Esophageal fistula
Endovascular treatment of aortoesophageal and aortobronchial fistulae (Chiesa et al); (Brower) (Commentary). 2010;51:1195-202
Ethics, medical
Dealing honestly with an honest mistake (Liang et al). 2010;51:494-5
Evoked potentials, motor
Regarding "Analysis of motor and somatosensory evoked potentials during thoracic and thoracoabdominal aortic aneurysm repair" (Mess and Jacobs) (Letter); (Miller III et al) (Reply). 2010;51:286-7
Evoked potentials, somatosensory
Regarding "Analysis of motor and somatosensory evoked potentials during thoracic and thoracoabdominal aortic aneurysm repair" (Mess and Jacobs) (Letter); (Miller III et al) (Reply). 2010;51:286-7
Exercise test
Objective determination of the predefined duration of a constant-load diagnostic tests in arterial claudication (Mahe et al). 2010;51:863-8

Exercise tolerance
Strength training increases walking tolerance in intermittent claudication patients: randomized trial (Ritti-Dias et al); (Lynch and Johanning) (Commentary). 2010;51:89-95
Exostoses, multiple hereditary
Multiple hereditary exostoses as a rare nonatherosclerotic etiology of chronic lower extremity ischemia (Khan et al). 2010;51:1003-5 (Case rep.)
Extremities
Rationale and design of the JUVENTAS trial for repeated intra-arterial infusion of autologous bone marrow-derived mononuclear cells in patients with critical limb ischemia (Sprengers et al); (Forbes) (Commentary). 2010;51:1564-8
Resting energy expenditure in patients with intermittent claudication and critical limb ischemia (Gardner and Montgomery). 2010;51:1436-41

F

Face
A clinical study of ultrasound-guided intralesional injection of bleomycin A5 on venous malformation in cervical-facial region in China (Hou et al). 2010;51:940-5
Fascia
The anatomy of the small saphenous vein: fascial and neural relations, saphenofemoral junction, and valves (Schweighofer et al). 2010;51:982-9
Fasudil; *see* Neuroprotective agents
Femoral artery
Echolucent or predominantly echolucent femoral plaques predict early restenosis after eversion carotid endarterectomy (Dósa et al). 2010;51:345-50
Endovascular interventions for TASC II D femoropopliteal lesions (Baril et al). 2010;51:1406-12
Postoperative renal function preservation with nonischemic femoral arterial cannulation for thoracoabdominal aortic repair (Miller III et al). 2010;51:38-42
Primary suture-anastomosis of the Viabahn endoprosthesis to a native artery (Narayanan et al). 2010;51:1297-9
Totally videoendoscopic descending thoracic aorta-to-femoral artery bypass (Fukui et al). 2010;51:1560-3
Femoral vein
Quantity of clot lysed after catheter-directed thrombolysis for iliofemoral deep venous thrombosis correlates with post-thrombotic morbidity (Grewal et al). 2010;51:1209-14
Quantity of clot lysed following catheter-directed thrombolysis for iliofemoral deep vein thrombosis correlates with post-thrombotic morbidity (Roddy). 2010;51:1318-9
Techniques and results of portal vein/superior mesenteric vein reconstruction using femoral and saphenous vein during pancreaticoduodenectomy (Lee et al). 2010;51:662-6; Roddy). 2010;51:781
Ferritins
Ferritin levels, inflammatory biomarkers, and mortality in peripheral arterial disease: a substudy of the Iron (Fe) and Atherosclerosis Study (FeAST) Trial (DePalma et al). 2010;51:1498-503
Fibrinolytic agents
Efficacy and safety of alfimeprase in patients with acute peripheral arterial occlusion (PAO) (Han et al); (Kashyap) (Commentary). 2010;51:600-9
Fibroblast growth factors
Modification of the descending thoracic aortic anastomotic site using biodegradable felt: study in a canine model with or without basic fibroblast growth factor (Fujiwara et al). 2010;51:194-202
Fibroins
Long-term patency of small-diameter vascular graft made from fibroin, a silk-based biodegradable material (Enomoto et al). 2010;51:155-64
Fontan procedure
Application of a homemade stent graft to the pulmonary arteries in a patient with total cavopulmonary connection (Adachi et al). 2010;51:1268-71 (Case rep.)
Foramen ovale, patent
High prevalence of right-to-left shunt in patients with symptomatic great saphenous incompetence and varicose veins (Wright et al). 2010;51:104-7
Forearm
Evaluation of the efficacy of the forearm basilic vein transposition arteriovenous fistula (Son et al). 2010;51:667-72

G

Gangrene
Bullous pemphigoid presenting as dry gangrene in a revascularized limb (Twine et al). 2010;51:732-4 (Case rep.)
Gender identity
Gender and ethnic differences in arterial compliance in patients with intermittent claudication (Gardner et al). 2010;51:610-5
Genetic predisposition to disease
Genetic and environmental contributions to abdominal aortic aneurysm development in a twin population (Wahlgren et al); (Bush) (Commentary). 2010;51:3-8
Gene transfer techniques
In vivo suppression of vein graft disease by nonviral, electroporation-mediated, gene transfer of tissue inhibitor of metalloproteinase-1 linked to the amino terminal fragment of urokinase (TIMP-1.ATF), a cell-surface directed matrix metalloproteinase inhibitor (Eefting et al). 2010;51:429-37
Gonadal steroid hormones
Elevated sex steroid hormones in great saphenous veins in men (Kendler et al); (Labropoulos) (Commentary). 2010;51:639-47
Graft occlusion, vascular
Efficacy and safety of alfimeprase in patients with acute peripheral arterial occlusion (PAO) (Han et al); (Kashyap) (Commentary). 2010;51:600-9
In vivo suppression of vein graft disease by nonviral, electroporation-mediated, gene transfer of tissue inhibitor of metalloproteinase-1 linked to the amino terminal fragment of urokinase (TIMP-1.ATF), a cell-surface directed matrix metalloproteinase inhibitor (Eefting et al). 2010;51:429-37
Groin
Management of early (<30 day) vascular groin infections using vacuum-assisted closure alone without muscle flap coverage in a consecutive patient series (Dosluoglu et al). 2010;51:1160-6; Roddy). 2010;51:1317
Retrospective evaluation of the need of a redo surgery at the groin for the surgical treatment of varicose vein (Pittaluga et al). 2010;51:1442-50; Roddy). 2010;51:1583 (Editorial)

H

Health care costs
Challenges in analysis and interpretation of cost data in vascular surgery (Mani et al). 2010;51:148-54

Health resources
Long-term outcomes and resource utilization of endovascular versus open repair of abdominal aortic aneurysms in Ontario (Jetty et al). 2010;51:577-83, 577.e1-e3

Health status disparities
Gender and ethnic differences in arterial compliance in patients with intermittent claudication (Gardner et al). 2010;51:610-5

Health status indicators
Functional status as a prognostic factor for primary revascularization for critical limb ischemia (Flu et al). 2010;51:360-71, 360.e1
Preoperative functional status predicts perioperative outcomes after infrainguinal bypass surgery (Crawford et al). 2010;51:351-9

Heart failure
A case of external iliac arteriovenous fistula and high-output cardiac failure after endovenous lasertreatment of great saphenous vein (Ziporin et al). 2010;51:715-9 (Case rep.)

Heart neoplasms
The diagnosis, morphological particularities, and surgical technique in a case of intravascular leiomyoma extended to the right heart chambers (Galajda et al). 2010;51:1000-2 (Case rep.)

Heart septal defects, ventricular
Endovascular repair of a type B aortic dissection with a ventricular septal defect occluder (Chang et al). 2010;51:1507-9 (Case rep.)

Hematoma
The challenge of associated intramural hematoma with endovascular repair for penetrating ulcers of the descending thoracic aorta (Patel et al). 2010;51:829-35

Heme oxygenase-1
Hemin prevents in-stent stenosis in rat and rabbit models by inducing heme-oxygenase-1 (Hyvelin et al). 2010;51:417-28

Hemin
Hemin prevents in-stent stenosis in rat and rabbit models by inducing heme-oxygenase-1 (Hyvelin et al). 2010;51:417-28

Hemodialysis; *see* Renal dialysis

Hemodynamics
Analysis of the postoperative hemodynamic changes in varicose vein surgery using air plethysmography (Park et al). 2010;51:634-8

Heparin
Midterm results from a multicenter registry on the treatment of infrainguinal critical limb ischemia using a heparin-bonded ePTFE graft (Pulli et al). 2010;51:1167-77, 1167.e1

Hepatic artery
Successful treatment of an iatrogenic right hepatic artery pseudoaneurysm and stenosis with a stent graft (Hylton and Pevec). 2010;51:1510-3 (Case rep.)

Hereditary hemorrhagic telangiectasia; *see* Telangiectasia, hereditary hemorrhagic

High-intensity focused ultrasound ablation
A portable high-intensity focused ultrasound device for noninvasive venous ablation (Henderson et al). 2010;51:707-11

Hindlimb
Endothelial nitric oxide synthase affects both early and late collateral arterial adaptation and blood flow recovery after induction of hind limb ischemia in mice (Park et al). 2010;51:165-73

Hippocratic oath
Do no harm (Calligaro). 2010;51:487-93 (Presidential Address)

History of medicine
Charles Dickens, Coach K, Pogo, and the recent history and future of vascular surgery (Perler). 2010;51:1286-92 (Presidential Address)

Hospitals
A critical appraisal of physician-hospital integration models (Satiani and Vaccaro). 2010;51:1046-53

Hydroxymethylglutaryl-CoA reductase inhibitors
Aggressive lipid-lowering is more effective than moderate lipid-lowering treatment in carotid plaque stabilization (Kadoglou et al). 2010;51:114-21
Preoperative statin therapy is associated with improved outcomes and resource utilization in patients undergoing aortic aneurysm repair (McNally et al). 2010;51:1390-6

Hypercholesterolemia
Antioxidant therapy reverses impaired graft healing in hypercholesterolemic rabbits (Rosenbaum et al). 2010;51:184-93

Hyperglycemia
Thrombospondin-1: a proatherosclerotic protein augmented by hyperglycemia (Maier et al). 2010;51:1238-47

Hyperhidrosis
Quality of life before surgery is a predictive factor for satisfaction among patients undergoing sympathectomy to treat hyperhidrosis (Wolosker et al). 2010;51:1190-4

Hyperplasia
Isopropylamine NONOate (IPA/NO) moderates neointimal hyperplasia following vascular injury (Tsihlis et al). 2010;51:1248-59

Hypertension, renovascular
Predicting blood pressure response after renal artery stenting (Beck et al). 2010;51:380-5

Hypothermia, induced
Protective effects of cold spinoplegia with fasudil against ischemic spinal cord injury in rabbits (Baba et al). 2010;51:445-52

I

Iliac aneurysm
The Endovasculaire vs Chirurgie dans les Anévrysmes Rompus PROTOCOL trial update (Desgranges et al); (Forbes) (Commentary). 2010;51:267-70
Technical aspects and midterm patency of iliac branched devices (Ferreira et al). 2010;51:545-50

Iliac artery
A case of external iliac arteriovenous fistula and high-output cardiac failure after endovenous laser treatment of great saphenous vein (Ziporin et al). 2010;51:715-9 (Case rep.)
Hemin prevents in-stent stenosis in rat and rabbit models by inducing heme-oxygenase-1 (Hyvelin et al). 2010;51:417-28
Open vs endovascular repair of abdominal aortic aneurysm involving the iliac bifurcation (Cochennec et al). 2010;51:1360-6
Regarding "A modified technique for iliac artery branched

endografting using a 'tromboned' technique" (Manning and Ivancev) (Letter); (Tielliu and Verhoeven) (Reply). 2010;51:1326-7

Relationship between access side used to deliver the main body of bifurcated prostheses for endovascular aneurysm repair and speed of cannulation of the contralateral limb (Dang et al). 2010;51:33-7, 33.e1

Iliac vein

Bilateral stenting at the iliocaval confluence (Neglén et al). 2010;51:1457-66

Primary venous aneurysm of the internal iliac vein (Ysa et al). 2010;51:735

Unexpected major role for venous stenting in deep reflux disease (Raju et al); (Wakefield) (Commentary). 2010;51:401-9

Imaging, three-dimensional

Preliminary 3D computational analysis of the relationship between aortic displacement force and direction of endograft movement (Figueroa et al). 2010;51:1488-97

Regarding "Abdominal aortic aneurysm diameter: a comparison of ultrasound measurements with those from standard and three-dimensional computed tomography reconstruction" (Dalainas and Avgerinos) (Letter); (Manning et al) (Reply). 2010;51:287-8

Role of three-dimensional computed tomography venography as a powerful navigator for varicose vein surgery (Min et al). 2010;51:893-9

Infection

Infectious complications after elective vascular surgical procedures (Vogel et al). 2010;51:122-30

Management of early (<30 day) vascular groin infections using vacuum-assisted closure alone without muscle flap coverage in a consecutive patient series (Dosluoglu et al). 2010;51:1160-6; Roddy). 2010;51:1317

Inflammation

The pathophysiology of abdominal aortic aneurysm growth: corresponding and discordant inflammatory and proteolytic processes in abdominal aortic and popliteal artery aneurysms (Abdul-Hussien et al). 2010;51:1479-87

Informed consent

Informed consent: what level of risk to disclose with carotid artery endarterectomy? (Forbes). 2010;51:1548-9

Infrainguinal bypass surgery; *see* Vascular surgical procedures

Infrarenal aortic aneurysm; *see* Aortic aneurysm, abdominal

Infusions, intra-arterial

Rationale and design of the JUVENTAS trial for repeated intra-arterial infusion of autologous bone marrow-derived mononuclear cells in patients with critical limb ischemia (Sprengers et al); (Forbes) (Commentary). 2010;51:1564-8

Injections, intralesional

A clinical study of ultrasound-guided intralesional injection of bleomycin A5 on venous malformation in cervical-facial region in China (Hou et al). 2010;51:940-5

Injury; *see* Wounds and injuries

In Memoriam

D. Emerick Szilagyi, MD, 1910-2009; Editor, 1984-1990 (Reddy and Shepard). 2010;51:291-3

James M. Seeger, MD, 1947-2009; Editor, 2003-2008 (Cronenwett and Huber). 2010;51:1-2

Innominate artery; *see* Brachiocephalic trunk

Insulin

Insulin use is associated with poor limb salvage and survival in diabetic patients with chronic limb ischemia (Dosluoglu et al). 2010;51:1178-89

Interdisciplinary team; *see* Patient care team

Intermittent claudication

Gender and ethnic differences in arterial compliance in patients with intermittent claudication (Gardner et al). 2010;51:610-5

Joint torques and powers are reduced during ambulation for both limbs in patients with unilateral claudication (Koutakis et al). 2010;51:80-8

Objective determination of the predefined duration of a constant-load diagnostic tests in arterial claudication (Mahe et al). 2010;51:863-8

A prospective randomized controlled study with intermittent mechanical compression of the calf in patients with claudication (de Haro et al). 2010;51:857-62

Resting energy expenditure in patients with intermittent claudication and critical limb ischemia (Gardner and Montgomery). 2010;51:1436-41

Strength training increases walking tolerance in intermittent claudication patients: randomized trial (Ritti-Dias et al); (Lynch and Johanning) (Commentary). 2010;51:89-95

Variability and short-term determinants of walking capacity in patients with intermittent claudication (Faucheur et al). 2010;51:886-92

Walking economy before and after the onset of claudication pain in patients with peripheral arterial disease (Gardner et al). 2010;51:628-33

Intermittent pneumatic compression devices

A prospective randomized controlled study with intermittent mechanical compression of the calf in patients with claudication (de Haro et al). 2010;51:857-62

Internship and residency

A survey of demographics, motivations, and backgrounds among applicants to the integrated 0 + 5 vascular surgery residency (Lee et al). 2010;51:496-503

Intestinal fistula

Duodenocaval fistula as a result of a fish bone perforation (Brandão et al). 2010;51:1276-8 (Case rep.)

Intestinal perforation

Duodenal perforation and vertebral body erosion by a Greenfield filter (Obmann et al). 2010;51:1528

Duodenocaval fistula as a result of a fish bone perforation (Brandão et al). 2010;51:1276-8 (Case rep.)

Intra-arterial infusion; *see* Infusions, intra-arterial

Intraoperative care

First experience using intraoperative contrast enhanced ultrasound during endovascular aneurysm repair for infrarenal aortic aneurysms (Kopp et al). 2010;51:1103-10

Intravascular ultrasound imaging; *see* Ultrasonography, interventional

Iron

Ferritin levels, inflammatory biomarkers, and mortality in peripheral arterial disease: a substudy of the Iron (Fe) and Atherosclerosis Study (FeAST) Trial (DePalma et al). 2010;51:1498-503

Ischemia

Angiogenic effects of stromal cell-derived factor-1 (SDF-1/CXCL12) variants in vitro and the in vivo expressions of CXCL12 variants and CXCR4 in human critical leg ischemia (Ho et al). 2010;51:689-99

Critical limb ischemia (Varu et al). 2010;51:230-41 (Review)

Endothelial nitric oxide synthase affects both early and late

collateral arterial adaptation and blood flow recovery after induction of hind limb ischemia in mice (Park et al). 2010; 51:165-73

Failure to achieve clinical improvement despite graft patency in patients undergoing infrainguinal lower extremity bypass for critical limb ischemia (Simons et al). 2010;51:1419-24

Functional status as a prognostic factor for primary revascularization for critical limb ischemia (Flu et al). 2010;51:360-71, 360.e1

Insulin use is associated with poor limb salvage and survival in diabetic patients with chronic limb ischemia (Dosluoglu et al). 2010;51:1178-89

Intermediate-term outcomes of endovascular treatment for symptomatic chronic mesenteric ischemia (Peck et al); (Geelkerken et al) (Commentary). 2010;51:140-7, 140.e1-e2

Midterm results from a multicenter registry on the treatment of infrainguinal critical limb ischemia using a heparin-bonded ePTFE graft (Pulli et al). 2010;51:1167-77, 1167.e1

Multiple hereditary exostoses as a rare nonatherosclerotic etiology of chronic lower extremity ischemia (Khan et al). 2010;51:1003-5 (Case rep.)

Percutaneous transluminal angioplasty and stenting as first-choice treatment in patients with chronic mesenteric ischemia (Fioole et al); (Abou-Zamzam, Jr) (Commentary). 2010;51:386-91

Percutaneous transluminal angioplasty for treatment of critical hand ischemia with a novel endovascular approach: "the radial to ulnar artery loop technique" (Gandini et al). 2010;51:760-2

Postoperative renal function preservation with nonischemic femoral arterial cannulation for thoracoabdominal aortic repair (Miller III et al). 2010;51:38-42

Rationale and design of the JUVENTAS trial for repeated intra-arterial infusion of autologous bone marrow-derived mononuclear cells in patients with critical limb ischemia (Sprengers et al); (Forbes) (Commentary). 2010;51: 1564-8

Resting energy expenditure in patients with intermittent claudication and critical limb ischemia (Gardner and Montgomery). 2010;51:1436-41

Systematic review on the association between calcification in carotid plaques and clinical ischemic symptoms (Kwee). 2010;51:1015-25 (Review)

J

Joints

Joint torques and powers are reduced during ambulation for both limbs in patients with unilateral claudication (Koutakis et al). 2010;51:80-8

K

Kidney diseases

Postoperative renal function preservation with nonischemic femoral arterial cannulation for thoracoabdominal aortic repair (Miller III et al). 2010;51:38-42

A single-center experience treating renal malperfusion after aortic dissection with central aortic fenestration and renal artery stenting (Barnes et al); (Cambria) (Commentary). 2008;47:903-11, 903.e1-e11. Correction. 2010;51:1079

L

Laparoscopy

Robot-assisted laparoscopic repair of renal artery aneurysms (Giulianotti et al). 2010;51:842-9; Roddy). 2010;51:1062

A total laparoscopic technique for endovascular thoracic stent graft deployment (Yoshida et al). 2010;51:504-8

Laser ablation; *see* Laser therapy

Lasers, semiconductor

Endovenous laser ablation of varicose veins with the 1470-nm diode laser (Schwarz et al). 2010;51:1474-8

Laser therapy

A case of external iliac arteriovenous fistula and high-output cardiac failure after endovenous laser treatment of great saphenous vein (Ziporin et al). 2010;51:715-9 (Case rep.)

Endovascular management of multiple arteriovenous fistulae following failed laser-assisted pacemaker lead extraction (O'Connor et al). 2010;51:1517-20 (Case rep.)

Endovenous laser ablation of varicose veins with the 1470-nm diode laser (Schwarz et al). 2010;51:1474-8

Stroke following endovenous laser treatment of varicose veins (Caggiati and Franceschini). 2010;51:218-20 (Case rep.)

Lawyers

Reviewing medical malpractice cases for a plaintiff's attorney: heresy or responsibility (Brown). 2010;51:1054-5

Lead

Endovascular management of multiple arteriovenous fistulae following failed laser-assisted pacemaker lead extraction (O'Connor et al). 2010;51:1517-20 (Case rep.)

Leg

Angiogenic effects of stromal cell-derived factor-1 (SDF-1/CXCL12) variants in vitro and the in vivo expressions of CXCL12 variants and CXCR4 in human critical leg ischemia (Ho et al). 2010;51:689-99

Leg ulcer

In search of optimal compression therapy for venous leg ulcers: a meta-analysis of studies comparing divers bandages with specifically designed stockings (Amsler et al). 2009;50:668-74. Correction. 2010;51:289

Leiomyoma

The diagnosis, morphological particularities, and surgical technique in a case of intravascular leiomyoma extended to the right heart chambers (Galajda et al). 2010;51:1000-2 (Case rep.)

Leiomyosarcoma

Primary leiomyosarcoma of the inferior vena cava: reports of infrarenal and suprahepatic caval involvement (Tameo et al). 2010;51:221-4 (Case rep.)

Length of stay

An analysis of the outcomes of a decade of experience with lower extremity revascularization including limb salvage, lengths of stay, and safety (Egorova et al). 2010;51:878-85, 878.e1

Comparison of conservative and operative treatment for blunt carotid injuries: analysis of the National Trauma Data Bank (Li et al). 2010;51:593-9, 593.e1-e2

Letters to the Editor

Macromolecule lymph-compatible MR contrast agent for the diagnosis of lymphatic circulation disorders (Jiang). 2010; 51:1076 (Letter)

Regarding "Abdominal aortic aneurysm diameter: a comparison of ultrasound measurements with those from standard and three-dimensional computed tomography reconstruc-

tion" (Dalainas and Avgerinos) (Letter); (Manning et al) (Reply). 2010;51:287-8
Regarding "A modified technique for iliac artery branched endografting using a 'tromboned' technique" (Manning and Ivancev) (Letter); (Tielliu and Verhoeven) (Reply). 2010;51:1326-7
Regarding "Analysis of motor and somatosensory evoked potentials during thoracic and thoracoabdominal aortic aneurysm repair" (Mess and Jacobs) (Letter); (Miller III et al) (Reply). 2010;51:286-7
Regarding: "Carotid angioplasty and stenting in anatomically high-risk patients: safe and durable except for radiation-induced stenosis" (Borst and Moll) (Letter); (Panneton) (Reply). 2010;51:1077-8
Regarding "Predicted shortage of vascular surgeons in the United States: population and workload analysis" (Reed et al). 2010;51:1076-7 (Letter)
Regarding "Prospective follow-up of sexual function after elective repair of abdominal aortic aneurysms using open and endovascular techniques" (Shoab et al) (Letter); (Pettersson) (Reply). 2010;51:1325-6
Seasonal variation of acute carotid surgery: does it exist? (Coen et al). 2010;51:285-6 (Letter)
SVS practice guidelines for the care of patients with an abdominal aortic aneurysm: executive summary (Lederle) (Letter); (Chaikof et al) (Reply). 2010;51:799-800
Why is the last name of William Stewart Halsted misspelled as "Halstead"? (Rich). 2010;51:288 (Letter)

Leukocytes, mononuclear
Rationale and design of the JUVENTAS trial for repeated intra-arterial infusion of autologous bone marrow-derived mononuclear cells in patients with critical limb ischemia (Sprengers et al); (Forbes) (Commentary). 2010;51:1564-8

Limbs; *see* Extremities

Limb salvage
An analysis of the outcomes of a decade of experience with lower extremity revascularization including limb salvage, lengths of stay, and safety (Egorova et al). 2010;51:878-85, 878.e1
Fifteen years of infrapopliteal arterial reconstructions with cryopreserved venous allografts for limb salvage (Randon et al). 2010;51:869-77
Insulin use is associated with poor limb salvage and survival in diabetic patients with chronic limb ischemia (Dosluoglu et al). 2010;51:1178-89
Management of diabetic foot problems (Kalish and Hamdan). 2010;51:476-86 (Review)

Long-term care
Long-term outcomes and resource utilization of endovascular versus open repair of abdominal aortic aneurysms in Ontario (Jetty et al). 2010;51:577-83, 577.e1-e3

Lower extremity
Analysis of gender-related differences in lower extremity peripheral arterial disease (Egorova et al). 2010;51:372-9, 372.e1
An analysis of the outcomes of a decade of experience with lower extremity revascularization including limb salvage, lengths of stay, and safety (Egorova et al). 2010;51:878-85, 878.e1
Blood transfusion is associated with increased morbidity and mortality after lower extremity revascularization (O'Keeffe et al). 2010;51:616-21, 616.e1-e3
Bullous pemphigoid presenting as dry gangrene in a revascularized limb (Twine et al). 2010;51:732-4 (Case rep.)
Critical limb ischemia (Varu et al). 2010;51:230-41 (Review)
Factors associated with death 1 year after lower extremity bypass in Northern New England (Goodney et al); (Patterson) (Commentary). 2010;51:71-9
Failure to achieve clinical improvement despite graft patency in patients undergoing infrainguinal lower extremity bypass for critical limb ischemia (Simons et al). 2010;51:1419-24
Functional status as a prognostic factor for primary revascularization for critical limb ischemia (Flu et al). 2010;51:360-71, 360.e1
Joint torques and powers are reduced during ambulation for both limbs in patients with unilateral claudication (Koutakis et al). 2010;51:80-8
Midterm results from a multicenter registry on the treatment of infrainguinal critical limb ischemia using a heparin-bonded ePTFE graft (Pulli et al). 2010;51:1167-77, 1167.e1
Multiple hereditary exostoses as a rare nonatherosclerotic etiology of chronic lower extremity ischemia (Khan et al). 2010;51:1003-5 (Case rep.)
Novel adipokines, high molecular weight adiponectin and resistin, are associated with outcomes following lower extremity revascularization with autogenous vein (Owens et al). 2010;51:1152-9
Role of simple and complex hybrid revascularization procedures for symptomatic lower extremity occlusive disease (Dosluoglu et al). 2010;51:1425-35, 1425.e1

Lumbar vertebrae
Vascular complications of exposure for anterior lumbar interbody fusion (Garg et al). 2010;51:946-50

Lymphatic diseases
Macromolecule lymph-compatible MR contrast agent for the diagnosis of lymphatic circulation disorders (Jiang) (Letter). 2010;51:1076

M

Magnetic resonance imaging
High spatial resolution magnetic resonance imaging of cystic adventitial disease of the popliteal artery (Maged et al). 2010;51:471-4 (Case rep.)
Macromolecule lymph-compatible MR contrast agent for the diagnosis of lymphatic circulation disorders (Jiang) (Letter). 2010;51:1076

Malpractice
Good Samaritan statutes: a malpractice defense for "doing the right thing" (Brown). 2010;51:1572-3
Reviewing medical malpractice cases for a plaintiff's attorney: heresy or responsibility (Brown). 2010;51:1054-5

Medication errors
Dealing honestly with an honest mistake (Liang et al). 2010;51:494-5

Mesenteric artery, superior
Endovascular treatment of contained rupture of a superior mesenteric artery aneurysm resulting from neurofibromatosis type I (Mendonça et al). 2010;51:461-4 (Case rep.)

Mesenteric vascular occlusion
Intermediate-term outcomes of endovascular treatment for symptomatic chronic mesenteric ischemia (Peck et al); (Geelkerken et al) (Commentary). 2010;51:140-7, 140.e1-e2
Interventions for mesenteric vasculitis (Rits et al). 2010;51:392-400, 392.e1-e2
Percutaneous transluminal angioplasty and stenting as first-

choice treatment in patients with chronic mesenteric ischemia (Fioole et al); (Abou-Zamzam, Jr) (Commentary). 2010;51:386-91

Mesenteric veins
Techniques and results of portal vein/superior mesenteric vein reconstruction using femoral and saphenous vein during pancreaticoduodenectomy (Lee et al). 2010;51:662-6; Roddy). 2010;51:781

Metabolic syndrome X
Impact of metabolic syndrome on the outcomes of percutaneous renal angioplasty and stenting (Davies et al). 2010;51: 926-32

Missile; *see* Weapons

Mononuclear cells; *see* Leukocytes, mononuclear

Morbidity
Endovascular repair of ruptured thoracic aortic aneurysms is associated with high perioperative mortality and morbidity (Geisbüsch et al). 2010;51:299-304
Quantity of clot lysed after catheter-directed thrombolysis for iliofemoral deep venous thrombosis correlates with post-thrombotic morbidity (Grewal et al). 2010;51:1209-14
Quantity of clot lysed following catheter-directed thrombolysis for iliofemoral deep vein thrombosis correlates with post-thrombotic morbidity (Roddy). 2010;51:1318-9

Mortality
Endovascular repair of ruptured thoracic aortic aneurysms is associated with high perioperative mortality and morbidity (Geisbüsch et al). 2010;51:299-304
Open surgical repair of ruptured juxtarenal aortic aneurysms with and without renal cooling: observations regarding morbidity and mortality (Roddy). 2010;51:780

MRI; *see* Magnetic resonance imaging

Multiple sclerosis
A prospective open-label study of endovascular treatment of chronic cerebrospinal venous insufficiency (Zamboni et al). 2009;50:1348-58, 1348.e1-e3. Correction. 2010;51:1079

Muscle
Management of early (<30 day) vascular groin infections using vacuum-assisted closure alone without muscle flap coverage in a consecutive patient series (Dosluoglu et al). 2010;51: 1160-6; Roddy). 2010;51:1317

Muscle, smooth
Functional adaptation of venous smooth muscle response to vasoconstriction in proximal, distal, and varix segments of varicose veins (Raffetto et al). 2010;51:962-71

Mycotic aneurysm; *see* Aneurysm, infected

N

Names
Why is the last name of William Stewart Halsted misspelled as "Halstead"? (Rich). 2010;51:288 (Letter)

Negative-pressure wound therapy
Management of early (<30 day) vascular groin infections using vacuum-assisted closure alone without muscle flap coverage in a consecutive patient series (Dosluoglu et al). 2010;51: 1160-6; Roddy). 2010;51:1317

Neurofibromatosis 1
Endovascular treatment of contained rupture of a superior mesenteric artery aneurysm resulting from neurofibromatosis type I (Mendonça et al). 2010;51:461-4 (Case rep.)
Ruptured brachial artery aneurysm in a patient with type 1 neurofibromatosis (Emori et al). 2010;51:1010-3 (Case rep.)

Neuroprotective agents
Protective effects of cold spinoplegia with fasudil against ischemic spinal cord injury in rabbits (Baba et al). 2010;51: 445-52

Neuropsychological tests
Comparative study on carotid revascularization (endarterectomy vs stenting) using markers of cellular brain injury, neuropsychometric tests, and diffusion-weighted magnetic resonance imaging (Capoccia et al). 2010;51:584-92, 584.e1-e3

Nitric oxide synthase type III
Endothelial nitric oxide synthase affects both early and late collateral arterial adaptation and blood flow recovery after induction of hind limb ischemia in mice (Park et al). 2010; 51:165-73

Nonagenarians; *see* Aged, 80 and over

O

Octogenarians; *see* Aged, 80 and over

Osteopontin
Aggressive lipid-lowering is more effective than moderate lipid-lowering treatment in carotid plaque stabilization (Kadoglou et al). 2010;51:114-21

Osteoprotegerin
Aggressive lipid-lowering is more effective than moderate lipid-lowering treatment in carotid plaque stabilization (Kadoglou et al). 2010;51:114-21

Oxygen consumption
Walking economy before and after the onset of claudication pain in patients with peripheral arterial disease (Gardner et al). 2010;51:628-33

P

Pacemaker, artificial
Endovascular management of multiple arteriovenous fistulae following failed laser-assisted pacemaker lead extraction (O'Connor et al). 2010;51:1517-20 (Case rep.)

Paget-Schroetter syndrome; *see* Upper extremity deep vein thrombosis

Pancreaticoduodenectomy
Techniques and results of portal vein/superior mesenteric vein reconstruction using femoral and saphenous vein during pancreaticoduodenectomy (Lee et al). 2010;51:662-6; Roddy). 2010;51:781

Paraplegia
Delayed permanent paraplegia after endovascular repair of abdominal aortic aneurysm (Goldstein et al). 2010;51: 725-8 (Case rep.)

Patient care team
The role of interdisciplinary team approach in the management of the diabetic foot (Sumpio et al). 2010;51:1504-6

Patient satisfaction
Quality of life before surgery is a predictive factor for satisfaction among patients undergoing sympathectomy to treat hyperhidrosis (Wolosker et al). 2010;51:1190-4

Pemphigoid, bullous
Bullous pemphigoid presenting as dry gangrene in a revascularized limb (Twine et al). 2010;51:732-4 (Case rep.)

Percutaneous transluminal angioplasty; *see* Angioplasty, balloon

Perioperative care
New developments in the preoperative evaluation and perioperative management of coronary artery disease in patients

undergoing vascular surgery (Bauer et al). 2010;51:242-51 (Review)
Preoperative statin therapy is associated with improved outcomes and resource utilization in patients undergoing aortic aneurysm repair (McNally et al). 2010;51:1390-6

Peripheral arterial diseases; *see* Peripheral vascular diseases

Peripheral vascular diseases
Analysis of gender-related differences in lower extremity peripheral arterial disease (Egorova et al). 2010;51:372-9, 372.e1
Blood transfusion is associated with increased morbidity and mortality after lower extremity revascularization (O'Keeffe et al). 2010;51:616-21, 616.e1-e3
Combined effects of smoking and peripheral arterial disease on all-cause and cardiovascular disease mortality in a Chinese male cohort (Luo et al). 2010;51:673-8
Evaluation of peripheral atherosclerosis: a comparative analysis of angiography and intravascular ultrasound imaging (Arthurs et al). 2010;51:933-9
Evidence base and strategies for successful smoking cessation (Black). 2010;51:1529-37 (Review)
Ferritin levels, inflammatory biomarkers, and mortality in peripheral arterial disease: a substudy of the Iron (Fe) and Atherosclerosis Study (FeAST) Trial (DePalma et al). 2010;51:1498-503
Joint torques and powers are reduced during ambulation for both limbs in patients with unilateral claudication (Koutakis et al). 2010;51:80-8
A new variant of the posterior nutcracker phenomenon (Rassi et al). 2010;51:1279
Open or percutaneous revascularization for chronic splanchnic syndrome (Van Petersen et al). 2010;51:1309-16
Unexpected major role for venous stenting in deep reflux disease (Raju et al); (Wakefield) (Commentary). 2010;51:401-9
Walking economy before and after the onset of claudication pain in patients with peripheral arterial disease (Gardner et al). 2010;51:628-33

Phlebography
Role of three-dimensional computed tomography venography as a powerful navigator for varicose vein surgery (Min et al). 2010;51:893-9

Physicians
Assessment of public knowledge about the scope of practice of vascular surgeons (Farber et al). 2010;51:771-5, 771.e1-e4
A critical appraisal of physician-hospital integration models (Satiani and Vaccaro). 2010;51:1046-53
Good Samaritan statutes: a malpractice defense for "doing the right thing" (Brown). 2010;51:1572-3
R. Clement Darling Jr, MD, and the evolution of vascular surgery (Cambria). 2010;51:747-55 (Presidential Address)
Regarding "Predicted shortage of vascular surgeons in the United States: population and workload analysis" (Reed et al) (Letter). 2010;51:1076-7
Rudolph Matas and the first endoaneurysmorrhaphy: "A Fine Account of this Operation" (Trotter). 2010;51:1569-71
To sleep or not to sleep, that is the question (Jones and McCullough). 2010;51:1033-4
Why is the last name of William Stewart Halsted misspelled as "Halstead"? (Rich). 2010;51:288 (Letter)

Physicians' offices
Electronic medical records for the office (Bays). 2010;51:1302-8

Platelet aggregation inhibitors
Cilostazol reduces restenosis after carotid artery stenting (Takigawa et al). 2010;51:51-6

Plethysmography
Analysis of the postoperative hemodynamic changes in varicose vein surgery using air plethysmography (Park et al). 2010;51:634-8

Polyglycolic acid
Modification of the descending thoracic aortic anastomotic site using biodegradable felt: study in a canine model with or without basic fibroblast growth factor (Fujiwara et al). 2010;51:194-202

Polymethyl methacrylate
Prevention of cardiopulmonary embolization of polymethylmethacrylate cement fragment after kyphoplasty with insertion of inferior vena cava filter (Agko et al). 2010;51:210-3 (Case rep.)

Polytetrafluoroethylene
Midterm results from a multicenter registry on the treatment of infrainguinal critical limb ischemia using a heparin-bonded ePTFE graft (Pulli et al). 2010;51:1167-77, 1167.e1
Modification of the descending thoracic aortic anastomotic site using biodegradable felt: study in a canine model with or without basic fibroblast growth factor (Fujiwara et al). 2010;51:194-202

Popliteal artery
Endovascular interventions for TASC II D femoropopliteal lesions (Baril et al). 2010;51:1406-12
Endovascular repair of popliteal aneurysms (Cina). 2010;51:1056-60
Fifteen years of infrapopliteal arterial reconstructions with cryopreserved venous allografts for limb salvage (Randon et al). 2010;51:869-77
High spatial resolution magnetic resonance imaging of cystic adventitial disease of the popliteal artery (Maged et al). 2010;51:471-4 (Case rep.)
Open versus endovascular repair of popliteal artery aneurysms (Moore and Hill); (Forbes) (Commentary). 2010;51:271-7
The pathophysiology of abdominal aortic aneurysm growth: corresponding and discordant inflammatory and proteolytic processes in abdominal aortic and popliteal artery aneurysms (Abdul-Hussien et al). 2010;51:1479-87
Preferential use of basilic vein for surgical repair of popliteal aneurysms via the posterior approach (Tal et al). 2010;51:1043-5
A retrospective multicenter study of endovascular treatment of popliteal artery aneurysm (Midy et al). 2010;51:850-6
Stent fractures in the Hemobahn/Viabahn stent graft after endovascular popliteal aneurysm repair (Roddy). 2010;51:1581-2 (Editorial); Tielliu et al). 2010;51:1413-8

Popliteal vein
Recurrence of a popliteal venous aneurysm (Falls and Eslami); (Comerota) (Commentary). 2010;51:458-60 (Case rep.)
Recurrent popliteal vein aneurysm (Gasparis et al). 2010;51:453-7 (Case rep.)

Portal vein
Techniques and results of portal vein/superior mesenteric vein reconstruction using femoral and saphenous vein during pancreaticoduodenectomy (Lee et al). 2010;51:662-6; Roddy). 2010;51:781

Posterior nutcracker phenomenon; *see* Peripheral vascular diseases

Postoperative complications
Bullous pemphigoid presenting as dry gangrene in a revascularized limb (Twine et al). 2010;51:732-4 (Case rep.)
Embolization of a type 2 endoleak through catheterization of a hypogastric branched stent-graft (Coscas et al). 2010;51:712-4 (Case rep.)
Infectious complications after elective vascular surgical procedures (Vogel et al). 2010;51:122-30
Patient and procedure-related risk factors for adverse events after infrainguinal bypass (Flu et al). 2010;51:622-7
Perioperative asymptomatic cardiac damage after endovascular abdominal aneurysm repair is associated with poor long-term outcome (Winkel et al). 2009;50:749-54. Correction. 2010;51:289
Postoperative renal function preservation with nonischemic femoral arterial cannulation for thoracoabdominal aortic repair (Miller III et al). 2010;51:38-42
Prevention of thromboembolic events in surgical patients through the creation and implementation of a computerized risk assessment program (Novis et al). 2010;51:648-54
The use of dynamic volumetric CT angiography (DV-CTA) for the characterization of endoleaks following fenestrated endovascular aortic aneurysm repair (f-EVAR) (Bent et al). 2010;51:203-6 (Case rep.)
Vascular complications of exposure for anterior lumbar interbody fusion (Garg et al). 2010;51:946-50
Postoperative hemorrhage
Protamine reduces bleeding complications associated with carotid endarterectomy without increasing the risk of stroke (Stone et al). 2010;51:559-64, 559.e1
Practice guideline
SVS practice guidelines for the care of patients with an abdominal aortic aneurysm: executive summary (Lederle) (Letter); (Chaikof et al) (Reply). 2010;51:799-800
Practice management, medical
Assessment of public knowledge about the scope of practice of vascular surgeons (Farber et al). 2010;51:771-5, 771.e1-e4
A critical appraisal of physician-hospital integration models (Satiani and Vaccaro). 2010;51:1046-53
Electronic medical records for the office (Bays). 2010;51:1302-8
Pregnancy
Successful repair of a ruptured Stanford type B aortic dissection during pregnancy (Stout et al). 2010;51:990-2 (Case rep.)
Propylamines
Isopropylamine NONOate (IPA/NO) moderates neointimal hyperplasia following vascular injury (Tsihlis et al). 2010;51:1248-59
Prosthesis-related infections
Management of a thoracic endograft infection through an ascending to descending extra-anatomic aortic bypass and endograft explantation (Riesenman and Farber). 2010;51:207-9 (Case rep.)
Protamines
Protamine reduces bleeding complications associated with carotid endarterectomy without increasing the risk of stroke (Stone et al). 2010;51:559-64, 559.e1
Pseudoaneurysm; *see* Aneurysm, false
Psychomotor performance
Visuospatial and psychomotor aptitude predicts endovascular performance of inexperienced individuals on a virtual reality simulator (Van Herzeele et al); (Lawrence) (Commentary). 2010;51:1035-42
Pulmonary artery
Application of a homemade stent graft to the pulmonary arteries in a patient with total cavopulmonary connection (Adachi et al). 2010;51:1268-71 (Case rep.)
Pulmonary embolism
Prevention of cardiopulmonary embolization of polymethylmethacrylate cement fragment after kyphoplasty with insertion of inferior vena cava filter (Agko et al). 2010;51:210-3 (Case rep.)

Q

Quality of life
Changes in health-related quality of life after ultrasound-guided foam sclerotherapy for great and small saphenous varicose veins (Darvall et al). 2010;51:913-20
Quality of life before surgery is a predictive factor for satisfaction among patients undergoing sympathectomy to treat hyperhidrosis (Wolosker et al). 2010;51:1190-4

R

Radial artery
Percutaneous transluminal angioplasty for treatment of critical hand ischemia with a novel endovascular approach: "the radial to ulnar artery loop technique" (Gandini et al). 2010;51:760-2
Reactive oxygen species mediate functional differences in human radial and internal thoracic arteries from smokers (Müller-Schweinitzer et al). 2010;51:438-44
Radiation injuries
Regarding: "Carotid angioplasty and stenting in anatomically high-risk patients: safe and durable except for radiation-induced stenosis" (Borst and Moll) (Letter); (Panneton) (Reply). 2010;51:1077-8
Reactive oxygen species
Reactive oxygen species mediate functional differences in human radial and internal thoracic arteries from smokers (Müller-Schweinitzer et al). 2010;51:438-44
Receptors, CXCR4
Angiogenic effects of stromal cell-derived factor-1 (SDF-1/CXCL12) variants in vitro and the in vivo expressions of CXCL12 variants and CXCR4 in human critical leg ischemia (Ho et al). 2010;51:689-99
Receptors, estrogen
Estrogen receptor-mediated enhancement of venous relaxation in female rat: implications in sex-related differences in varicose veins (Raffetto et al). 2010;51:972-81
Renal artery
Balloon expandable stents facilitate right renal artery reconstruction during complex open aortic aneurysm repair (Patel et al); (Ricotta II) (Commentary). 2010;51:310-16
Open surgical repair of ruptured juxtarenal aortic aneurysms with and without renal cooling: observations regarding morbidity and mortality (Yeung et al). 2010;51:551-8
Predicting blood pressure response after renal artery stenting (Beck et al). 2010;51:380-5
Renal parenchymal preservation after percutaneous renal angioplasty and stenting (Davies et al). 2010;51:1222-9
Robot-assisted laparoscopic repair of renal artery aneurysms (Giulianotti et al). 2010;51:842-9; Roddy). 2010;51:1062
A single-center experience treating renal malperfusion after aortic dissection with central aortic fenestration and renal

artery stenting (Barnes et al); (Cambria) (Commentary). 2008;47:903-11, 903.e1-e11. Correction. 2010;51:1079

Renal artery obstruction

Bilateral renal artery occlusion due to intraoperative retrograde migration of an abdominal aortic aneurysm endograft (Inan et al). 2010;51:720-4 (Case rep.)

Impact of metabolic syndrome on the outcomes of percutaneous renal angioplasty and stenting (Davies et al). 2010;51: 926-32

Primary stenting for atherosclerotic renal artery stenosis (Steichen et al). 2010;51:1574-80, 1574.e1

Renal artery stenosis; *see* Renal artery obstruction

Renal dialysis

Endoscopic basilic vein transposition for hemodialysis access (Paul et al). 2010;51:1451-6

Evaluation of the efficacy of the forearm basilic vein transposition arteriovenous fistula (Son et al). 2010;51:667-72

Renal insufficiency

The impact of renal insufficiency on the outcome of carotid surgery is influenced by the definition used (Kretz et al). 2010;51:43-50

Renal vein

A new variant of the posterior nutcracker phenomenon (Rassi et al). 2010;51:1279

Resistance training

Strength training increases walking tolerance in intermittent claudication patients: randomized trial (Ritti-Dias et al); (Lynch and Johanning) (Commentary). 2010;51:89-95

Resistin

Novel adipokines, high molecular weight adiponectin and resistin, are associated with outcomes following lower extremity revascularization with autogenous vein (Owens et al). 2010;51:1152-9

Risk assessment

Prevention of thromboembolic events in surgical patients through the creation and implementation of a computerized risk assessment program (Novis et al). 2010;51: 648-54

Risk factors

A multivariate logistic regression analysis of risk factors for blunt cerebrovascular injury (Berne et al). 2010;51:57-64

Variations in the utilization of endovascular aneurysm repair reflect population risk factors and disease prevalence (Ng et al). 2010;51:801-9, 801.e1

Robotics

Robot-assisted laparoscopic repair of renal artery aneurysms (Giulianotti et al). 2010;51:842-9; Roddy). 2010;51:1062

The role of robotic endovascular catheters in fenestrated stent grafting (Riga et al); (Ohki) (Commentary). 2010;51: 810-20

S

Safety

An analysis of the outcomes of a decade of experience with lower extremity revascularization including limb salvage, lengths of stay, and safety (Egorova et al). 2010;51:878-85, 878.e1

Saphenous vein

The anatomy of the small saphenous vein: fascial and neural relations, saphenofemoral junction, and valves (Schweighofer et al). 2010;51:982-9

A case of external iliac arteriovenous fistula and high-output cardiac failure after endovenous laser treatment of great saphenous vein (Ziporin et al). 2010;51:715-9 (Case rep.)

Changes in health-related quality of life after ultrasound-guided foam sclerotherapy for great and small saphenous varicose veins (Darvall et al). 2010;51:913-20

The distribution and significance of varicosities in the saphenous trunks (Labropoulos et al). 2010;51:96-103

Elevated sex steroid hormones in great saphenous veins in men (Kendler et al); (Labropoulos) (Commentary). 2010;51: 639-47

High prevalence of right-to-left shunt in patients with symptomatic great saphenous incompetence and varicose veins (Wright et al). 2010;51:104-7

Stroke following endovenous laser treatment of varicose veins (Caggiati and Franceschini). 2010;51:218-20 (Case rep.)

Techniques and results of portal vein/superior mesenteric vein reconstruction using femoral and saphenous vein during pancreaticoduodenectomy (Lee et al). 2010;51:662-6; Roddy). 2010;51:781

Sclerotherapy

Changes in health-related quality of life after ultrasound-guided foam sclerotherapy for great and small saphenous varicose veins (Darvall et al). 2010;51:913-20

Treatment of a pelvic arteriovenous malformation by stent graft placement combined with sclerotherapy (Choi et al). 2010; 51:1006-9 (Case rep.)

Sex differences; *see* Sex factors

Sex factors

Analysis of gender-related differences in lower extremity peripheral arterial disease (Egorova et al). 2010;51:372-9, 372.e1

Estrogen receptor-mediated enhancement of venous relaxation in female rat: implications in sex-related differences in varicose veins (Raffetto et al). 2010;51:972-81

Sexual dysfunction, physiological

Regarding "Prospective follow-up of sexual function after elective repair of abdominal aortic aneurysms using open and endovascular techniques" (Shoab et al) (Letter); (Pettersson) (Reply). 2010;51:1325-6

Skull

Open surgical reconstruction of the internal carotid artery aneurysm at the base of the skull (Roddy). 2010;51:520

Sleep deprivation

To sleep or not to sleep, that is the question (Jones and McCullough). 2010;51:1033-4

Smoking

Combined effects of smoking and peripheral arterial disease on all-cause and cardiovascular disease mortality in a Chinese male cohort (Luo et al). 2010;51:673-8

Reactive oxygen species mediate functional differences in human radial and internal thoracic arteries from smokers (Müller-Schweinitzer et al). 2010;51:438-44

Smoking cessation

Evidence base and strategies for successful smoking cessation (Black). 2010;51:1529-37 (Review)

Societies, medical

Society for Vascular Surgery® (SVS)—the beginning (Yao). 2010;51:776-9

Society for Vascular Surgery

SVS practice guidelines for the care of patients with an abdominal aortic aneurysm: executive summary (Lederle) (Letter); (Chaikof et al) (Reply). 2010;51:799-800

Spinal cord ischemia
Protective effects of cold spinoplegia with fasudil against ischemic spinal cord injury in rabbits (Baba et al). 2010;51:445-52
Spinal cord vascular diseases
A prospective open-label study of endovascular treatment of chronic cerebrospinal venous insufficiency (Zamboni et al). 2009;50:1348-58, 1348.e1-e3. Correction. 2010;51:1079
Spinal fusion
Vascular complications of exposure for anterior lumbar interbody fusion (Garg et al). 2010;51:946-50
S100 Proteins
Comparative study on carotid revascularization (endarterectomy vs stenting) using markers of cellular brain injury, neuropsychometric tests, and diffusion-weighted magnetic resonance imaging (Capoccia et al). 2010;51:584-92, 584.e1-e3
Statin; *see* Hydroxymethylglutaryl-CoA reductase inhibitors
STAT1 transcription factor
Loss of STAT1 is associated with increased aortic rupture in an experimental model of aortic dissection and aneurysm formation (Eagleton et al). 2010;51:951-61
Stenosis; *see* Constriction, pathological
Stents
Application of a homemade stent graft to the pulmonary arteries in a patient with total cavopulmonary connection (Adachi et al). 2010;51:1268-71 (Case rep.)
Balloon expandable stents facilitate right renal artery reconstruction during complex open aortic aneurysm repair (Patel et al); (Ricotta II) (Commentary). 2010;51:310-16
Bilateral stenting at the iliocaval confluence (Neglén et al). 2010;51:1457-66
Carotid artery stent fracture identification and clinical relevance (Coppi et al). 2010;51:1397-405
Cilostazol reduces restenosis after carotid artery stenting (Takigawa et al). 2010;51:51-6
Clinical relevance and treatment of carotid stent fractures (Sfyroeras et al). 2010;51:1280-5 (Review)
A comparative analysis of the outcomes of carotid stenting and carotid endarterectomy in women (Rango et al). 2010;51:337-44
Comparative study on carotid revascularization (endarterectomy vs stenting) using markers of cellular brain injury, neuropsychometric tests, and diffusion-weighted magnetic resonance imaging (Capoccia et al). 2010;51:584-92, 584.e1-e3
Eight-year institutional review of carotid artery stenting (Eskandari et al). 2010;51:1145-51
Embolization of a type 2 endoleak through catheterization of a hypogastric branched stent-graft (Coscas et al). 2010;51:712-4 (Case rep.)
Endovascular treatment of contained rupture of a superior mesenteric artery aneurysm resulting from neurofibromatosis type I (Mendonça et al). 2010;51:461-4 (Case rep.)
Five-year results for the Talent enhanced Low Profile System abdominal stent graft pivotal trial including early and long-term safety and efficacy (Turnbull et al). 2010;51:537-44, 537.e1-e2
Impact of metabolic syndrome on the outcomes of percutaneous renal angioplasty and stenting (Davies et al). 2010;51:926-32
Incidence of and outcomes after misaligned deployment of the Talent Thoracic Stent Graft System (Kasirajan et al); (Clair) (Commentary). 2010;51:1096-102
Intermediate-term outcomes of endovascular treatment for symptomatic chronic mesenteric ischemia (Peck et al); (Geelkerken et al) (Commentary). 2010;51:140-7, 140.e1-e2
Open surgery remains a valid option for the treatment of recurrent carotid stenosis (Coscas et al). 2010;51:1124-32
Percutaneous transluminal angioplasty and stenting as first-choice treatment in patients with chronic mesenteric ischemia (Fioole et al); (Abou-Zamzam, Jr) (Commentary). 2010;51:386-91
Predicting blood pressure response after renal artery stenting (Beck et al). 2010;51:380-5
Predicting embolic potential during carotid angioplasty and stenting: analysis of captured particulate debris, ultrasound characteristics, and prior carotid endarterectomy (Malik et al). 2010;51:317-22
Preliminary results of Carotid Revascularization Endarterectomy vs Stenting Trial (CREST) (Forbes). 2010;51:1300-1
Primary stenting for atherosclerotic renal artery stenosis (Steichen et al). 2010;51:1574-80, 1574.e1
Regarding: "Carotid angioplasty and stenting in anatomically high-risk patients: safe and durable except for radiation-induced stenosis" (Borst and Moll) (Letter); (Panneton) (Reply). 2010;51:1077-8
Relationship between access side used to deliver the main body of bifurcated prostheses for endovascular aneurysm repair and speed of cannulation of the contralateral limb (Dang et al). 2010;51:33-7, 33.e1
Renal parenchymal preservation after percutaneous renal angioplasty and stenting (Davies et al). 2010;51:1222-9
The role of robotic endovascular catheters in fenestrated stent grafting (Riga et al); (Ohki) (Commentary). 2010;51:810-20
A single-center experience treating renal malperfusion after aortic dissection with central aortic fenestration and renal artery stenting (Barnes et al); (Cambria) (Commentary). 2008;47:903-11, 903.e1-e11. Correction. 2010;51:1079
Society of Vascular Surgery Vascular Registry® comparison of carotid artery stenting outcomes for atherosclerotic vs non-atherosclerotic carotid artery disease (White et al). 2010;51:1116-23
Stent fractures in the Hemobahn/Viabahn stent graft after endovascular popliteal aneurysm repair (Roddy). 2010;51:1581-2 (Editorial); Tielliu et al). 2010;51:1413-8
Successful treatment of an iatrogenic right hepatic artery pseudoaneurysm and stenosis with a stent graft (Hylton and Pevec). 2010;51:1510-3 (Case rep.)
A total laparoscopic technique for endovascular thoracic stent graft deployment (Yoshida et al). 2010;51:504-8
Treatment of a pelvic arteriovenous malformation by stent graft placement combined with sclerotherapy (Choi et al). 2010;51:1006-9 (Case rep.)
Unexpected major role for venous stenting in deep reflux disease (Raju et al); (Wakefield) (Commentary). 2010;51:401-9
Variation in the shape and length of the branches of a thoracoabdominal aortic stent graft: implications for the role of standard off-the-shelf components (Park et al). 2010;51:572-6

Stockings, compression
Comparison of low-strength compression stockings with bandages for the treatment of recalcitrant venous ulcers (Brizzio et al). 2010;51:410-6; Roddy). 2010;51:521 (Editorial)
The influence of different sub-bandage pressure values on venous leg ulcers healing when treated with compression therapy (Milic et al). 2010;51:655-61
In search of optimal compression therapy for venous leg ulcers: a meta-analysis of studies comparing divers bandages with specifically designed stockings (Amsler et al). 2009;50:668-74. Correction. 2010;51:289
Stroke
Atrial fibrillation is associated with increased risk of perioperative stroke and death from carotid endarterectomy (Harthun and Stukenborg). 2010;51:330-6
Protamine reduces bleeding complications associated with carotid endarterectomy without increasing the risk of stroke (Stone et al). 2010;51:559-64, 559.e1
Stroke following endovenous laser treatment of varicose veins (Caggiati and Franceschini). 2010;51:218-20 (Case rep.)
Stromal cell-derived factor-1; *see* Chemokine CXCL12
Subclavian artery
Outcomes of the endovascular management of aortic arch aneurysm: implications for management of the left subclavian artery (Holt et al); (Matsumura) (Commentary). 2010;51:1329-39
Right subclavian pseudoaneurysm secondary to blunt trauma in an arteriovenous malformation (Quinones-Baldrich). 2010;51:228-9
Surgical Ethics Challenges
Dealing honestly with an honest mistake (Liang et al). 2010;51:494-5
Informed consent: what level of risk to disclose with carotid artery endarterectomy? (Forbes). 2010;51:1548-9
To sleep or not to sleep, that is the question (Jones and McCullough). 2010;51:1033-4
Surgical flaps
Management of early (<30 day) vascular groin infections using vacuum-assisted closure alone without muscle flap coverage in a consecutive patient series (Dosluoglu et al). 2010;51:1160-6; Roddy). 2010;51:1317
Surgical procedures, elective
Outcome of elective endovascular abdominal aortic aneurysm repair in octogenarians and nonagenarians (Prenner et al). 2010;51:1354-9
Regarding "Prospective follow-up of sexual function after elective repair of abdominal aortic aneurysms using open and endovascular techniques" (Shoab et al) (Letter); (Pettersson) (Reply). 2010;51:1325-6
Sympathectomy
Quality of life before surgery is a predictive factor for satisfaction among patients undergoing sympathectomy to treat hyperhidrosis (Wolosker et al). 2010;51:1190-4

T

Takayasu arteritis
Circulation levels of acute phase proteins in patients with Takayasu arteritis (Ma et al). 2010;51:700-6
Telangiectasia, hereditary hemorrhagic
Thoracic endografting in a patient with hereditary hemorrhagic telangiectasia presenting with a descending thoracic aneurysm (Andersen et al). 2010;51:468-70 (Case rep.)
Thoracic aortic aneurysm; *see* Aortic aneurysm, thoracic
Thoracic arteries
Reactive oxygen species mediate functional differences in human radial and internal thoracic arteries from smokers (Müller-Schweinitzer et al). 2010;51:438-44
Thoracic injuries
Open vs endovascular repair of blunt traumatic thoracic aortic injuries (Rheaume et al); (Forbes) (Commentary). 2010;51:763-70
Thoracic surgical procedures
Incidence of and outcomes after misaligned deployment of the Talent Thoracic Stent Graft System (Kasirajan et al); (Clair) (Commentary). 2010;51:1096-102
Thoracotomy
Congenital native interruption of aortic arch in an adult: extra-anatomic approach by right-side thoracotomy (Henaine et al). 2010;51:1525-7 (Case rep.)
Thromboembolism
Prevention of thromboembolic events in surgical patients through the creation and implementation of a computerized risk assessment program (Novis et al). 2010;51:648-54
Thrombolytic therapy
Efficacy and safety of alfimeprase in patients with acute peripheral arterial occlusion (PAO) (Han et al); (Kashyap) (Commentary). 2010;51:600-9
Prospective determination of candidates for thrombolysis in patients with acute proximal deep vein thrombosis (Klein et al). 2010;51:908-12
Quantity of clot lysed after catheter-directed thrombolysis for iliofemoral deep venous thrombosis correlates with post-thrombotic morbidity (Grewal et al). 2010;51:1209-14
Quantity of clot lysed following catheter-directed thrombolysis for iliofemoral deep vein thrombosis correlates with post-thrombotic morbidity (Roddy). 2010;51:1318-9
Thrombosis
The mechanical role of thrombus on the growth rate of an abdominal aortic aneurysm (Speelman et al). 2010;51:19-26
Thrombospondin 1
Thrombospondin-1: a proatherosclerotic protein augmented by hyperglycemia (Maier et al). 2010;51:1238-47
Tissue inhibitor of metalloproteinase-1
In vivo suppression of vein graft disease by nonviral, electroporation-mediated, gene transfer of tissue inhibitor of metalloproteinase-1 linked to the amino terminal fragment of urokinase (TIMP-1.ATF), a cell-surface directed matrix metalloproteinase inhibitor (Eefting et al). 2010;51:429-37
Tomography, spiral computed
Detection of common carotid artery stenosis using duplex ultrasonography: a validation study with computed tomographic angiography (Roddy). 2010;51:279; Slovut et al). 2010;51:65-70
Tomography, X-ray computed
Incidental detection of a giant ductus arteriosus aneurysm by low-dose multidetector computed tomography in an asymptomatic adult (Pontone et al). 2010;51:1260-4 (Case rep.)
Preliminary 3D computational analysis of the relationship between aortic displacement force and direction of endograft movement (Figueroa et al). 2010;51:1488-97
Regarding "Abdominal aortic aneurysm diameter: a comparison of ultrasound measurements with those from standard

and three-dimensional computed tomography reconstruction" (Dalainas and Avgerinos) (Letter); (Manning et al) (Reply). 2010;51:287-8

Role of three-dimensional computed tomography venography as a powerful navigator for varicose vein surgery (Min et al). 2010;51:893-9

Ultrasound-determined diameter measurements are more accurate than axial computed tomography after endovascular aortic aneurysm repair (Han et al). 2010;51:1381-9

The use of dynamic volumetric CT angiography (DV-CTA) for the characterization of endoleaks following fenestrated endovascular aortic aneurysm repair (f-EVAR) (Bent et al). 2010;51:203-6 (Case rep.)

Transplantation, autologous

Rationale and design of the JUVENTAS trial for repeated intra-arterial infusion of autologous bone marrow-derived mononuclear cells in patients with critical limb ischemia (Sprengers et al); (Forbes) (Commentary). 2010;51:1564-8

Treatment outcome

A comparative analysis of the outcomes of aortic cuffs and converters for endovascular graft migration (Thomas et al). 2010;51:1373-80

The impact of renal insufficiency on the outcome of carotid surgery is influenced by the definition used (Kretz et al). 2010;51:43-50

Long-term outcomes and resource utilization of endovascular versus open repair of abdominal aortic aneurysms in Ontario (Jetty et al). 2010;51:577-83, 577.e1-e3

Preoperative functional status predicts perioperative outcomes after infrainguinal bypass surgery (Crawford et al). 2010;51:351-9

Society of Vascular Surgery Vascular Registry® comparison of carotid artery stenting outcomes for atherosclerotic vs non-atherosclerotic carotid artery disease (White et al). 2010;51:1116-23

Thirty-day NSQIP database outcomes of open versus endoluminal repair of ruptured abdominal aortic aneurysms (Davenport et al). 2010;51:305-9, 305.e1

Trends and outcomes of endovascular and open treatment for traumatic thoracic aortic injury (Jonker et al). 2010;51:565-71

Troponin T

Perioperative asymptomatic cardiac damage after endovascular abdominal aneurysm repair is associated with poor long-term outcome (Winkel et al). 2009;50:749-54. Correction. 2010;51:289

Truth disclosure

Dealing honestly with an honest mistake (Liang et al). 2010;51:494-5

Tuberculosis

Endovascular repair of a tuberculous mycotic thoracic aortic aneurysm with a custom-made device (Clough et al). 2010;51:1272-5 (Case rep.)

Tunica intima

Isopropylamine NONOate (IPA/NO) moderates neointimal hyperplasia following vascular injury (Tsihlis et al). 2010;51:1248-59

Twins

Genetic and environmental contributions to abdominal aortic aneurysm development in a twin population (Wahlgren et al); (Bush) (Commentary). 2010;51:3-8

U

Ulcer

The challenge of associated intramural hematoma with endovascular repair for penetrating ulcers of the descending thoracic aorta (Patel et al). 2010;51:829-35

Ulnar artery

Percutaneous transluminal angioplasty for treatment of critical hand ischemia with a novel endovascular approach: "the radial to ulnar artery loop technique" (Gandini et al). 2010;51:760-2

Ultrasonography

Changes in health-related quality of life after ultrasound-guided foam sclerotherapy for great and small saphenous varicose veins (Darvall et al). 2010;51:913-20

A clinical study of ultrasound-guided intralesional injection of bleomycin A5 on venous malformation in cervical-facial region in China (Hou et al). 2010;51:940-5

First experience using intraoperative contrast enhanced ultrasound during endovascular aneurysm repair for infrarenal aortic aneurysms (Kopp et al). 2010;51:1103-10

National trends in venous disease (Barnes et al). 2010;51:1467-73

Regarding "Abdominal aortic aneurysm diameter: a comparison of ultrasound measurements with those from standard and three-dimensional computed tomography reconstruction" (Dalainas and Avgerinos) (Letter); (Manning et al) (Reply). 2010;51:287-8

Ultrasound-determined diameter measurements are more accurate than axial computed tomography after endovascular aortic aneurysm repair (Han et al). 2010;51:1381-9

Ultrasonography, Doppler, duplex

Detection of common carotid artery stenosis using duplex ultrasonography: a validation study with computed tomographic angiography (Roddy). 2010;51:279; Slovut et al). 2010;51:65-70

Ultrasonography, interventional

Evaluation of peripheral atherosclerosis: a comparative analysis of angiography and intravascular ultrasound imaging (Arthurs et al). 2010;51:933-9

Prospective implementation of an algorithm for bedside intravascular ultrasound-guided filter placement in critically ill patients (Killingsworth et al). 2010;51:1215-21

Upper extremity deep vein thrombosis

Characterizing resolution of catheter-associated upper extremity deep venous thrombosis (Jones et al); (Lynch) (Commentary). 2010;51:108-13

A comprehensive review of Paget-Schroetter syndrome (Illig and Doyle). 2010;51:1538-47 (Review)

Urokinase-type plasminogen activator

In vivo suppression of vein graft disease by nonviral, electroporation-mediated, gene transfer of tissue inhibitor of metalloproteinase-1 linked to the amino terminal fragment of urokinase (TIMP-1.ATF), a cell-surface directed matrix metalloproteinase inhibitor (Eefting et al). 2010;51:429-37

V

Varicose ulcer

Comparison of low-strength compression stockings with bandages for the treatment of recalcitrant venous ulcers (Brizzio et al). 2010;51:410-6; Roddy). 2010;51:521 (Editorial)

The influence of different sub-bandage pressure values on

venous leg ulcers healing when treated with compression therapy (Milic et al). 2010;51:655-61
In search of optimal compression therapy for venous leg ulcers: a meta-analysis of studies comparing divers bandages with specifically designed stockings (Amsler et al). 2009;50:668-74. Correction. 2010;51:289

Varicose veins
Analysis of the postoperative hemodynamic changes in varicose vein surgery using air plethysmography (Park et al). 2010;51:634-8
Changes in health-related quality of life after ultrasound-guided foam sclerotherapy for great and small saphenous varicose veins (Darvall et al). 2010;51:913-20
The distribution and significance of varicosities in the saphenous trunks (Labropoulos et al). 2010;51:96-103
Elevated sex steroid hormones in great saphenous veins in men (Kendler et al); (Labropoulos) (Commentary). 2010;51:639-47
Endovenous laser ablation of varicose veins with the 1470-nm diode laser (Schwarz et al). 2010;51:1474-8
Estrogen receptor-mediated enhancement of venous relaxation in female rat: implications in sex-related differences in varicose veins (Raffetto et al). 2010;51:972-81
Functional adaptation of venous smooth muscle response to vasoconstriction in proximal, distal, and varix segments of varicose veins (Raffetto et al). 2010;51:962-71
High prevalence of right-to-left shunt in patients with symptomatic great saphenous incompetence and varicose veins (Wright et al). 2010;51:104-7
Retrospective evaluation of the need of a redo surgery at the groin for the surgical treatment of varicose vein (Pittaluga et al). 2010;51:1442-50; Roddy). 2010;51:1583 (Editorial)
Role of three-dimensional computed tomography venography as a powerful navigator for varicose vein surgery (Min et al). 2010;51:893-9
Stroke following endovenous laser treatment of varicose veins (Caggiati and Franceschini). 2010;51:218-20 (Case rep.)

Vascular diseases
Chronic venous disease progression and modification of predisposing factors (Kostas et al). 2010;51:900-7
Contemporary management of vascular complications associated with Ehlers-Danlos syndrome (Brooke et al). 2010;51:131-9
National trends in venous disease (Barnes et al). 2010;51:1467-73
Vascular complications of exposure for anterior lumbar interbody fusion (Garg et al). 2010;51:946-50

Vascular fistula
Symptomatic, acute aortocaval fistula complicating an infrarenal aortic aneurysm (Pevec et al). 2010;51:475

Vascular Images
Delayed presentation of traumatic innominate artery injury (Mousa et al). 2010;51:1014
Duodenal perforation and vertebral body erosion by a Greenfield filter (Obmann et al). 2010;51:1528
A new variant of the posterior nutcracker phenomenon (Rassi et al). 2010;51:1279
Primary venous aneurysm of the internal iliac vein (Ysa et al). 2010;51:735
Right subclavian pseudoaneurysm secondary to blunt trauma in an arteriovenous malformation (Quinones-Baldrich). 2010;51:228-9
Symptomatic, acute aortocaval fistula complicating an infrarenal aortic aneurysm (Pevec et al). 2010;51:475

Vascular neoplasms
The diagnosis, morphological particularities, and surgical technique in a case of intravascular leiomyoma extended to the right heart chambers (Galajda et al). 2010;51:1000-2 (Case rep.)

Vascular patency
Failure to achieve clinical improvement despite graft patency in patients undergoing infrainguinal lower extremity bypass for critical limb ischemia (Simons et al). 2010;51:1419-24
Long-term patency of small-diameter vascular graft made from fibroin, a silk-based biodegradable material (Enomoto et al). 2010;51:155-64
Technical aspects and midterm patency of iliac branched devices (Ferreira et al). 2010;51:545-50

Vascular surgical procedures
Analysis of the postoperative hemodynamic changes in varicose vein surgery using air plethysmography (Park et al). 2010;51:634-8
An analysis of the outcomes of a decade of experience with lower extremity revascularization including limb salvage, lengths of stay, and safety (Egorova et al). 2010;51:878-85, 878.e1
Aortic Customize: a new alternative endovascular approach to aortic aneurysm repair using injectable biocompatible elastomer. An in vitro study (Bosman et al). 2010;51:1230-7
Assessment of public knowledge about the scope of practice of vascular surgeons (Farber et al). 2010;51:771-5, 771.e1-e4
A case of traumatic internal carotid artery aneurysm secondary to carotid shunting (Troisi et al). 2010;51:225-7 (Case rep.)
Causes of late mortality after endovascular and open surgical repair of infrarenal abdominal aortic aneurysms (Goodney et al). 2010;51:1340-7, 1340.e1
The challenge of associated intramural hematoma with endovascular repair for penetrating ulcers of the descending thoracic aorta (Patel et al). 2010;51:829-35
Challenges in analysis and interpretation of cost data in vascular surgery (Mani et al). 2010;51:148-54
Charles Dickens, Coach K, Pogo, and the recent history and future of vascular surgery (Perler). 2010;51:1286-92 (Presidential Address)
Combined endovascular and open operative approach for mycotic carotid aneurysm (Tsai et al). 2010;51:1514-6 (Case rep.)
Comparison of conservative and operative treatment for blunt carotid injuries: analysis of the National Trauma Data Bank (Li et al). 2010;51:593-9, 593.e1-e2
Contemporary management of vascular complications associated with Ehlers-Danlos syndrome (Brooke et al). 2010;51:131-9
Contemporary results of standard open repair of acute traumatic rupture of the thoracic aorta (Verdant); (Balm) (Commentary). 2010;51:294-8
Cost-effectiveness of abdominal aortic aneurysm repair based on aneurysm size (Young et al). 2010;51:27-32
Defining high risk in endovascular aneurysm repair (Mastracci et al). 2010;51:1088-95, 1088.e1
Delayed permanent paraplegia after endovascular repair of abdominal aortic aneurysm (Goldstein et al). 2010;51:725-8 (Case rep.)

Determining who trains vascular surgery fellows in endovascular techniques (Reed et al). 2010;51:756-9

The diagnosis, morphological particularities, and surgical technique in a case of intravascular leiomyoma extended to the right heart chambers (Galajda et al). 2010;51:1000-2 (Case rep.)

The Endovasculaire vs Chirurgie dans les Anévrysmes Rompus PROTOCOL trial update (Desgranges et al); (Forbes) (Commentary). 2010;51:267-70

Endovascular interventions for TASC II D femoropopliteal lesions (Baril et al). 2010;51:1406-12

Endovascular management of multiple arteriovenous fistulae following failed laser-assisted pacemaker lead extraction (O'Connor et al). 2010;51:1517-20 (Case rep.)

Endovascular repair compared with surveillance for patients with small abdominal aortic aneurysms (Ouriel et al). 2010; 51:1081-7

Endovascular repair of a type B aortic dissection with a ventricular septal defect occluder (Chang et al). 2010;51:1507-9 (Case rep.)

Endovascular repair of popliteal aneurysms (Cina). 2010;51: 1056-60

Endovascular treatment of aortoesophageal and aortobronchial fistulae (Chiesa et al); (Brower) (Commentary). 2010; 51:1195-202

Failure to achieve clinical improvement despite graft patency in patients undergoing infrainguinal lower extremity bypass for critical limb ischemia (Simons et al). 2010;51:1419-24

First experience using intraoperative contrast enhanced ultrasound during endovascular aneurysm repair for infrarenal aortic aneurysms (Kopp et al). 2010;51:1103-10

Functional status as a prognostic factor for primary revascularization for critical limb ischemia (Flu et al). 2010;51:360-71, 360.e1

Future of vascular surgery is in the office (Jain et al). 2010;51: 509-14

Hybrid thoracic endovascular aortic repair: pushing the envelope (Younes et al). 2010;51:259-66

Hybrid treatment of an ascending aortic pseudoaneurysm following multiple sternotomies (Ruggieri et al). 2010;51: 729-31 (Case rep.)

Infectious complications after elective vascular surgical procedures (Vogel et al). 2010;51:122-30

Interventions for mesenteric vasculitis (Rits et al). 2010;51: 392-400, 392.e1-e2

Long-term outcomes and resource utilization of endovascular versus open repair of abdominal aortic aneurysms in Ontario (Jetty et al). 2010;51:577-83, 577.e1-e3

Management of a nontraumatic extracranial internal carotid aneurysm with external carotid transposition (Jones et al). 2010;51:465-7 (Case rep.)

Management of a thoracic endograft infection through an ascending to descending extra-anatomic aortic bypass and endograft explantation (Riesenman and Farber). 2010;51: 207-9 (Case rep.)

Management of ruptured abdominal aortic aneurysm in the endovascular era (Roddy). 2010;51:278; Stanes et al). 2010; 51:9-18. Correction. 2010;51:1079; Starnes et al). 2010; 51:9-18

Meta-analysis of open versus endovascular repair for ruptured descending thoracic aortic aneurysm (Jonker et al). 2010; 51:1026-32 (Review)

New developments in the preoperative evaluation and perioperative management of coronary artery disease in patients undergoing vascular surgery (Bauer et al). 2010;51:242-51 (Review)

Novel adipokines, high molecular weight adiponectin and resistin, are associated with outcomes following lower extremity revascularization with autogenous vein (Owens et al). 2010;51:1152-9

Novel sutureless telescoping anastomosis revascularization technique of supra-aortic vessels to simplify combined open endovascular procedures in the treatment of aortic arch pathologies (Donas et al); (Ballard) (Commentary). 2010; 51:836-41; Roddy). 2010;51:1061

Open or percutaneous revascularization for chronic splanchnic syndrome (Van Petersen et al). 2010;51:1309-16

Open surgical reconstruction of the internal carotid artery aneurysm at the base of the skull (Malikov et al). 2010;51: 323-9; Roddy). 2010;51:520

Open surgical repair of ruptured juxtarenal aortic aneurysms with and without renal cooling: observations regarding morbidity and mortality (Roddy). 2010;51:780; Yeung et al). 2010;51:551-8

Open versus endovascular repair of popliteal artery aneurysms (Moore and Hill); (Forbes) (Commentary). 2010;51: 271-7

Open vs endovascular repair of abdominal aortic aneurysm involving the iliac bifurcation (Cochennec et al). 2010;51: 1360-6

Open vs endovascular repair of blunt traumatic thoracic aortic injuries (Rheaume et al); (Forbes) (Commentary). 2010; 51:763-70

Outcome of elective endovascular abdominal aortic aneurysm repair in octogenarians and nonagenarians (Prenner et al). 2010;51:1354-9

Outcomes of the endovascular management of aortic arch aneurysm: implications for management of the left subclavian artery (Holt et al); (Matsumura) (Commentary). 2010; 51:1329-39

Paradigm shifts in the treatment of abdominal aortic aneurysm: trends in 721 patients between 1996 and 2008 (Albuquerque, Jr et al). 2010;51:1348-53

Patient and procedure-related risk factors for adverse events after infrainguinal bypass (Flu et al). 2010;51:622-7

Percutaneous transluminal angioplasty for treatment of critical hand ischemia with a novel endovascular approach: "the radial to ulnar artery loop technique" (Gandini et al). 2010;51:760-2

Perioperative β-blockers for vascular surgery patients (Brooke). 2010;51:515-9

Postoperative renal function preservation with nonischemic femoral arterial cannulation for thoracoabdominal aortic repair (Miller III et al). 2010;51:38-42

Preoperative functional status predicts perioperative outcomes after infrainguinal bypass surgery (Crawford et al). 2010; 51:351-9

Preoperative statin therapy is associated with improved outcomes and resource utilization in patients undergoing aortic aneurysm repair (McNally et al). 2010;51:1390-6

R. Clement Darling Jr, MD, and the evolution of vascular surgery (Cambria). 2010;51:747-55 (Presidential Address)

Regarding "Analysis of motor and somatosensory evoked potentials during thoracic and thoracoabdominal aortic aneurysm repair" (Mess and Jacobs) (Letter); (Miller III et al) (Reply). 2010;51:286-7

Regarding "Prospective follow-up of sexual function after elective repair of abdominal aortic aneurysms using open and endovascular techniques" (Shoab et al) (Letter); (Pettersson) (Reply). 2010;51:1325-6
Retrospective evaluation of the need of a redo surgery at the groin for the surgical treatment of varicose vein (Pittaluga et al). 2010;51:1442-50; Roddy). 2010;51:1583 (Editorial)
The role of robotic endovascular catheters in fenestrated stent grafting (Riga et al); (Ohki) (Commentary). 2010;51:810-20
Role of simple and complex hybrid revascularization procedures for symptomatic lower extremity occlusive disease (Dosluoglu et al). 2010;51:1425-35, 1425.e1
Role of three-dimensional computed tomography venography as a powerful navigator for varicose vein surgery (Min et al). 2010;51:893-9
Seasonal variation of acute carotid surgery: does it exist? (Coen et al). 2010;51:285-6 (Letter)
A single-center experience treating renal malperfusion after aortic dissection with central aortic fenestration and renal artery stenting (Barnes et al); (Cambria) (Commentary). 2008;47:903-11, 903.e1-e11. Correction. 2010;51:1079
Society for Vascular Surgery® (SVS)—the beginning (Yao). 2010;51:776-9
Successful treatment of multiple mycotic aortic aneurysms, using a hybrid procedure (Iida et al). 2010;51:1521-4 (Case rep.)
A survey of demographics, motivations, and backgrounds among applicants to the integrated 0 + 5 vascular surgery residency (Lee et al). 2010;51:496-503
Techniques and results of portal vein/superior mesenteric vein reconstruction using femoral and saphenous vein during pancreaticoduodenectomy (Lee et al). 2010;51:662-6
Thirty-day NSQIP database outcomes of open versus endoluminal repair of ruptured abdominal aortic aneurysms (Davenport et al). 2010;51:305-9, 305.e1
Totally videoendoscopic descending thoracic aorta-to-femoral artery bypass (Fukui et al). 2010;51:1560-3
Treatment of complex coarctation and coarctation with cardiac lesions using extra-anatomic aortic bypass (Wang et al). 2010;51:1203-8
Trends and outcomes of endovascular and open treatment for traumatic thoracic aortic injury (Jonker et al). 2010;51:565-71
Ultrasound-determined diameter measurements are more accurate than axial computed tomography after endovascular aortic aneurysm repair (Han et al). 2010;51:1381-9
Variations in the utilization of endovascular aneurysm repair reflect population risk factors and disease prevalence (Ng et al). 2010;51:801-9, 801.e1
Vascular surgery knowledge and exposure obtained during medical school and the potential impact on career decisions (Singh et al). 2010;51:252-8
Visuospatial and psychomotor aptitude predicts endovascular performance of inexperienced individuals on a virtual reality simulator (Van Herzeele et al); (Lawrence) (Commentary). 2010;51:1035-42

Vasculitis
Interventions for mesenteric vasculitis (Rits et al). 2010;51:392-400, 392.e1-e2

Vasoconstriction
Functional adaptation of venous smooth muscle response to vasoconstriction in proximal, distal, and varix segments of varicose veins (Raffetto et al). 2010;51:962-71

Veins
Adaptive changes in autogenous vein grafts for arterial reconstruction:clinical implications (Owens). 2010;51:736-46 (Review)

Vena cava filters
Prevention of cardiopulmonary embolization of polymethylmethacrylate cement fragment after kyphoplasty with insertion of inferior vena cava filter (Agko et al). 2010;51:210-3 (Case rep.)
Prospective implementation of an algorithm for bedside intravascular ultrasound-guided filter placement in critically ill patients (Killingsworth et al). 2010;51:1215-21

Vena cava, inferior
Prevention of cardiopulmonary embolization of polymethylmethacrylate cement fragment after kyphoplasty with insertion of inferior vena cava filter (Agko et al). 2010;51:210-3 (Case rep.)
Primary leiomyosarcoma of the inferior vena cava: reports of infrarenal and suprahepatic caval involvement (Tameo et al). 2010;51:221-4 (Case rep.)
Symptomatic, acute aortocaval fistula complicating an infrarenal aortic aneurysm (Pevec et al). 2010;51:475

Venography; *see* Phlebography

Venous disease; *see* Vascular diseases

Venous insufficiency
High prevalence of right-to-left shunt in patients with symptomatic great saphenous incompetence and varicose veins (Wright et al). 2010;51:104-7
A prospective open-label study of endovascular treatment of chronic cerebrospinal venous insufficiency (Zamboni et al). 2009;50:1348-58, 1348.e1-e3. Correction. 2010;51:1079

Venous thrombosis
Prevention of thromboembolic events in surgical patients through the creation and implementation of a computerized risk assessment program (Novis et al). 2010;51:648-54
Prospective determination of candidates for thrombolysis in patients with acute proximal deep vein thrombosis (Klein et al). 2010;51:908-12
Quantity of clot lysed after catheter-directed thrombolysis for iliofemoral deep venous thrombosis correlates with post-thrombotic morbidity (Grewal et al). 2010;51:1209-14
Quantity of clot lysed following catheter-directed thrombolysis for iliofemoral deep vein thrombosis correlates with post-thrombotic morbidity (Roddy). 2010;51:1318-9

Venous ulcer; *see* Varicose ulcer

Venous valves
The anatomy of the small saphenous vein: fascial and neural relations, saphenofemoral junction, and valves (Schweighofer et al). 2010;51:982-9

Ventricular septal defect; *see* Heart septal defects, ventricular

Vertebroplasty
Prevention of cardiopulmonary embolization of polymethylmethacrylate cement fragment after kyphoplasty with insertion of inferior vena cava filter (Agko et al). 2010;51:210-3 (Case rep.)

Videoendoscopy; *see* Capsule endoscopy

W

Walking
Joint torques and powers are reduced during ambulation for both limbs in patients with unilateral claudication (Koutakis et al). 2010;51:80-8
Strength training increases walking tolerance in intermittent claudication patients: randomized trial (Ritti-Dias et al); (Lynch and Johanning) (Commentary). 2010;51:89-95
Variability and short-term determinants of walking capacity in patients with intermittent claudication (Faucheur et al). 2010;51:886-92
Walking economy before and after the onset of claudication pain in patients with peripheral arterial disease (Gardner et al). 2010;51:628-33
Weapons
Varied presentations of missile emboli in military combat (Aidinian et al). 2010;51:214-7 (Case rep.)
Workload
Regarding "Predicted shortage of vascular surgeons in the United States: population and workload analysis" (Reed et al) (Letter). 2010;51:1076-7
Wound healing
The influence of different sub-bandage pressure values on venous leg ulcers healing when treated with compression therapy (Milic et al). 2010;51:655-61
Wounds and injuries
Delayed presentation of traumatic innominate artery injury (Mousa et al). 2010;51:1014
Isopropylamine NONOate (IPA/NO) moderates neointimal hyperplasia following vascular injury (Tsihlis et al). 2010;51:1248-59
Traumatic arteriovenous fistula 52 years after injury (Chaudry et al). 2010;51:1265-7 (Case rep.)
Trends and outcomes of endovascular and open treatment for traumatic thoracic aortic injury (Jonker et al). 2010;51:565-71
Wounds, nonpenetrating
Comparison of conservative and operative treatment for blunt carotid injuries: analysis of the National Trauma Data Bank (Li et al). 2010;51:593-9, 593.e1-e2
Open vs endovascular repair of blunt traumatic thoracic aortic injuries (Rheaume et al); (Forbes) (Commentary). 2010;51:763-70
Right subclavian pseudoaneurysm secondary to blunt trauma in an arteriovenous malformation (Quinones-Baldrich). 2010;51:228-9